PRO-TECT SPORTS SUNSCREEN SPF 20- meradimate, octinoxate, octisalate, oxybenzone lotion

A-Cute Derm, Incorporated

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients

Meradimate 5.0%

Octinoxate 7.5%

Octisalate 5.0%

Oxybenzone 3.0%

Purpose

Sunscreen

Uses

- •helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes.

Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- •apply liberally 15 minutes before sun exposure
- •reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying

- at least every 2 hours
- •children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10a.m.-2 p.m.
- •wear long-sleeved shirts, pants, hats, and sun-glasses

Other Information

•protect this product from excessive heat and direct sun.

Inactive Ingredients

Aloe Vera Leaf, Benzyl Alcohol, Carbomer Copolymer Type B (Allyl Pentaerythritol Crosslinked), Cetyl Alcohol, Cetyl Dimethicone 45, Diazolidinyl Urea, Diethanolamine Cetyl Phospate, dl-Alpha Tocopheryl Acetate, Iodopropynyl Butylcarbamate, Stearic Acid, Talc, Trolamine, Water.

Questions or Comments

1-800-922-2883

Package Label

NDC# 61619-864-08

Drug Facts (continued)

Directions

•apply liberally 15 minutes before sun exposure

- reapply:
- •after 80 minutes of swimming or sweating
- immediately after towel drying
- •at least every 2 hours •children under 6 months: Ask a doctor •Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- •wear long-sleeved shirts, pants, hats, and sun-glasses

Other information

 protect this product from excessive heat and direct sun.

Inactive ingredients

Aloe Vera Leaf, Benzyl Alcohol, Carbom-er Copolymer Type B (Allyl Pentaerythritol Crosslinked), Cetyl Alcohol, Cetyl Di-methicone 45, Diazolidinyl Urea, Dieth-Cetyl Phosphate, dl-Alpha Tocopheryl Acetate, Iodopropynyl Butyl-carbamate, Stearic Acid, Talc, Trolamine, Water.

Questions or comments? 1-800-922-2883



PRO-TECT®

SPF 20 SUNSCREEN 8.0 FL OZ (236.6 ml)

Drug Facts

Active ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Meradimate 5.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Oxybenzone 3.0%	Sunscreen

Uses

helps prevent sunbum.

•if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.





PRO-TECT SPORTS SUNSCREEN SPF 20

meradimate, octinoxate, octisalate, oxybenzone lotion

Product Information

CUTANEOUS Route of Administration

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) **OCTINOXATE** 75 mg in 1 mL MERADIMATE (UNII: J9QGD600UZ) (MERADIMATE - UNII: J9QGD600UZ) **MERADIMATE** 50 mg in 1 mL OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y) **OXYBENZONE** 30 mg in 1 mL 50 mg in 1 mL OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) **OCTISALATE**

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	

CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
CETYL DIMETHICONE 45 (UNII: IK315POC44)	
DIETHANOLAMINE CETYL PHOSPHATE (UNII: 4UG0316V9S)	
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TROLAMINE (UNII: 903K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61619- 864-04	118.3 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2016	
2	NDC:61619- 864-02	59.1 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2016	
3	NDC:61619- 864-10	1 in 1 BOX	12/22/2021	
3	NDC:61619- 864-06	29.6 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:61619- 864-08	236.6 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2016	
5	NDC:61619- 864-32	946.4 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/05/2016	

Labeler - A-Cute Derm, Incorporated (809845803)

Establishment				
Name	Address	ID/FEI	Business Operations	
Bio-Medical & Pharmaceutical Manufacturing Corporation		072186356	manufacture(61619-864)	

Revised: 12/2021 A-Cute Derm, Incorporated