

**INSTA-CHAR SORBITOL- poison adsorbent suspension**  
**VISTAPHARM INC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**INSTA-CHAR SORBITOL**

**Active Ingredient (per 120 mL)**

Activated Charcoal, USP 25g

**Purpose**

Poison Adsorbent

**Uses**

- For emergency use to adsorb swallowed poisons.

**Warnings**

**Do not use**

- until after the patient has vomited, unless directed by a health professional
- in persons that are not fully conscious
- unless directed by a health professional, if turpentine, corrosives, such as alkalies (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested

**When using this product**

severe cramping and diarrhea may be experienced.

**If Pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- **Shake vigorously to suspend charcoal before use.**
- Remove foil seal underneath cap and replace cap.
- Cut off delivery tip of bottle 3/4 inch from end to insert drinking straw included with bottle.
- Pull or cut off tip from included cherry flavor and squeeze flavor into straw.
- Administer entire 240 mL if possible.
- Repeat dose immediately with Insta-Char Aqueous base product if possible.
- If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying.
- Keep patient active and moving.
- Save the container of poison.

---

Age                      Dose

Children 1 to 12 years old weighing at least 16kg (36lbs.)	15 -30g activated charcoal or 1-2g per kg of body weight. If a second dose is recommended, the additional dose should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.
Adults and children 12 and over weighing at least 32 kg (71 lbs.)	50-100 g (1-2 adult bottles) or 1-2g per kg of body weight. If a second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

---

### **Other information**

- Drinking straw and cherry flavor included

### **Inactive Ingredients**

citric acid, glycerin, propylene glycol, purified water, sorbitol

### **Flavor Ingredients**

artificial flavor, citric acid, FD and C red #40, propylene glycol, sodium benzoate, water, xanthan gum

### **Questions?**

888-655-1505

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label.

### **Label**

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Inst-Char Sorbitol Poison adsorbent 120 mL

Distributed by:

Vistapharm Inc.

Largo, FL 33771

Do not use if imprinted Protective Seal under the cap is broken or missing.

NDC 66689-203-04

**DRUG FACTS**

**Active Ingredient (per 120 mL)**  
Activated Charcoal, USP 25g

**Purpose**  
Poison Adsorbent

**Uses**  
■ For emergency use to adsorb swallowed poisons

**Warnings**  
**Do not use** ■ until after the patient has vomited, unless directed by a health professional ■ in persons that are not fully conscious ■ unless directed by a health professional, if turpentine, corrosives, such as alkalis (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested ■ if bowel sounds are absent

**When using this product**

- carefully monitor patient fluids and electrolytes
- severe cramping and diarrhea may be experienced.

Keep out of reach of children. ▶

Rev: 9/17

**VistaPharm**

**KERR INSTA-CHAR®**  
IN A SORBITOL BASE  
WITH CHERRY FLAVOR

A unit dose ready to use activated charcoal suspension poison adsorbent.



25 Grams Activated Charcoal and 26 Grams Sorbitol in 120 mL (4 fl oz)

**PEDIATRIC DOSE**  
SHAKE VIGOROUSLY BEFORE USE

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label

Emergency Phone No.: **NO Varnish**



**NO Varnish**

Distributed by:  
VistaPharm, Inc.  
Largo, FL 33771

**DRUG FACTS (Continued)**

**Directions**  
■ **SHAKE VIGOROUSLY TO SUSPEND CHARCOAL BEFORE USE.** ■ Remove foil seal underneath cap and replace cap. ■ Cut off delivery tip of bottle 3/4 inch from end to insert drinking straw included with bottle. ■ Pull or cut off tip from included cherry flavor and squeeze flavor into straw. ■ Administer entire dose if possible. ■ Repeat dose immediately with Insta-Char Aqueous base product if possible. ■ If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying. ■ Keep patient active and moving. ■ Save the container of poison.

Age	Dose
Children 1 to 12 years old weighing at least 16 kg (36 lbs.)	15 - 30g activated charcoal or 1-2g per kg of body weight. If a second dose is recommended, the additional dose should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

**Other information**  
■ Drinking straw and cherry flavor included

**Inactive Ingredients** citric acid, glycerin, propylene glycol, purified water, sorbitol  
**Flavor Ingredients** artificial flavor, citric acid, FD&C red #40, propylene glycol, sodium benzoate, water, xanthan gum

Questions? 888-655-1505

**INSTA-CHAR SORBITOL**

poison adsorbent suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66689-203
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	50 g in 240 mL

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (CONTAINED IN 1ML PACKET)	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66689-203-08	240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/28/2008	
2	NDC:66689-203-04	120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/28/2008	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part357	03/28/2008	

**Labeler** - VISTAPHARM INC (116743084)

**Registrant** - DSC Laboratories Inc. (097807374)

## Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(66689-203)