

INSTA-CHAR SORBITOL- poison adsorbent suspension
VistaPharm, LLC

INSTA-CHAR SORBITOL

Active Ingredient (per 240 mL)

Activated Charcoal, USP 50g

Purpose

Poison Adsorbent

Uses

- For emergency use to adsorb swallowed poisons.

Warnings

Do not use

- until after the patient has vomited, unless directed by a health professional
- in persons that are not fully conscious
- unless directed by a health professional, if turpentine, corrosives, such as alkalies (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested

When using this product

severe cramping and diarrhea may be experienced.

If Pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- **Shake vigorously to suspend charcoal before use.**
- Remove foil seal underneath cap and replace cap.
- Cut off delivery tip of bottle 3/4 inch from end to insert drinking straw included with bottle.
- Pull or cut off tip from included cherry flavor and squeeze flavor into straw.
- Administer entire 240 mL if possible.
- Repeat dose immediately with Insta-Char Aqueous base product if possible.
- If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying.

- Keep patient active and moving.
- Save the container of poison.

Age	Dose
Adults and children 12 and over and weighing at least 32 kg (71 lbs.)	50-100 g (1-2 adult bottles) or 1-2g per kg of body weight. If a second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

Other information

- Drinking straw and cherry flavor included

Inactive Ingredients

citric acid, glycerin, propylene glycol, purified water, sorbitol

Flavor Ingredients

artificial flavor, citric acid, FD and C red #40, propylene glycol, sodium benzoate, water, xanthan gum

Questions?

888-655-1505

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label.

Label

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Inst-Char Sorbitol Poison adsorbent 240 mL

Distributed by:

VistaPharm, Inc.

Largo, FL 33771

Do not use if imprinted Protective Seal under the cap is broken or missing.

NDC 66689-203-08

DRUG FACTS

Active Ingredient (per 240 mL) Purpose
Activated Charcoal, USP 50g...Poison Adsorbent

Uses
■ For emergency use to adsorb swallowed poisons

Warnings
Do not use ■ until after the patient has vomited, unless directed by a health professional ■ in persons that are not fully conscious ■ unless directed by a health professional, if turpentine, corrosives, such as alkalies (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested

When using this product severe cramping and diarrhea may be experienced.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. ▶

Rev: 09/17



No Varnish Area

VistaPharm
KERR INSTA-CHAR®
IN A SORBITOL BASE
WITH CHERRY FLAVOR



A unit dose ready to use activated charcoal suspension poison adsorbent.

50 Grams Activated Charcoal and 52 Grams Sorbitol in 240 mL (8 fl oz)

SHAKE VIGOROUSLY BEFORE USE

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label.

Emergency Phone No: No Varnish Area

Distributed by:
VistaPharm, Inc.
Largo, FL 33771

DRUG FACTS (Continued)

Directions
■ **SHAKE VIGOROUSLY TO SUSPEND CHARCOAL BEFORE USE.** ■ Remove foil seal underneath cap and replace cap. ■ Cut off delivery tip of bottle 3/4 inch from end to insert drinking straw included with bottle. ■ Pull or cut off tip from included cherry flavor and squeeze flavor into straw. ■ Administer entire 240 mL if possible. ■ Repeat dose immediately with Insta-Char Aqueous base product if possible. ■ If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying. ■ Keep patient active and moving. ■ Save the container of poison.

Age	Dose
Adults and children 12 years and over and weighing at least 32 kg (71 lbs.)	50 - 100 g (1-2 adult bottles) or 1-2g per kg of body weight. If a second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

Other information
■ Drinking straw and cherry flavor included

Inactive Ingredients citric acid, glycerin, propylene glycol, purified water, sorbitol
Flavor Ingredients artificial flavor, citric acid, FD&C red #40, propylene glycol, sodium benzoate, water, xanthan gum

Questions? 888-655-1505

Insta-Char Sorbitol 240 mL

INSTA-CHAR SORBITOL

poison adsorbent suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66689-203
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	50 g in 240 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	Score
--------------	--------------

Shape		Size	
Flavor	CHERRY (CONTAINED IN 1ML PACKET)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66689-203-08	240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/28/2008	
2	NDC:66689-203-04	120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/28/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/28/2008	

Labeler - VistaPharm, LLC (116743084)