CORE VALUES TUSSIN DM- dextromethorphan hbr, guaifenes in solution Harmon Stores Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Harmon Stores Inc. Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

Other information

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Principal Display Panel

Compare to active ingredients in Robitussin® Cough + Chest Congestion DM

For Ages 12 & Over

Adult

Tussin DM

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Cough & Chest Congestion

Peak Cold

Non-Drowsy

Relieves:


Cough

Mucus

Cherry Flavor

Alcohol Free

8 FL OZ (237 mL)



COBEATIONER

CORE ALUES

Compare to active ingredients in Robitussin® Cough + Chest Congestion DM*

For Ages 12 & Over

Adult

ussin

Cough Suppressant (Dextromethorphan HBr) Expectorant (Guaifenesin)

Cough & Chest Congestion

Peak Cold Non-Drowsy


Relieves:

- Cough
- Mucus

Cherry Flavor

Alcohol Free

8 FL OZ (237 mL)



CORE VALUES

Compare to active ingredients in Robitussin® Cough + Chest Congestion DM*

For Ages 12 & Over

ussin

Cough Suppressant (Dextromethorphan HBr) Expectorant (Guarfenesin)

Cough & Chest Congestion

Peak Cold Non-Drowsy



- Cough
- Mucus

Cherry Flavor

Alcohol Free

8 FL OZ (237 mL)

Drug Facts

Active ingredients (in each 10 mL) Dextromethorphan HBr, Purposes

USP 20 mg......Cough suppressant Guaifenesin, USP 200 mg.....Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription nonoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have cough that occurs with too much phleam (mucus)

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of

overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period measure only with dosing cup provided keep dosing cup with product

Drug Facts (continued)

- mL = milliliter
 this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- each 10 mL contains: sodium 6 mg store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

*This product is not manufactured or distributed by Pfizer, distributor of itussin® Cough + Chest Congestion DM.

Harmon Stores, Inc. 650 Liberty Ave., Union, NJ 07083 USA © Harmon Stores, Inc. Visit us at: www.facevalues.com



DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING



www.StopMedicineAbuse.org



LOT NO.

EXP.

CORE VALUES TUSSIN DM

dextromethorphan hbr, guaifenesin solution

Product Information

HUMAN OTC DRUG Product Type Item Code (Source) NDC:63940-087

ORAL **Route of Administration**

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients	
Ingredient Name	Strength
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics			
Color	RED (clear)	Score	
Shape		Size	
Flavor	CHERRY (Fruity)	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:63940-087-34	1 in 1 CARTON	11/22/2016	
1	237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	11/22/2016	

Labeler - Harmon Stores Inc. (804085293)

Revised: 2/2020 Harmon Stores Inc.