

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet, film coated**

**Topco Associates, LLC**

-----

**TopCare 44-390**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

***Purpose***

Pain reliever

Diuretic

Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- fatigue
- muscle aches

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

### **Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

### ***Other information***

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

### ***Questions or comments?***

**1-888-423-0139**

### ***Principal display panel***

**TopCare®**  
health

COMPARE TO MIDOL® COMPLETE ACTIVE INGREDIENTS\*

NDC 36800-391-08

### **Menstrual Complete**

**ACETAMINOPHEN**, CAFFEINE, PYRILAMINE MALEATE  
PAIN RELIEVER • DIURETIC • ANTIHISTAMINE

#### **MULTI-SYMPTOM RELIEF OF:**

- Cramps • Headache • Bloating
- Backache • Fatigue

**24 CAPLETS**

actual size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

50844 REV0623B39008

### **QUALITY GUARANTEED**

DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
ITASCA, IL 60143  
©TOPCO LNKA1023

QUESTIONS?  
 1-888-423-0139  
 topcare@topco.com  
 www.topcarebrand.com

**Drug Facts** (continued)  
**Warnings**  
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen or more alcoholic drinks every day while using this product.  
**Allegory alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash.  
 If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts**  
**Active ingredients** (in each caplet)  
 Acetaminophen 500 mg ..... Pain reliever  
 Caffeine 60 mg .....  
 Pyrilamine maleate 15 mg ..... Antihistamine

**Purpose**  
 for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- cramps
- muscle aches
- fatigue
- water-weight gain



COMPARE TO MIDOL® COMPLETE ACTIVE INGREDIENTS\*  
 NDC 36800-391-08

# Menstrual Complete

ACETAMINOPHEN, CAFFEINE, PYRILAMINE MALEATE  
 PAIN RELIEVER • DIURETIC • ANTIHISTAMINE

**MULTI-SYMPTOM RELIEF OF:**

- Cramps
- Headache
- Bloating
- Backache
- Fatigue

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete. 50844 REV0623839008

DISTRIBUTED BY  
 TOPCO ASSOCIATES LLC  
 ITASCA, IL 60143  
 ©TOPCO LINK#1023  
 QUESTIONS?  
 1-888-423-0139  
 topcare@topco.com  
 www.topcarebrand.com  
**QUALITY GUARANTEED**



Scan here for more information or call 1-888-423-0139

No print/No varnish  
 Lot & Exp date



24 CAPLETS actual size

**Drug Facts** (continued)  
**Directions**  
 ■ do not take more than directed  
 ■ adults and children 12 years and over: take 2 caplets with water  
 ■ repeat every 6 hours, as needed  
 ■ do not exceed 6 caplets per day  
 ■ children under 12 years: ask a doctor

**Drug Facts** (continued)  
**Other information**  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ see end flap for expiration date and lot number

**Drug Facts** (continued)  
**Questions or comments?**  
 1-888-423-0139

B-1910-390-08-R  
 REV0623839008

**Drug Facts** (continued)  
**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
 ■ difficulty in urination due to enlargement of the prostate gland ■ liver disease  
 ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

**Ask a doctor or pharmacist before use if you are**  
 ■ taking the blood thinning drug warfarin  
 ■ taking sedatives or tranquilizers

**When using this product**  
 ■ drowsiness may occur  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Drug Facts** (continued)  
**Stop use and ask a doctor if**  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ these could be signs of a serious condition.  
 If pregnant or breast-feeding, ask a health professional before use.

## Topcare 44-390

### MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

#### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:36800-391 |
| <b>Route of Administration</b> | ORAL           |                           |               |

#### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength  | Strength |
|---|--------------------|----------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)   | ACETAMINOPHEN      | 500 mg   |
| <b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)             | CAFFEINE           | 60 mg    |
| <b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE | 15 mg    |

#### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                     |          |
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)            |          |
| <b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)         |          |
| <b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)        |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)               |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)       |          |
| <b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)                     |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |          |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)            |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                     |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                 |          |
| <b>TRIACETIN</b> (UNII: XHX3C3X673)                        |          |

#### Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL  | <b>Size</b>         | 17mm     |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | 44;390   |
| <b>Contains</b> |       |                     |          |

#### Packaging

| # | Item Code        | Package Description                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:36800-391-08 | 1 in 1 CARTON                          | 01/01/2019           |                    |
| 1 |                  | 24 in 1 BOTTLE, PLASTIC; Type 0: Not a |                      |                    |

| Combination Product          |  |                      |                    |
|------------------------------|--|----------------------|--------------------|
| <b>Marketing Information</b> |  |                      |                    |
| Marketing Category           | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug           | M013                                     | 01/01/2019           |                    |

**Labeler** - Topco Associates, LLC (006935977)

| <b>Establishment</b>    |         |           |                     |
|-------------------------|---------|-----------|---------------------|
| Name                    | Address | ID/FEI    | Business Operations |
| LNK International, Inc. |         | 038154464 | pack(36800-391)     |

| <b>Establishment</b>    |         |           |  |
|-------------------------|---------|-----------|--|
| Name                    | Address | ID/FEI    | Business Operations                      |
| LNK International, Inc. |         | 832867837 | manufacture(36800-391) , pack(36800-391) |

| <b>Establishment</b>    |         |           |                        |
|-------------------------|---------|-----------|------------------------|
| Name                    | Address | ID/FEI    | Business Operations    |
| LNK International, Inc. |         | 832867894 | manufacture(36800-391) |

| <b>Establishment</b>    |         |           |                     |
|-------------------------|---------|-----------|---------------------|
| Name                    | Address | ID/FEI    | Business Operations |
| LNK International, Inc. |         | 967626305 | pack(36800-391)     |

| <b>Establishment</b>    |         |           |                        |
|-------------------------|---------|-----------|------------------------|
| Name                    | Address | ID/FEI    | Business Operations    |
| LNK International, Inc. |         | 117025878 | manufacture(36800-391) |

Revised: 5/2024

Topco Associates, LLC