OZIPCO- fenbendazole paste
Fast Sold LLC

Ozipco® (fenbendazole)

Paste 10% (100 mg/g)
HORSE DEWORMER

DESCRIPTION:

Ozipco® (fenbendazole) Paste 10% contains the active anthelmintic, fenbendazole. The chemical name of fenbendazole is methyl 5-(phenyl-thio)-2-benzimidazole carbamate.

The CAS Registry Number is 43210-67-9.

The chemical structure is:



Each gram of Ozipco® Paste 10% contains 100 mg of fenbendazole and is flavored with artificial apple-cinnamon liquid.

ACTIONS:

The antiparasitic action of Ozipco® Paste 10% is believed to be due to the inhibition of energy metabolism in the parasite.

INDICATIONS:

Horses: Ozipco Paste 10% is indicated for the treatment and control of large strongyles (Strongylus edentatus, S. equinus, S. vulgaris), encysted early 3rd stage (hypobiotic), late 3rd stage and 4th stage cyathostome larvae, small strongyles, pinworms (Oxyuris equi), ascarids (Parascaris equorum), and for the control of arteritis caused by 4th stage larvae of Strongylus vulgaris in horses.

PRECAUTIONS:

Horses: Side effects associated with Ozipco Paste 10% could not be established in well-controlled safety studies in horses using single doses as high as 45 mg/lb (100 mg/kg) and 5 consecutive daily doses of 22.7 mg/lb (50 mg/kg). Particularly with higher doses, the release of antigen following parasite death may result in either a local or systemic hypersensitivity reaction. As with any drug, these reactions should be treated symptomatically. Ozipco Paste 10% has been evaluated for safety in pregnant mares

during all stages of gestation with doses as high as 11.4 mg/lb (25 mg/kg) and in stallions with doses as high as 11.4 mg/lb (25 mg/kg). No adverse effects on reproduction were detected. The recommended dose for control of 4th stage Strongylus vulgaris larvae, 4.6 mg/lb (10 mg/kg) daily for 5 consecutive days, has not been evaluated for safety in stallions or pregnant mares.

DOSAGE:

For foals and weanlings (less than 18 months of age) where ascarids are a common problem, the recommended dose is 4.6 mg/lb (10 mg/kg); one syringe will deworm a 550 lb horse. For the control of large strongyles, small strongyles, and pinworms, the recommended dose is 2.3 mg/lb (5 mg/kg). For control of hypobiotic (encysted early 3rd stage), late 3rd stage, and 4th stage cyathostomum larvae, 5 day treatment is recommended (10 mg/kg daily for 5 consecutive days); administer one syringe for each 550 lb body weight per day. Do not underdose. Underdosing may result in ineffective treatment, and encourage the development of parasite resistance.

WARNINGS: NOT FOR USE IN HUMANS. KEEP OUT OF REACH OF CHILDREN. The Safety Data Sheet (SDS) contains more detailed occupational safety information. For customer service, adverse effects reporting, and/or a copy of the SDS, call 1-929-822-0639. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDAVETS, or http://www.fda.gov/reportanimalae.

OTHER WARNINGS: Do not use in horses intended for human consumption. Parasite resistance may develop to any dewormer, and has been reported for most classes of dewormers. Treatment with a dewormer used in conjunction with pasture management practices appropriate to the geographic area and animals on the premises may reduce the potential for parasite resistance. Fecal examinations or other diagnostic tests and parasite management history should be used to determine if the product is appropriate for the herd, prior to use of any dewormer. Following the use of any dewormer, effectiveness of treatment should be monitored (for example, with the use of a fecal egg count reduction test or another appropriate method). A decrease in drug's effectiveness over time as calculated by fecal egg count reduction tests may indicate the development of resistance to the dewormer administered. Your parasite management plan should be adjusted accordingly based on regular monitoring.

DIRECTIONS FOR USE:

1. Determine the weight of the horse.
2. Remove syringe tip.
3. Turn the dial ring until the edge of the ring nearest the tip lines up with the correct weight marking.
4. Depress plunger to advance paste to tip.
5. Set the dial ring at the graduation nearest the weight of the horse for the dosage rate of 5 mg/kg. For the dosage rate of 10 mg/kg, set the dial ring at two times (double) the horse's weight.
6.

Body Weight	**Number of marks for 2.3 mg/lb (5 mg/kg)**	**Number of marks for 4.6 mg/lb (10 mg/kg)**

Body Weight	2.3 mg/lb (5 mg/kg) dose for cattle or horses	4.6 mg/lb (10 mg/kg) dose for horses only
250 lb	1	2
500 lb	2	4
750 lb	3	6
1000 lb	4	8
1500 lb	6	12

7. Horse’s mouth should be free of food.
8. Insert nozzle of syringe through the interdental space and deposit the paste on the back of the tongue by depressing the plunger.

HOW SUPPLIED:

Ozipco® Paste 10% Horse Dewormer is supplied in 25 gram syringes.

Store at or below 25°C (77°F).

Use Only as Directed
Fenbendazole (active ingredient) made in: see imprint. Formulated in France.

CONSULT YOUR VETERINARIAN FOR ASSISTANCE IN THE DIAGNOSIS, TREATMENT AND CONTROL OF PARASITISM.

Distributed by:
Fast sold llc
avocado ave unit 5, melbourne Florida 32935
support@ozipco.us
www.fastsoldllc.com

FENBENDAZOLE

Equine Dewormer Paste

Safe & Effective Formula • Veterinary Strength
25 gram paste 10% (100mg/g

OZIPCO

fenbendazole paste

Product Information			
Product Type	OTC ANIMAL DRUG	**Item Code (Source)**	NDC:86241-101
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
FENBENDAZOLE (UNII: 621BVT9M36) (FENBENDAZOLE - UNII:621BVT9M36)	FENBENDAZOLE	100 mg in 1 g

Product Characteristics			
Color		**Score**	
Shape		**Size**	
Flavor	APPLE, CINNAMON	**Imprint Code**	
Contains			

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**

1	NDC:86241-101-01	1 in 1 CARTON		
1		25 g in 1 SYRINGE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA345412	05/15/2020	

Labeler - Fast Sold LLC (123898597)

Registrant - Fast Sold LLC (123898597)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Hisun Pharmaceutical Co., Ltd.		654211754	api manufacture

Revised: 9/2026 Fast Sold LLC