

DAVIS LIME SULFUR- lime sulfur solution, concentrate

Davis Manufacturing and Packaging

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Davis Lime Sulfur Dip

Davis Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs and cats.

Do not exceed label dosages, measure carefully.

Avoid contact with eyes and mucous membranes.

If eye contact or skin irritation develops, rinse thoroughly with water for 15 minutes, discontinue treatment and consult a veterinarian immediately.

If ingestion occurs, rinse mouth and offer large amounts of milk, egg white, or water.

DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59°-86°F) in a dry place.

For External use only

Keep out of reach of children

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE

CAUTION: MUST BE DILUTED BEFORE USE

ADD 4 OUNCES OF DAVIS LIME SULFUR DIP TO ONE GALLON OF WATER. MIX WELL.

APPLY DILUTED LIME SULFUR SOLUTION DIRECTLY OVER THE AFFECTED AREAS.

APPLY AS A RINSE OR DIP AT 5-7 DAY INTERVALS.

DO NOT RINSE

DO NOT ALLOW ANIMAL TO LICK. A PROTECTIVE COLLAR MAY BE USED UNTIL DRY TO

PREVENT INGESTION. DO NOT ALLOW PRODUCT TO REMAIN ON THE ANIMAL AND AIR DRY.

DO NOT TOWEL DRY OR USE A BLOWER TO DRY ANIMAL.

THE USE OF ANY MEDICATED PREPARATION SHOULD NOT BE TAKEN LIGHTLY.

IF A CRUST FORMS INSIDE THE BOTTLE, IMMERSSE THE CONTAINER IN WARM WATER FOR 10-20 MINUTES

SHAKE WELL.

MADE IN THE USA
 MANUFACTURED FOR
 DAVIS MANUFACTURING
 541 PROCTOR AVENUE
 ATLANTA/ SCOTTTDALE, ga 30079
 WWW.DAVISMFG.COM
 800-292-2424

INGREDIENTS:	
Sulfurated Lime Solution.....	97.8%
Inert Ingredients	2.2%
TOTAL.....	100%

DAVIS VETERINARY PRODUCTS
 LIME SULFUR DIP
 CONCENTRATED SULFURATED LIME SOLUTION
 FOR DOGS, CATS, PUPPIES, KITTENS AND HORSES
 ANTIMICROBIAL AND ANTIPARASITIC SOLUTION

Davis Lime Sulfur Dip may be used for the relief of conditions associated with non-specific dermatoses and parasites that will benefit from an antimicrobial and antiparasitic preparation.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs and cats. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg whites or water. DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59° - 86°F) in a dry place.

For External Use Only
Keep Out of Reach of Children



Antimicrobial and Antiparasitic Solution

INGREDIENTS:	
Sulfurated Lime Solution.....	97.8%
Inert Ingredients	2.2%
TOTAL.....	100%

16 Fl. Oz. (473.2 ml)

DIRECTIONS FOR USE
Shake Well Before Use
CAUTION: Must Be Diluted Before Use

Add 4 ounces of **Davis Lime Sulfur Dip** to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5 - 7 day intervals. DO NOT RINSE. Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion. Allow product to remain on the animal and air dry. Do not towel dry or use blower to dry animal.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

MADE IN THE USA

Davis Manufacturing
 541 Proctor Avenue
 Atlanta/Scottsdale, GA 30079
 www.davismfg.com
 800-292-2424



Product No. LSD16 Rev. 1210

Davis Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.


WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.

Caution: For topical use on dogs and cats. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. **DO NOT INDUCE VOMITING.**

Storage: Store at room temperature (59°- 88°F) in a dry place.

For External Use Only
Keep Out of Reach of Children



Antimicrobial and Antiparasitic Solution

INGREDIENTS:

Sulfurated Lime Solution.....	97.8%
Inert Ingredients	2.2%
TOTAL	100%

1 Gallon (3.785 Liters)

DIRECTIONS FOR USE
Shake Well Before Use
CAUTION: Must Be Diluted Before Use

Add 4 ounces of **Davis Lime Sulfur Dip** to one gallon of water. Mix well.


Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5 - 7 day intervals. **DO NOT RINSE. Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion.** Allow product to remain on the animal and air dry. Do not towel dry or use blower to dry animal.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10 - 20 minutes and shake well.

MADE IN THE USA

Manufactured For:
Davis Manufacturing
541 Proctor Avenue
Atlanta/Scottsdale, GA 30079
www.davismg.com
800-292-2424



Product No. LSDG Rev. 0114

5.125 in

Not for color matching!
For copy and content only!

← ROLL UNWIND DIRECTION

178411-02
CC-150
20

DAVIS LIME SULFUR

lime sulfur solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:62570-050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYSULFIDE (UNII: 87N1QVL75L) (LIME (CALCIUM OXIDE) - UNII:C7X2M0VVNH, SULFUR - UNII:70FD1KFU70)	LIME (CALCIUM OXIDE)	25000 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62570-050-16	473.2 g in 1 CONTAINER		
2	NDC:62570-050-01	3785 g in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/17/2019	

Labeler - Davis Manufacturing and Packaging (106680523)

Revised: 10/2019

Davis Manufacturing and Packaging