

**BLISTEX LIP- dimethicone, camphor, menthol, phenol ointment**  
**HART Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**BLISTEX LIP OINTMENT**

Active Ingredients:

Dimethicone 1.1% (w/w)

Camphor 0.5% (w/w)

Menthol 0.6% (w/w)

Phenol 0.5% (w/w)

Purpose:

Skin protectant

External analgesic

External analgesic

External analgesic

Uses: for the temporary protection and relief of pain and itching associated with

- minor lip irritation
- chapped or cracked lips
- cold sores

Warnings: For external use only

Do not use

- in the eyes or over large portions of the body
- on deep or puncture wounds
- on animal bites
- on serious burns

Stop use and ask a doctor if

- condition worsens
- condition lasts for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions

Adults and children 2 years of age and over: apply liberally to affected area not more than 3 to 4 times

daily

Children under 2 years of age: ask a doctor

Inactive Ingredients: Allontoin, Ammonium Hydroxide, Beeswax, Calcium Disodium EDTA, Calcium Hydroxide, Cetyl Alcohol, Flavors, Glycerin, Lanolin, Lauric Acid, Mineral Oil, Myristic Acid, Oleic Acid, Palmitic Acid, Paraffin, Petrolatum, Polyglyceryl-3 diisostearate, Potassium Hydroxide, Purified Water, SD Alcohol 36, Silica, Sodium Hydroxide, Sodium Saccharin, Stearyl Alcohol

Blistex.jpg



## BLISTEX LIP

dimethicone, camphor, menthol, phenol ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50332-0029
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	1.1 g in 100 g
<b>CAMPHOR OIL</b> (UNII: 75IZZ8 Y727) (CAMPHOR OIL - UNII:75IZZ8 Y727)	CAMPHOR OIL	.5 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	.6 g in 100 g
<b>PHENOL</b> (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	.5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>EDETATE CALCIUM DISODIUM</b> (UNII: 25IH6R4SGF)	
<b>CALCIUM HYDRO XIDE</b> (UNII: PF5DZW74VN)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>LAURIC ACID</b> (UNII: 1160N9NU9U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>MYRISTIC ACID</b> (UNII: 0IBV7S25AW)	
<b>OLEIC ACID</b> (UNII: 2UMI9U37CP)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95HI)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>POTASSIUM HYDRO XIDE</b> (UNII: WZH3C48M4T)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYDRO XIDE</b> (UNII: 55X04QC32I)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4HIY)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50332-0029-2	25 in 1 BOX, UNIT-DOSE		
1		.5 g in 1 PACKET		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/09/1995	

**Labeler** - HART Health (069560969)