SIGNATURE CARE OMEPRAZOLE- omeprazole tablet, delayed release Safeway

Better Living Brands LLC Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Prilosec OTC®

Quality Guaranteed

24 HR

Omeprazole

DELAYED RELEASE TABLETS 20 mg

Acid Reducer

Actual Size

Treats Frequent Heartburn!

See current Drug Facts

Two 14-day courses of treatment

May take 1 to 4 days for full effect

28 TABLETS

1996 PLSS-3689 / WWW.DERIENHUNDE SUZELLICOOM BELLIEHTIAN CERPANDEITC DELIMBRILLED BY WADCE IN TEMPORED WADCE IN TEMPORED

OUR PROMISE

- ff overweight, lose weight Guit smoking
- Est slowly and a voidbig meals
- Avoid heart burn causing toods su chas irch, spicy, faitly or fried foods, chocoldis, caffeine, alcohol and ce it ain fruits and vege bab is seen and seed and s

 - nthe death of the state of the
 - Tips for Man agin g Heartburn Don of le flator bend over after eating



Ton Strong or quality

manufactured ordstribule dby Procter& Gamble, distributor of Prilosec OTO®.

■you develop a rash orjoint pain

- The work of the control of the contr
 - Stop use and ask a doc for it:

Ask a d octor or phramacist before use ifyou are bising a prescrip don drug. Acid reducers may inheract with cerbin prescription drugs.

- condition.

 Tracts ent wheeling, particularly with heartbuin

 Tracts ent wheeling, particularly with heartbuin
- Sake a doctor before used fryou have: The heart but over a continue of the may be a sign of amore serious sold bear and the many sold from
 - matrequent che at par in These may be signs of a seitous condition. See your doctor.
- or best bour with light he sale dress, swe sating ord tizziness or best pain orshoulderp ah with shartness of breadh; sweading; pain spreading boarne, neck orshoulders, or lightheadedness
- Don otuse ifyou have: ■troub borp ain awalb wing food, vorrifing with blood, or bloody or

Warnings Alleny alert: Don ot use if youare allergic to omeprazake

Drug Facts

91530 LJ C12

at teats to equent heartburn (occurs 2<u>ocm are</u>d ayes aweek) anotin teather the inmediaterellef of heartburn; this dougmay take 1 to 4 days tortuleifect

Quality Guaranteed

(taldat rice in) traibergni existe.

keep out of reach o fahildre n. In case of overdose,g et medicalhe p or contacta Polson Control Centerrightaway (1-90 C-22 2-1 222). If pre gnant or breast to eding, aska health professional before use. Drug Facts (continued)

100% GUARANTEED

Cinestions or comments? 1-8 00-719-92 60

enutsiom mont betray bins (7°7. 1-88), 3° 25-05 hs existe ■ lead the diections and warnings before use
 leap the cartor. It contains important inform abon

sometimes be caused by serious condition.

Byou may repeat a 14 -day course every 4 mon this

■swalow whole Donotchew or cush bableta ■ do notuse form one frant 4 days unless directed by your doctor mawalow 1 bahletwith a glass of waterbefoe eating in the morning mitake every day for 14 days mich not take more than 1 tableta day

14- Day Course of Tie atime nt

neblobna ege hoansey 8 lathuband ■

Other information

■donot tales for move than 14 days or more of ten than nevery 4 months unless dire ctad by a doctor

■ itmay take1 to 4 days fortulleffect, som e peopleget compleherele symptoms winh in 2.4 hours

this product is to be used once aday (every 2 khours), every day for 14 days

Safety Feature - Do not use if printed tablet blister unit is open or torn.





Omeprazole DELAYED RELEASE TABLETS 20 mg Acid Reducer

> Compare to Prilosec OTC®*

NDC 21130-137-30



24 HR

Omeprazole

DELAYED RELEASE TABLETS 20 mg Acid Reducer

Two 14-day courses of treatment May take 1 to 4 days for full effect 28 TABLETS

Treats Frequent Heartburn!

See current Drug Facts

SIGNATURE CARE OMEPRAZOLE

omeprazole tablet, delayed release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-137

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII: KG60484QX9) OMEPRAZOLE 20 mg

	-	
I MOCHINIO	INGKOC	liontc
Inactive		1161112
	9. 00	

macare mg. ca.c.ic	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MONOETHANOLAMINE (UNII: 5KV86114PT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM STEARATE (UNII: QU7E2XA9TG)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	BROWN	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	20
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-137- 55	3 in 1 CARTON	10/11/2015	
1		14 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
	NDC:21130-137-	2 to 1 CARTON	10/11/2015	

4	30	Z III 1 CARTON	10/11/2015
2		14 in 1 CARTON	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product	
3	NDC:21130-137- 74	14 in 1 CARTON	09/18/2015
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA022032	09/18/2015	

Labeler - Safeway (009137209)

Revised: 7/2021 Safeway