

**OXYGEN - oxygen gas**  
**CornerStone Medical Services-Midwest LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑			<p><b>WARNING:</b> For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, <b>RX ONLY.</b></p> <p><b>WARNING:</b> Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.</p> <p><b>WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.</b></p> <p>Open valve slowly and close after each use. Keep away from heat, flame or sparks. Keep oil, grease and other combustibles away. Oxygen reacts violently with oil or grease (i.e. body oil, hand lotion) and can cause fire and severe burns. Do not get liquid in eyes, on skin or clothing. Container temperature should not exceed 52°C (125°F). Use handtruck for container movement. Do not walk or roll equipment over spills. Transport, store, and use with adequate ventilation. Use equipment cleaned for oxygen service and rated for cylinder pressure. Always secure cylinder in upright position. Use proper safety equipment. Use this product in accordance with its specific Material Safety Data Sheet.</p> <p><b>FIRST AID:</b> In case of frostbite, obtain medical treatment immediately.</p> <p>Federal Law requires that this container be refilled with Liquid Oxygen, U.S.P. only by establishments registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.</p>	DO NOT REMOVE THIS PRODUCT LABEL																
<p><b>OXYGEN, REFRIGERATED LIQUID U.S.P.</b>  <b>UN1073</b>          Produced by Air Liquefaction</p> <p>FOR CHEMICAL EMERGENCY          CALL CHEMTREC 800-424-9300</p>	<p>MANUFACTURED/FILLED BY:    <b>CornerStone Medical Services</b>  <small>Your Foundation for Health at Home</small></p> <p>4460 Lake Forest Dr., Ste 232          Blue Ash, OH 45242          888-574-0202</p>																			
<p><b>CONTENTS:</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">Container Type</td> <td style="text-align: center;">⊗ <math>\frac{46}{37619}</math></td> <td style="text-align: center;">⊗ <math>\frac{41}{33756}</math></td> <td style="text-align: center;">⊗ <math>\frac{36}{29069}</math></td> <td style="text-align: center;">⊗ <math>\frac{31}{25523}</math></td> <td style="text-align: center;">⊗ <math>\frac{21}{17290}</math></td> <td style="text-align: center;">⊗ _____</td> </tr> <tr> <td style="font-size: x-small;">Liters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td colspan="4"></td> </tr> </table>		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">Container Type</td> <td style="text-align: center;">⊗ <math>\frac{46}{37619}</math></td> <td style="text-align: center;">⊗ <math>\frac{41}{33756}</math></td> <td style="text-align: center;">⊗ <math>\frac{36}{29069}</math></td> <td style="text-align: center;">⊗ <math>\frac{31}{25523}</math></td> <td style="text-align: center;">⊗ <math>\frac{21}{17290}</math></td> <td style="text-align: center;">⊗ _____</td> </tr> <tr> <td style="font-size: x-small;">Liters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Container Type	⊗ $\frac{46}{37619}$	⊗ $\frac{41}{33756}$	⊗ $\frac{36}{29069}$	⊗ $\frac{31}{25523}$	⊗ $\frac{21}{17290}$	⊗ _____	Liters										
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">Container Type</td> <td style="text-align: center;">⊗ <math>\frac{46}{37619}</math></td> <td style="text-align: center;">⊗ <math>\frac{41}{33756}</math></td> <td style="text-align: center;">⊗ <math>\frac{36}{29069}</math></td> <td style="text-align: center;">⊗ <math>\frac{31}{25523}</math></td> <td style="text-align: center;">⊗ <math>\frac{21}{17290}</math></td> <td style="text-align: center;">⊗ _____</td> </tr> <tr> <td style="font-size: x-small;">Liters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Container Type	⊗ $\frac{46}{37619}$	⊗ $\frac{41}{33756}$	⊗ $\frac{36}{29069}$	⊗ $\frac{31}{25523}$	⊗ $\frac{21}{17290}$	⊗ _____	Liters												
Container Type	⊗ $\frac{46}{37619}$	⊗ $\frac{41}{33756}$	⊗ $\frac{36}{29069}$	⊗ $\frac{31}{25523}$	⊗ $\frac{21}{17290}$	⊗ _____														
Liters																				

202-103 4/10

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑			<p><b>WARNING:</b> For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, <b>RX ONLY.</b></p> <p><b>WARNING:</b> Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.</p> <p><b>WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.</b></p> <p>Open valve slowly and close after each use. Keep away from heat, flame or sparks. Keep oil, grease and other combustibles away. Oxygen reacts violently with oil or grease (i.e. body oil, hand lotion) and can cause fire and severe burns. Do not get liquid in eyes, on skin or clothing. Container temperature should not exceed 52°C (125°F). Use handtruck for container movement. Do not walk or roll equipment over spills. Transport, store, and use with adequate ventilation. Use equipment cleaned for oxygen service and rated for cylinder pressure. Always secure cylinder in upright position. Use proper safety equipment. Use this product in accordance with its specific Material Safety Data Sheet.</p> <p><b>FIRST AID:</b> In case of frostbite, obtain medical treatment immediately.</p> <p>Federal Law requires that this container be refilled with Liquid Oxygen, U.S.P. only by establishments registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.</p>	DO NOT REMOVE THIS PRODUCT LABEL																
<p><b>OXYGEN, REFRIGERATED LIQUID U.S.P.</b>  <b>UN1073</b>          Produced by Air Liquefaction</p> <p>FOR CHEMICAL EMERGENCY          CALL CHEMTREC 800-424-9300</p>	<p>MANUFACTURED/FILLED BY:    <b>CornerStone Medical Services</b>  <small>Your Foundation for Health at Home</small></p> <p>451 South High Street          Akron, OH 44311          888-367-0202</p>																			
<p><b>CONTENTS:</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">Container Type</td> <td style="text-align: center;">⊗ <math>\frac{46}{37619}</math></td> <td style="text-align: center;">⊗ <math>\frac{41}{33756}</math></td> <td style="text-align: center;">⊗ <math>\frac{36}{29069}</math></td> <td style="text-align: center;">⊗ <math>\frac{31}{25523}</math></td> <td style="text-align: center;">⊗ <math>\frac{21}{17290}</math></td> <td style="text-align: center;">⊗ _____</td> </tr> <tr> <td style="font-size: x-small;">Liters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td colspan="4"></td> </tr> </table>		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">Container Type</td> <td style="text-align: center;">⊗ <math>\frac{46}{37619}</math></td> <td style="text-align: center;">⊗ <math>\frac{41}{33756}</math></td> <td style="text-align: center;">⊗ <math>\frac{36}{29069}</math></td> <td style="text-align: center;">⊗ <math>\frac{31}{25523}</math></td> <td style="text-align: center;">⊗ <math>\frac{21}{17290}</math></td> <td style="text-align: center;">⊗ _____</td> </tr> <tr> <td style="font-size: x-small;">Liters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Container Type	⊗ $\frac{46}{37619}$	⊗ $\frac{41}{33756}$	⊗ $\frac{36}{29069}$	⊗ $\frac{31}{25523}$	⊗ $\frac{21}{17290}$	⊗ _____	Liters										
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">Container Type</td> <td style="text-align: center;">⊗ <math>\frac{46}{37619}</math></td> <td style="text-align: center;">⊗ <math>\frac{41}{33756}</math></td> <td style="text-align: center;">⊗ <math>\frac{36}{29069}</math></td> <td style="text-align: center;">⊗ <math>\frac{31}{25523}</math></td> <td style="text-align: center;">⊗ <math>\frac{21}{17290}</math></td> <td style="text-align: center;">⊗ _____</td> </tr> <tr> <td style="font-size: x-small;">Liters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Container Type	⊗ $\frac{46}{37619}$	⊗ $\frac{41}{33756}$	⊗ $\frac{36}{29069}$	⊗ $\frac{31}{25523}$	⊗ $\frac{21}{17290}$	⊗ _____	Liters												
Container Type	⊗ $\frac{46}{37619}$	⊗ $\frac{41}{33756}$	⊗ $\frac{36}{29069}$	⊗ $\frac{31}{25523}$	⊗ $\frac{21}{17290}$	⊗ _____														
Liters																				

211-103 4/10

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑

**OXYGEN,  
REFRIGERATED  
LIQUID  
U.S.P.**  
UN1073

Produced by Air Liquefaction

FOR CHEMICAL EMERGENCY  
CALL CHEMTREC 800-424-9300



MANUFACTURED/FILLED BY:  
**CornerStone  
Medical Services**  
Your Foundation for Health at Home

489 West Exchange St.  
Akron, OH 44302  
330-535-4481

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX ONLY.**

**WARNING:** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.**

Open valve slowly and close after each use. Keep away from heat, flame or sparks. Keep oil, grease and other combustibles away. Oxygen reacts violently with oil or grease (i.e. body oil, hand lotion) and can cause fire and severe burns. Do not get liquid in eyes, on skin or clothing. Container temperature should not exceed 52°C (125°F). Use handtruck for container movement. Do not walk or roll equipment over spills. Transport, store, and use with adequate ventilation. Use equipment cleaned for oxygen service and rated for cylinder pressure. Always secure cylinder in upright position. Use proper safety equipment. Use this product in accordance with its specific Material Safety Data Sheet.

**FIRST AID:** In case of frostbite, obtain medical treatment immediately.

Federal Law requires that this container be refilled with Liquid Oxygen, U.S.P. only by establishments registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.

DO NOT REMOVE THIS PRODUCT LABEL

**CONTENTS:**

Container Type  
Liters



LG180  
141959



LG160  
128276



46  
37619



41  
33756



36  
29069





31  
25523



21  
17290



213-103 5/10



oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:52557-103
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	.99 L in 1 L

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52557-103-15	37619 L in 1 DEWAR		
2	NDC:52557-103-16	33756 L in 1 DEWAR		
3	NDC:52557-103-17	29069 L in 1 DEWAR		
4	NDC:52557-103-18	25523 L in 1 DEWAR		
5	NDC:52557-103-19	17290 L in 1 DEWAR		
6	NDC:52557-103-20	1 L in 1 DEWAR		
7	NDC:52557-103-21	367827 L in 1 DEWAR		
8	NDC:52557-103-22	628236 L in 1 DEWAR		
9	NDC:52557-103-23	250643 L in 1 DEWAR		
10	NDC:52557-103-01	34 L in 1 CYLINDER		
11	NDC:52557-103-02	113 L in 1 CYLINDER		
12	NDC:52557-103-03	170 L in 1 CYLINDER		
13	NDC:52557-103-04	170 L in 1 CYLINDER		
14	NDC:52557-103-05	255 L in 1 CYLINDER		
15	NDC:52557-103-06	425 L in 1 CYLINDER		
16	NDC:52557-103-07	622 L in 1 CYLINDER		
17	NDC:52557-103-08	680 L in 1 CYLINDER		
18	NDC:52557-103-09	1699 L in 1 CYLINDER		
19	NDC:52557-103-10	3160 L in 1 CYLINDER		
20	NDC:52557-103-11	6900 L in 1 CYLINDER		
21	NDC:52557-103-12	8150 L in 1 CYLINDER		
22	NDC:52557-103-13	1 L in 1 CYLINDER		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		06/25/2010	

**Labeler** - CornerStone Medical Services-Midwest LLC (623726010)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
CornerStone Medical Serices-Midwest LLC		962760190	manufacture

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
CornerStone Medical Serices-Midwest LLC		172858180	manufacture

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
CornerStone Medical Serices-Midwest LLC		963018986	manufacture

Revised: 6/2010

CornerStone Medical Services-Midwest LLC