

**WOMENS LAXATIVE- bisacodyl tablet****AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts****Active ingredient (in each tablet)**

Bisacodyl USP 5 mg

**Purpose**

Stimulant laxative

**Use**

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

**Warnings****Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**

- do not chew or crush tablets
- do not use this product within 1 hour after taking an antacid or milk
- abdominal discomfort, faintness, and cramps may occur

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with a glass of water

---

adults and children 12 years of age and over

take 1 to 3 tablets in a single daily dose

children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

### **Other information**

- each tablet contains: calcium 15 mg
- store between 20°-25°C (68°-77°F)

### **Inactive ingredients**

acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C red # 7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin

### **Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

\*Compare to Correctol® active ingredient

### **Women's Laxative Tablets**

Bisacodyl, 5 mg

Stimulant Laxative

For gentle, dependable overnight relief

comfort coated tablets

\*This product is not manufactured or distributed by MSD Consumer Care Inc., distributor of Correctol®

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCTS INFORMATION**

Distributed by AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

[www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)

### **Product Label**



V60X4

**Directions**  
 ■ take with a glass of water  
 ■ If pregnant or breast-feeding, ask a health professional before use.  
 ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**When using this product**  
 ■ do not chew or crush tablet(s)  
 ■ do not use within 1 hour after taking an antacid or milk  
 ■ it may cause stomach discomfort, faintness and cramps

**Stop use and ask a doctor if**  
 ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.  
 ■ you need to use a laxative for more than 1 week

**Drug Facts (continued)**  
 ■ a sudden change in bowel habits that lasts more than 2 weeks  
 ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

**Other information**  
 ■ each tablet contains: calcium 15 mg  
 ■ store between 20°-25°C (68°-77°F)

**Inactive ingredients**  
 acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C red #7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin

**Questions or comments?**  
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Drug Facts**  
 (in each tablet)  
 Bisacodyl USP 5 mg.....Stimulant laxative

**Purpose**  
 ■ for temporary relief of occasional constipation and irregularity

**Warnings**  
 Do not use if you cannot swallow without chewing.  
 Ask a doctor before use if you have stomach pain, nausea or vomiting.

**Drug Facts (continued)**  
 ■ this product generally produces a bowel movement in 6 to 12 hours

**Good Neighbor Pharmacy**

**Laxative Tablets**  
 bisacodyl, 5 mg  
 Stimulant Laxative

**30 tablets**

**Women's**

**GOOD NEIGHBOR PHARMACY**

NDC 24385-193-65

**Women's**

**Laxative Tablets**  
 bisacodyl, 5 mg

**Stimulant Laxative**

**For Gentle, Dependable Overnight Relief**  
 Comfort Coated Tablets

**30 tablets**

JOIN US IN SUPPORTING THE AMERICAN BREAST CANCER FOUNDATION

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Lot No.:  
 Exp. Date:

\*This product is not manufactured or distributed by MSD Consumer Care Inc., distributor of Correctol®.

†GOOD NEIGHBOR PROUDLY DONATES A PORTION OF EACH PURCHASE TO BREAST CANCER EARLY DETECTION AND RESEARCH.

ABC# 10004193

0 87701 40649 2

PLD-C14M FC002113

Distributed By AmerisourceBergen  
 1300 Morris Drive, Chesterbrook, PA 19087  
 Visit us at [www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)

**SATISFACTION GUARANTEED**

Good Neighbor Pharmacy Women's Laxative Tablets

# WOMENS LAXATIVE

bisacodyl tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-193(NDC:49483-046)
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (BISACODYL - UNII:10X0709Y6I)	BISACODYL	5 mg

## Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
HYPROMELLOSE PHTHALATE (24% PHTHALATE, 55 CST) (UNII: 87Y6436BKR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONES (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

## Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	TCL057
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-193-65	2 in 1 CARTON		
1		15 in 1 BLISTER PACK		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part334	07/15/2010		

**Labeler** - AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385 (007914906)

Revised: 7/2014

AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385