

**CVS HEALTH SPF 70 SUN- avobenzene, homosalate, octisalate, octocrylene, oxybenzone lotion**  
**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CVS Health SPF 70 Sun Lotion**

**Active ingredients**

Avobenzene 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask doctor if**

- rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

- children under 6 months: Ask a doctor

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

Water, Butylene Glycol, Microcrystalline Cellulose, Glyceryl Stearate, Behenyl Alcohol, Butylated PVP, Benzyl Alcohol, Palmitic Acid, Myristyl Alcohol, Stearic Acid, Lauryl Alcohol, Cetyl Alcohol, Caprylic/Capric Triglyceride, Sodium Ascorbyl Phosphate, Tocopherol (Vitamin E), Lecithin, Retinyl Palmitate (Vitamin A), Cellulose Gum, Chlorophensin, Disodium EDTA

### **Label**

CVSHealth.

70

ultra  
protection  
lotion

DAILY  
PROTECTION

BROAD SPECTRUM  
SPF 70  
SUNSCREEN  
UVA/UVB protection

Water resistant  
(80 minutes)

Non-greasy &  
hypoallergenic

Dermatologist tested

10.4 FL OZ (308 mL)

### Drug Facts

| Active ingredients   | Purpose   |
|--|-----------|
| Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0% | Sunscreen |

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** • on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• apply **liberally** 15 minutes before sun exposure  
• **reapply**: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Other information** • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

water, butylene glycol, microcrystalline cellulose, glyceryl stearate, behenyl alcohol, butylated PVP, benzyl alcohol, palmitic acid, myristyl alcohol, stearic acid, lauryl alcohol, cetyl alcohol, caprylic/capric triglyceride, sodium ascorbyl phosphate, tocopherol (vitamin E), lecithin, cellulose gum, chlorphenesin, disodium EDTA

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2022 CVS/pharmacy

CVS.com®

1-800-SHOP CVS

V-13190



100% money back  
guaranteed.

CVS.com/returnpolicy

#731289



CVS  
Health™



# 70

## LOTION

**BROAD SPECTRUM SPF 70  
SUNSCREEN**

UVA/UVB protection

- Water resistant (80 minutes)
- Hypoallergenic



RECOMMENDED AS AN EFFECTIVE  
BROAD SPECTRUM SUNSCREEN

16 FL OZ (473 mL)



CVS Health™ Lotion SPF 70 is a broad-spectrum, hypoallergenic sunscreen. Water-resistant formula provides protection in and out of the water for up to 80 minutes.

### Drug Facts

| Active ingredients   | Purpose   |
|--|-----------|
| Avobenzone 3.0%<br>Homosalate 15.0%<br>Octisalate 5.0%<br>Octocrylene 10.0%<br>Oxybenzone 6.0% | Sunscreen |

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

water, butylene glycol, microcrystalline cellulose, glyceryl stearate, behenyl alcohol, butylated PVP, benzyl alcohol, palmitic acid, myristyl alcohol, stearic acid, lauryl alcohol, cetyl alcohol, caprylic/capric triglyceride, sodium ascorbyl phosphate, tocopherol (vitamin E), lecithin, cellulose gum, chlorphenesin, disodium EDTA

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2019 CVS/pharmacy

CVS.com® 1-800-SHOP CVS V-13190 S84FD-1219-F



#731289



**CVS Health™ Ultra Protection Lotion SPF 70** provides water-resistant broad-spectrum sun protection. This moisturizing sunscreen lotion combines UVA/UVB filters to help protect skin and vitamin E to nourish.

| <b>Drug Facts</b>   |                |
|---|----------------|
| <b>Active ingredients</b>   | <b>Purpose</b> |
| Avobenzone 3.0%<br>Homosalate 15.0%<br>Octisalate 5.0%<br>Octocrylene 10.0%<br>Oxybenzone 6.0%  | Sunscreen      |
| <b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun   |                |
| <b>Warnings</b>   |                |
| <b>For external use only</b>  |                |
| <b>Do not use</b> • on damaged or broken skin.  |                |
| <b>When using this product</b> keep out of eyes. Rinse with water to remove.  |                |
| <b>Stop use and ask a doctor</b> if • rash occurs.  |                |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  |                |
| <b>Directions</b>   |                |
| • apply liberally 15 minutes before sun exposure  |                |
| • reapply:  |                |
| • after 80 minutes of swimming or sweating  |                |
| • immediately after towel drying  |                |
| • at least every 2 hours  |                |
| • children under 6 months of age: ask a doctor  |                |
| • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:   |                |
| • limit time in the sun, especially from 10 a.m. - 2 p.m.   |                |
| • wear long-sleeve shirts, pants, hats, and sunglasses  |                |
| <b>Other information</b>  |                |
| • protect this product from excessive heat and direct sun   |                |
| • may stain or damage some fabrics, materials or surfaces   |                |
| <b>Inactive ingredients</b>   |                |
| water, butylene glycol, microcrystalline cellulose, glyceryl stearate, behenyl alcohol, butylated PVP, benzyl alcohol, palmitic acid, myristyl alcohol, stearic acid, lauryl alcohol, cetyl alcohol, caprylic/capric triglyceride, sodium ascorbyl phosphate, tocopherol (vitamin E), lecithin, cellulose gum, chlorphenesin, disodium EDTA |                |

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Ultra Guard®.

**Distributed by: CVS Pharmacy, Inc.**  
One CVS Drive, Woonsocket, RI 02895  
© 2019 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS

V-13190 S84FD-1218-F



CVS Health™



70

ULTRA PROTECTION LOTION

BROAD SPECTRUM SPF 70 SUNSCREEN  
UVA/UVB protection

- Water resistant (80 minutes)
- Non-greasy & hypoallergenic
- Dermatologist tested



COMPARE TO COPPERTONE®  
ULTRA GUARD® SPF 70 LOTION\*

8 FL OZ (237 mL)

**CVS**  
Health™



# 70

## LOTION

**BROAD SPECTRUM SPF 70  
SUNSCREEN**

UVA/UVB protection

- Water resistant (80 minutes)
- Hypoallergenic



16 FL OZ (473 mL)

CVS Health™ Lotion SPF 70 is a broad-spectrum, hypoallergenic sunscreen. Water-resistant formula provides protection in and out of the water for up to 80 minutes.

### Drug Facts

| Active ingredients | Purpose   |
|--------------------|-----------|
| Avobenzone 3.0%    | Sunscreen |
| Homosalate 15.0%   |           |
| Octisalate 5.0%    |           |
| Octocrylene 10.0%  |           |
| Oxybenzone 6.0%    |           |

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

water, butylene glycol, microcrystalline cellulose, glyceryl stearate, behenyl alcohol, butylated PVP, benzyl alcohol, palmitic acid, myristyl alcohol, stearic acid, lauryl alcohol, cetyl alcohol, caprylic/capric triglyceride, sodium ascorbyl phosphate, tocopherol (vitamin E), lecithin, cellulose gum, chlorphenesin, disodium EDTA

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2019 CVS/pharmacy

CVS.com® 1-800-SHOP CVS V-13190 S84FD-0918-F



#731289



## CVS HEALTH SPF 70 SUN

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:69842-164 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 100 mg in 1 mL |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 50 mg in 1 mL  |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 150 mg in 1 mL |

|   |            |               |
|---|------------|---------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 mL |
| <b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y) | OXYBENZONE | 60 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)       |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)              |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                         |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)               |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)    |          |
| <b>GLYCERYL 1-STEARATE</b> (UNII: 258491E1RZ)           |          |
| <b>DOCOSANOL</b> (UNII: 9G1OE216XY)                     |          |
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)                |          |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)                 |          |
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)    |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                  |          |
| <b>PALMITIC ACID</b> (UNII: 2V16EO95H1)                 |          |
| <b>LAURYL ALCOHOL</b> (UNII: 178A96NLP2)                |          |
| <b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)              |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311) |          |
| <b>EGG PHOSPHOLIPIDS</b> (UNII: 1Z74184RGV)             |          |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)                 |          |
| <b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)     |          |

## Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69842-164-14 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/26/2018           |                    |
| 2 | NDC:69842-164-11 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/26/2018           |                    |
| 3 | NDC:69842-164-40 | 308 mL in 1 BOTTLE; Type 0: Not a Combination Product | 02/11/2022           |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352                                  | 01/26/2018           |                    |

**Labeler** - CVS Pharmacy (062312574)