

**GARNIER OMBRELLE KIDS WET N PROTECT HYPOALLERGENIC SPF 45  
MEXORYL TECHNOLOGY- homosalate, octocrylene, oxybenzone, octisalate,  
avobenzone and drometrizole trisiloxane lotion  
L'Oreal USA Products Inc**

-----  
**Drug Facts**

**Active ingredients**

Homosalate 10.7%  
Octocrylene 6%  
Oxybenzone 3.9%  
Octisalate 3.2%  
Avobenzone 3%  
Drometrizole Trisiloxane 0.5%

**Inactive ingredients**

Aqua, Dimethicone, Alcohol Denat., Styrene/Acrylates Copolymer, Acrylates/Dimethicone Copolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Caprylyl Glycol, Disodium EDTA, PEG-8 Laurate, Phenoxyethanol, Sodium Dodecylbenzenesulfonate, Sodium Polyacrylate, Tocopherol

**Use:**

Helps prevent sunburn.

**Warnings**

For external use only.

**Do not use**

on broken skin

**When using this product,**

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

## Directions

Adults and children 6 months and up. Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours, after 80 minutes of swimming or sweating and immediately after towel drying. Can be applied on dry or wet skin.

|   |   |   |   |
|---|---|---|---|
| <p><b>TECHNOLOGIE</b> Le système filtrant breveté de Ombrelle®, avec la technologie Mexoryl® et autres filtres solaires, procure une protection UVA/UVB à large spectre efficace.</p> <p><b>Usage :</b> Aide à prévenir les coups de soleil.<br/><b>Mise en garde :</b> Pour usage externe seulement.<br/><b>Ne pas utiliser</b> sur une peau éraflée.<br/><b>Lorsque vous utilisez ce produit</b> évitez tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.<br/><b>Cessez d'utiliser et consultez un médecin</b> si une éruption cutanée se développe.<br/><b>Gardez hors de la portée des enfants.</b> En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.<br/><b>Mode d'emploi :</b> Enfants de plus de 6 mois. Appliquer généreusement et uniformément 15 minutes avant l'exposition au soleil. Appliquer de nouveau au moins toutes les 2 heures. Appliquer de nouveau après 80 minutes de baignade ou après avoir transpiré. Appliquer de nouveau immédiatement après s'être séché à la serviette. Peut être appliqué sur une peau sèche ou mouillée.<br/><b>Mesures de protection contre le soleil :</b> Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS, à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que :<br/>- limiter le temps passé au soleil, notamment entre 10h - 14h / 11h - 15h ; et<br/>- porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil</p> |  <p><b>GARNIER®</b><br/><b>OMBRELLE®</b></p>  <p><b>Kids</b></p> <p><b>SUNSCREEN</b><br/>WET'N PROTECT LOTION<br/><b>HYPOALLERGENIC</b></p> <p><b>UVA+UVB</b><br/><b>MEXORYL® TECHNOLOGY</b><br/>Et autres filtres solaires.</p> <p><b>SPF 45</b><br/><b>BROAD-SPECTRUM PROTECTION</b></p> <p><b>Water/sweat resistant (80 minutes)</b><br/>Paraben free<br/>Fragrance free<br/>Colorant free</p> <p>Recognized Sun Protection Canadian Dermatology Association</p> <p><b>NEW</b></p> <p>90 ml</p> <p><b>EASY TO SQUEEZE FORMAT</b></p> <p>DIN 02489155</p> | <p><b>TECHNOLOGIE</b> Ombrelle®'s patented filtering system with Mexoryl® technology and other sunscreen filters provides effective broad-spectrum UVA/UVB protection.</p> <p><b>Use:</b> Helps prevent sunburn.<br/><b>Warnings:</b> For external use only.<br/><b>Do not use</b> on broken skin.<br/><b>When using this product,</b> avoid contact with eyes. If contact occurs, rinse thoroughly with water.<br/><b>Stop use and ask a doctor</b> if rash occurs.<br/><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a poison control centre right away.<br/><b>Directions:</b> Children 6 months and up. Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Can be applied on dry or wet skin.<br/><b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:<br/>- limit time in the sun, especially from 10 a.m. - 2 p.m. / 11 a.m. - 3 p.m. ; and<br/>- wear long-sleeved shirts, pants, hats, and sunglasses</p> |  <p><b>GARNIER®</b><br/><b>OMBRELLE®</b></p>  <p><b>Enfants</b></p> <p><b>ÉCRAN SOLAIRE</b><br/>LOTION PROTECTRICE POUR PEAUX MOUILLÉES<br/><b>HYPOALLERGENIQUE</b></p> <p><b>UVA+UVB</b><br/><b>MEXORYL® TECHNOLOGIE</b><br/>Et autres filtres solaires.</p> <p><b>FPS 45</b><br/><b>PROTECTION À LARGE SPECTRE</b></p> <p><b>Résistant à l'eau/transpiration (80 minutes)</b><br/>Sans parabènes<br/>Sans parfum<br/>Sans colorants</p> <p>Reconnu Protection solaire Association canadienne de dermatologie</p> <p><b>NOUVEAU</b></p> <p>90 ml</p> <p><b>FORMAT FACILE À PRESSER</b></p> <p>DIN 02489155</p> |
| <p><b>Active ingredients (w/w) / Ingrédients actifs (p/p):</b> Homosalate 10,7%, Octocrylene 6%, Oxybenzone 3,9%, Octisalate 3,2%, Avobenzone 3%, Drometrizole Trisiloxane (Mexoryl® XL) 0,5%</p> <p><b>Inactive ingredients / Ingrédients inactifs :</b> aque, diméthicone, alcool dérivé, styrène/acrylates copolymers, acrylates/diméthicone copolymers, acrylates/C10-30 alkyl acrylate copolymers, capryl glycol, disodium EDTA, PEG-8 laurate, phenoxyethanol, sodium dodecylbenzenesulfonate sodium polyacrylate, tocoopherol<br/>919103 Code F.L.L. : C232295/2</p>   |   |   |   |

**TECHNOLOGIE** Le système filtrant breveté de Ombrelle®, avec la technologie Mexoryl® et autres filtres solaires, procure une protection UVA/UVB à large spectre efficace.

**Usage :** Aide à prévenir les coups de soleil.  
**Mise en garde :** Pour usage externe seulement.

Ne pas utiliser sur une peau éraflée.  
Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.

Cessez d'utiliser et consultez un médecin si une éruption cutanée se développe.

Garder hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.

**Mode d'emploi :** Enfants de plus de 6 mois. Appliquer généreusement et uniformément 15 minutes avant l'exposition au soleil. Appliquer de nouveau au moins toutes les 2 heures. Appliquer de nouveau après 80 minutes de baignade ou après avoir transpiré. Appliquer de nouveau immédiatement après s'être séché à la serviette. Peut être appliqué sur une peau sèche ou mouillée.

**Mesures de protection contre le soleil :** Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS, à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que :

- limiter le temps passé au soleil, notamment entre 10h - 14h / 11h - 15h ; et
- porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil

GARNIER®  
www.ombrelle.ca  
Questions? 1 888 966-2735 (9-OMBREL)  
1614264  
Imp. by/par Ombrelle Canada,  
Montreal H4T 1K5



GARNIER®  
**OMBRELLE®**



**SUNSCREEN**

WET'N PROTECT LOTION  
**HYPOALLERGENIC**



Water/sweat resistant (80 minutes)  
Paraben free  
Fragrance free  
Colorant free



90 ml

DIN 02489155



NEW  
EASY TO  
SQUEEZE  
FORMAT

**TECHNOLOGY** Ombrelle®'s patented filtering system with Mexoryl® technology and other sunscreen filters provides effective broad-spectrum UVA/UVB protection.

**Use:** Helps prevent sunburn.  
**Warnings:** For external use only. Do not use on broken skin.

When using this product, avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a poison control centre right away.

**Directions:** Children 6 months and up. Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Can be applied on dry or wet skin.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. - 2 p.m. / 11 a.m. - 3 p.m. ; and  
- wear long-sleeved shirts, pants, hats, and sunglasses

**Active ingredients (w/w) / Ingrédients actifs (p/p):** Homosalate 10,7%, Octocrylene 8%, Oxybenzone 3,9%, Octisalate 3,2%, Avobenzone 3%, Drometrizole Trisiloxane (Mexoryl® XL) 0,5%

**Inactive ingredients / Ingrédients inactifs :** aqua, dimethicone, alcohol denat., styrene/acrylates copolymer, acrylates/dimethicone copolymer, acrylates/c10-30 alkyl acrylate crosspolymer, caprylyl glycol, disodium EDTA, PEG-8 laurate, phenoxyethanol, sodium dodecylbenzenesulfonate sodium polyacrylate, tocopherol.  
919103 Code F.L.L.: C232285/2



GARNIER®  
**OMBRELLE®**



**ÉCRAN SOLAIRE**

LOTION PROTECTRICE POUR PEAUX MOUILLÉES  
**HYPOALLERGÉNIQUE**



Résistant à l'eau/transpiration (80 minutes)  
Sans parabènes  
Sans parfum  
Sans colorants



90 ml

DIN 02489155



NOUVEAU  
FORMAT  
FACILE À  
PRESSER

## GARNIER OMBRELLE KIDS WET N PROTECT HYPOALLERGENIC SPF 45 MEXORYL TECHNOLOGY

homosalate, octocrylene, oxybenzone, octisalate, avobenzone and drometrizole trisiloxane lotion

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49967-063 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 107 mg in 1 mL |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 60 mg in 1 mL  |
| <b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)   | OXYBENZONE        | 39 mg in 1 mL  |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 32 mg in 1 mL  |

|   |                          |                  |
|---|--------------------------|------------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)                             | AVOBENZONE               | 50 mg<br>in 1 mL |
| <b>DROMETRIZOLE TRISILOXANE</b> (UNII: HC2284511X) (DROMETRIZOLE TRISILOXANE - UNII:HC2284511X) | DROMETRIZOLE TRISILOXANE | 5 mg<br>in 1 mL  |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)  |          |
| <b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO) |          |
| <b>caprylyl glycol</b> (UNII: 00YIU5438U)  |          |
| <b>EDETATE SODIUM</b> (UNII: MP1J8420LU)   |          |
| <b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>SODIUM DODECYLBENZENESULFONATE</b> (UNII: 554127163Y)                           |          |
| <b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)                         |          |
| <b>TOCOPHEROL</b> (UNII: ROZB2556P8)   |          |

### Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:49967-063-01 | 1 in 1 CARTON                                       | 02/19/2020           |                    |
| 1 |                  | 90 mL in 1 TUBE; Type 0: Not a Combination Product  |                      |                    |
| 2 | NDC:49967-063-02 | 1 in 1 CARTON                                       | 02/19/2020           |                    |
| 2 |                  | 200 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| export only        |  | 02/19/2020           |                    |

**Labeler** - L'Oreal USA Products Inc (002136794)

### Establishment

| Name                       | Address | ID/FEI    | Business Operations    |
|----------------------------|---------|-----------|------------------------|
| L'OREAL USA PRODUCTS, INC. |         | 624244349 | manufacture(49967-063) |

Revised: 12/2023

L'Oreal USA Products Inc