

**COLD AND FLU NIGHTTIME RELIEF- acetaminophen, dextromethorphan hbr,  
doxylamine succinate solution**  
**L.N.K. International, Inc.**

-----

**Convenience Valet 44-014**

***Active ingredients (in each 30 mL)***

Acetaminophen 650 mg  
Dextromethorphan HBr 30 mg  
Doxylamine succinate 12.5 mg

***Purpose***

Pain reliever/fever reducer  
Cough suppressant  
Antihistamine

***Uses***

- temporarily relieves common cold and flu symptoms:
  - runny nose and sneezing
  - sore throat
  - headache
  - minor aches and pains
  - cough due to minor throat and bronchial irritation
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with too much phlegm (mucus)
- liver disease
- glaucoma
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- avoid alcoholic beverages
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**

- mL = milliliter
- only use the dose cup provided
- do not exceed 4 doses per 24 hours
- adults and children 12 years and over: 30 mL every 6 hours
- children under 12 years: do not use

### ***Other information***

- **each 30 mL contains:** sodium 22 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

### ***Inactive ingredients***

anhydrous citric acid, D&C yellow #10, FD&C green #3, FD&C yellow #6, flavors, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sodium saccharin, sucralose

### ***Questions or comments?***

**1-877-507-6516** (M-F 8AM - 4:30PM CST)

### ***Principal display panel***

**24/7 life**

BY **7-ELEVEN™**

**Cold & Flu**

**Nighttime Relief**

**Acetaminophen** / Pain Reliever/Fever Reducer

Dextromethorphan HBr / Cough Suppressant

Doxylamine Succinate / Antihistamine

**Relieves:** Headache, Fever, Sore Throat, Minor Aches & Pains, Sneezing, Runny Nose, Cough

Ages 12 Years  
and Over

compare to **VICKS®**

**NYQUIL® COLD & FLU**

active ingredients\*

**12 FL OZ**  
**(355 mL)**

**Eucalyptus**  
**Mint Flavor**

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
NECK WRAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® and NyQuil® are registered trademarks of The Procter & Gamble Company. 50844 REV0323C01402

DISTRIBUTED BY 7-ELEVEN, INC., IRVING, TX 75063  
WWW.7-ELEVEN.COM

**Satisfaction Guaranteed 1-800-255-0711**

PARENTS:

Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**Drug Facts (continued)**

■ a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- avoid alcoholic beverages ■ marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present ■ new symptoms occur

\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® and NyQuil® are registered trademarks of The Procter & Gamble Company. 50844 REV0323C01402

DISTRIBUTED BY 7-ELEVEN, INC., IRVING, TX 75063  
www.7-ELEVEN.com

**Satisfaction Guaranteed 1-800-255-0711**



**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

5636L-SE-05-23

No Print / No Varnish Area  
Lot # and Exp. Info

**PEEL HERE FOR MORE DRUG FACTS**



## Cold & Flu Nighttime Relief

**Acetaminophen** / Pain Reliever/Fever Reducer  
**Dextromethorphan HBr** / Cough Suppressant  
**Doxylamine Succinate** / Antihistamine

**Relieves:** Headache, Fever, Sore Throat, Minor Aches & Pains, Sneezing, Runny Nose, Cough

**Ages 12 Years and Over**

compare to **Vicks® NyQuil® Cold & Flu** active ingredients\*

**12 FL OZ (355 mL)**

**Eucalyptus Mint Flavor**

**Drug Facts**

**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING**

**Active ingredients (in each 30 mL)**

**Acetaminophen 650 mg**.....Pain reliever/fever reducer  
**Dextromethorphan HBr 30 mg**.....Cough suppressant  
**Doxylamine succinate 12.5 mg**.....Antihistamine

**Purpose****Uses**

- temporarily relieves common cold and flu symptoms:
- runny nose and sneezing ■ minor aches and pains ■ headache
- sore throat ■ cough due to minor throat and bronchial irritation
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with too much phlegm (mucus)
- liver disease ■ glaucoma

**Drug Facts (continued)**

- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- do not exceed 4 doses per 24 hours
- adults and children 12 years and over: 30 mL every 6 hours
- children under 12 years: do not use

**Other information**

- each 30 mL contains: sodium 22 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients** anhydrous citric acid, D&C yellow #10, FD&C green #3, FD&C yellow #6, flavors, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sodium saccharin, sucralose

**Questions or comments?**

1-877-507-6516 (M-F 8AM - 4:30PM CST)

**Convenience Valet 44-014**

## COLD AND FLU NIGHTTIME RELIEF

acetaminophen, dextromethorphan hbr, doxylamine succinate solution

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:50844-252

<b>Route of Administration</b>	ORAL
--------------------------------	------

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR6O1S)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

Product Characteristics			
<b>Color</b>	green	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (Eucalyptus Mint)	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-252-02	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/14/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/14/2019	

---

**Labeler** - L.N.K. International, Inc. (038154464)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(50844-252) , pack(50844-252)

Revised: 7/2023

L.N.K. International, Inc.