LIL DRUG STORE TYLENOL PM EXTRA STRENGTH- acetaminophen and diphenhydramine hydrochloride tablet, film coated TYLENOL PM EXTRA STRENGTH, CVP HEALTH- acetaminophen and diphenhydramine hydrochloride tablet, film coated Lil' Drug Store Products, Inc.

Tylenol ® PM Extra Strength, Lil' Drug Store ®, CVP ® HEALTH

Drug Facts

| Active ingredients (in each caplet) | Purpose |
|-------------------------------------|------------------------|
| Acetaminophen 500 mg | Pain reliever |
| Diphenhydramine HCl 25 mg | Nighttime sleep aid |

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

| adults and children 12 years and over | take 2 caplets at bedtime do not take more than 2 caplets of this product in 24 hours |
|---|--|
| children under 12 years | do not use |

Other information

- store between 20-25°C (68-77°F)
- do not use if pouch is torn or damaged

Inactive ingredients

carnauba wax, crospovidone, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

Product distributed by: JOHNSON & JOHNSON CONSUMER INC.

McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA

Repackaged and distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW

Cedar Rapids, IA 52402

PRINCIPAL DISPLAY PANEL - 6 Caplet Pouch Carton

Extra Strength
TYLENOL ®
PM

Acetaminophen, Diphenhydramine HCl Pain Reliever, Nighttime Sleep Aid Non-habit forming

6
Caplets
3 POUCHES OF 2 CAPLETS EACH

Lil' DrugStore ®



DO NOT USE IF POUCH IS TORN OR DAMAGED

Drug Facts

Active ingredients (in each caplet)
Acetaminophen 500 mg.

Purpose

Diphenhydramine HCI 25 mg

.Nighttime sleep aid

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

more than 4,000 mg of acetaminophen in 24 hours

with other drugs containing acetaminophen
 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may

■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaming ask a doctor or pharmacist.

with any other product containing diphenhydramine, even one used on skin

■ in children under 12 years of age
■ if you have ever had an allergic reaction to this product or any of its

LIFT PANEL FOR CONTINUED DRUG FACTS

e Caplets



Drug Facts (continued)

do not take more than directed (see overdose warning)

adults and children 12 years and over

■ take 2 caplets at bedtime
■ do not take more than 2 caplets of this product

in 24 hours

children under 12 years do not use

Other information

■ store between 20-25°C (68-77°F)

■ do not use if pouch is torn or damaged

Inactive ingredients carnauba wax, crospovidone, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

call 1-877-895-3665 (toll-free) or 215-273-8755 (collect)

Contains No Aspirin

Product distributed by: JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA @J&JCI 2015 Visit us at www.tylenol.com or call toll-free 1-877-TYLENOL (1-877-895-3665)

Repackaged and distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW Cedar Rapids, IA 52404 1-877-507-6516 (M-F 8AM-4:30PM CST) www.lildrugstore.com 97173C-US-08-17-A

Caplets

Drug Facts (continued)

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis trouble urinating due to an enlarged prostate gland
- glaucoma
- Ask a doctor or pharmacist before use if you are
 taking the blood thinning drug warfarin
 taking sedatives or tranquilizers
- When using this product
 drowsiness will occur
 avoid alcoholic drinks

- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks.
 Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days redness or swelling is present
- new symptoms occur
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Ι

I



Extra Strength Tylenol ® PM, CVP ® HEALTH, 4ct - PDP/Package

Extra Strength
TYLENOL ®
PM

Acetaminophen, Diphenhydramine HCl Pain Reliever, Nighttime Sleep Aid Non-habit forming

[caplets image]

4

Caplets

2 POUCHES OF 2 CAPLETS EACH

[CVP ® HEALTH logo]



LIL DRUG STORE TYLENOL PM EXTRA STRENGTH

acetaminophen and diphenhydramine hydrochloride tablet, film coated

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN

| Product Information | | | | |
|---|--------------|--------|-----------|-------------|
| HUMAN OTC DRUG | Item Code (S | ource) | NDC:66715 | 5-9817 |
| ORAL | | | | |
| | | | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name Basis of Strength Strengt | | | Strength | |
| | ORAL | ORAL | ORAL | ORAL Moiety |

500 mg

DIPHENHYDRAMINE HYDROCHLORIDE

25 mg

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) | | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | | |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) | | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | | | |
| CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK) | | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | | |
| POLYSORBATE 80 (UNII: 60ZP39ZG8H) | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | |
| | | | |

| Product Characteristics | | | | |
|-------------------------|-------------------|--------------|----------|--|
| Color | blue (Light Blue) | Score | no score | |
| Shape | OVAL | Size | 19mm | |
| Flavor | | Imprint Code | TY;PM | |
| Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:66715- 9817-2 | 2 in 1 CARTON | 10/20/2017 | | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | | |
| 2 | NDC:66715- 9817-3 | 3 in 1 CARTON | 08/15/2019 | | |
| 2 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|---|------|------------|--|--|
| Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date | | | | |
| OTC Monograph Drug | M013 | 10/20/2017 | | |
| | | | | |

TYLENOL PM EXTRA STRENGTH, CVP HEALTH

acetaminophen and diphenhydramine hydrochloride tablet, film coated

| Product Information | | | | |
|-------------------------|----------------|--------------------|----------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66715-6517 | |
| Route of Administration | ORAL | | | |

| Active Ingredient/Active Moiety | | |
|---|----------------------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | ACETAMINOPHEN | 500 mg |
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| ALUMINUM OXIDE (UNII: LMI2606933) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYSORBATE 80 (UNII: 60ZP39ZG8H) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

| Product Characteristics | | | | |
|-------------------------|-------------------|--------------|----------|--|
| Color | blue (Light Blue) | Score | no score | |
| Shape | OVAL | Size | 19mm | |
| Flavor | | Imprint Code | TY;PM | |
| Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:66715- 6517-2 | 2 in 1 CARTON | 05/06/2022 | | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|---|-------------------------|-----------------------|
| OTC Monograph Drug | M013 | 05/06/2022 | |
| | | | |

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 11/2023 Lil' Drug Store Products, Inc.