GUAIFENESIN AND PSEUDOEPHEDRINE HCL - guaifenesin and pseudoephedrine hcl tablet, extended release Aurohealth LLC

Drug Facts

Active ingredients

(in each extended-release tablet)

Guaifenesin USP 600 mg

Pseudoephedrine HCI USP 60 mg

Purposes

Expectorant

Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic

bronchitis, or emphysema

• cough accompanied by too much phlegm (mucus)

When using this product

• do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- **tamper evident:** do not use if carton is opened or if individual blister units are torn or opened.
- store at 20 to 25°C (68 to 77°F)

Inactive ingredients

colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinised starch (maize).

Questions?

1-855-274-4122 (Monday – Friday 8:30 AM to 5:00 PM EST) You may also report side effects to this phone number.

Distributed by:

AUROHEALTH LLC

2572 Brunswick Pike Lawrenceville, NJ 08648

Made in India Code: AP/DRUGS/04/2016

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 600 mg/60 mg (18 Tablet Carton Label)

AUROHEALTH

NDC 58602-833-12

*Compare to the active Ingredients of Mucinex®D

Guaifenesin and Pseudoephedrine Hydrochloride Extended-Release Tablets 600 mg/60 mg

EXPECTORANT & NASAL DECONGESTANT

12 HOUR

- Clears Nasal/Sinus Congestion
- Thins And Loosens Mucus

18 Extended-Release Tablets

	Lot No	Coating Area	PHOZE727			
No Coating Area	Drug Facts Papages Active lay relation Papages Active lay relation Spectrum Destingtion Spectrum Destingtion Spectrum Production Papages Destingtion Spectrum Destingtion Spectrum	Dia partemona, daza, or skeljelos symptoms do orgi better vitilin 7 dags, come backate. These could be signe at sericus these. Harstander These could be signe at a sericus these. Harstander These could be signe at a sericus these. Harstander These could be signe at a sericus these there use. Leep and elevate de dialities. In case of overfoor, get medical help or counts a Paison Control Center right awa (*160-222-1222). Diffections	Debriftande Dr. Debriftande Dr. 2527 Bennawerk Pillen distributed by frecht Brecker LLC, Lawerseviels, NJOGE-69 distributor of Muchter/CD Mede In India Dore: APOPIALOS per prio	CONCRETE Compare to the active ingredients in Muscinex* D Compare to the active Compare to	Tamper exident: do not use il carforni a opened or N 5 8 6 0 2 8 3 3 1 2 1	No Coating Area
				Guaifenesin and Pseudoephedrine Hydrochloride Extended-Release Tablets 600 mg/60 mg		

guaifenesin and pseudoephe	edrine hcl tablet, extend	ded release			
Product Information					
Product Type	Type HUMAN OTC DRUG Item Code (Source) NDC			NDC:5860)2-833
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingredient Name Basis of Streng					Strengt
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN				-	600 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N)PSEUDOEPHEDRINE(PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)HYDROCHLORIDE			E	60 mg	
Inactive Ingredients					
	Ingredient Name			St	rength
SILICON DIOXIDE (UNII: ETJ7Z6X	BU4)				
HYPROMELLOSE 2208 (15000 MPA.S) (UNII: Z78RG6M2N2)					
MAGNESIUM STEARATE (UNII: 70)097M6I30)				
MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK)					
	E 102 (UNII: PNR0YF693Y)				

		JNII: RDH86HJV5Z)		
ST	ARCH, CORN (U	JNII: 08232NY3SJ)		
P	roduct Char	acteristics		
Color		WHITE (white to off-white)	Score	no score
Shape		OVAL (biconvex)	Size	14mm
Flavor			Imprint Code	64;X
Сс	ontains			
Pa	ackaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602- 833-12	1 in 1 CARTON	03/25/2020	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:58602- 833-17	2 in 1 CARTON	03/25/2020	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
R/	larketing	Information		
I	Marketing	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
IA	Category	Citation		

Labeler - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650918514	ANALYSIS(58602-833), MANUFACTURE(58602-833)

Revised: 11/2023

Aurohealth LLC