

**EAR RINGING REMEDY- allylthiourea, arnica montana flower, calcium sulfide, eriodictyon californicum leaf, lachesis muta venom, lycopodium clavatum spore, quinine sulfate, silica dimethyl silylate solution
Similasan Corporation**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ear Ringing Remedy

Drug Facts

Active ingredients

Arnica 15X
Chininum sulphuricum 12X
Eriodictyon californicum 12X
Hepar 12X
Lachesis 15X
Lycopodium 12X
Silica 15X
Thiosinaminum 15X

Purpose

buzzing
ringing, humming
ear discomfort, dizziness
pulsations/pounding, buzzing
throbbing, tinkling, roaring, cracking, buzzing, rolling, whizzing, resounding noise in ears
ringing, tinkling, buzzing, roaring, humming, whizzing in the ears
tinkling, clucking, roaring, singing, noises in ear
ringing

Uses*

According to homeopathic principles, the active ingredients in this product temporarily relieve minor symptoms associated with ear discomfort due to:

- ringing
- buzzing
- roaring
- humming
- pounding

Warnings

- **Do not use** in the eyes.
- According to homeopathic principles, symptoms may temporarily worsen before

improving (Initial exacerbation of symptoms)

If pregnant, trying to get pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if:

- symptoms persist for more than 48 hours
- there is discharge from the ear
- there is a fever of 102°F or greater

Ask a doctor before use if you have:

- ear drainage or discharge
- pain, irritation, or rash in the ear
- had ear surgery
- dizziness

Directions

FOR USE IN THE EAR ONLY.

- Remove tamper-evident seal from neck of bottle.
- Twist cap off bottle.
- Tilt head sideways.
- **DON'T** squeeze bottle, squeeze plastic tip to release 3 to 5 drops into ear (Tip of applicator should not enter ear canal).
- Keep drops in ear for 3 to 5 minutes by keeping head tilted or placing cotton in ear. Any excess drops can be wiped away from outer ear.
- Use up to 4 times daily for no more than 48 hours, or as directed by a doctor.
- Children under 12 years of age consult a doctor.

Other information

Active ingredients are manufactured according to homeopathic principles.

Inactive ingredient

Purified water, Vegetable glycerin

Questions?

Reach our representatives at **1-800-240-9780** or getinfo@similasanusa.com

www.SimilasanUSA.com

For your protection do not use if tamper evident seal around neck of bottle is missing or broken.

*Claims base on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Principal Display Panel

Similasan
Ear Ringing Remedy
10 mL/ 0.33 fl oz

unpainted/uncoated area
Farb/Lackausspannung



Ear Ringing Remedy
EAR DROPS
NATURAL ACTIVE INGREDIENTS

Drug Facts

Active Ingredients Purpose

Amica 15X _____ buzzing

Cinchona 12X _____ ringing, humming

Eriobotrya carolinensis 12X _____ ear discomfort, dizziness

Hepar 12X _____ pulsations/pounding, buzzing

Lachesis 15X _____ throbbing, ringing, roaring, crackling, buzzing, rolling, whizzing, resounding noise in ears

Lycopodium 12X _____ ringing, tinkling, buzzing, roaring, humming, whizzing in the ears

Silicea 15X _____ tinkling, clacking, roaring, singing, noises in ear

Thlaspi arvense 15X _____ ringing

Uses*

According to homeopathic principles, the active ingredients in this product temporarily relieve minor symptoms associated with ear discomfort due to:

- ringing
- buzzing
- roaring
- humming
- pounding

Warnings

- Do not use in the eyes.
- According to homeopathic principles, symptoms may temporarily worsen before improving (initial exacerbation of symptoms)

If pregnant, trying to get pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if:

- symptoms persist for more than 48 hours
- there is discharge from the ear
- there is a fever of 102°F or greater

Ask a doctor before use if you have:

- ear drainage or discharge
- pain, irritation, or rash in the ear
- had ear surgery
- dizziness

Drug Facts (continued)

Directions

FOR USE IN THE EAR ONLY.

- Remove tamper-evident seal from neck of bottle.
- Twist cap off bottle.
- Tilt head sideways.
- **DON'T** squeeze bottle; squeeze plastic tip to release 3 to 5 drops into ear (Tip of applicator should not enter ear canal).
- Keep drops in ear for 3 to 5 minutes by keeping head tilted or placing cotton in ear. Any excess drops can be wiped away from outer ear.
- Use up to 4 times daily for no more than 48 hours, or as directed by a doctor.
- Children under 12 years of age consult a doctor.

Other information

Active ingredients are manufactured according to homeopathic principles.

Inactive ingredients

Purified water, Vegetable glycerin

Questions?

Reach our representatives at 1-800-240-6780 or getinfo@similasanusa.com www.SimilasanUSA.com

For your protection do not use if tamper-evident seal around neck of bottle is missing or broken.

ES
Español

Remedio de Zumbido en el Oído

Gete para for oído

INGREDIENTES ACTIVOS NATURALES

AYUDA A ALIVIAAR LOS SÍNTOMAS DE RUIDO EN LOS OÍDOS, INCLUIDOS

- Silicio
- Cúrcuma
- Rapsado
- Zumbido sonro
- Eopetrate

Instrucciones en español adjunto

Similasan, trusted for over 40 years in Switzerland,
No Harsh Chemicals

Resilvan and Resilvan Ear Ringing Remedy are trademarks of T&E Eye Care Management AG, Switzerland, and the Resilvan logo is a registered trademark of T&E Eye Care Management AG, Switzerland. Manufactured by: Similasan AG, 8916 Jrens, Switzerland. Imported and Distributed by: Similasan Corporation, 11333 East 1st Ave., CO 80129. Made in Switzerland.

unpainted/uncoated area
Farb/Lackausspannung

Ear Ringing Remedy
EAR DROPS

MULTI-SYMPTOM RELIEF

- Ringing
- Humming
- Buzzing
- Pounding
- Roaring

NATURAL ACTIVE INGREDIENTS

HOMEOPATHIC
Original Swiss Formula
10 ml / 0.33 fl oz

www.SimilasanUSA.com

Feel Good About Feeling Better™

unpainted/uncoated area
Farb/Lackausspannung

V3.0 PUS0895

NDC 59262-275-11



0 94841 25519 4

unpainted/uncoated area
Farb/Lackausspannung

V3.0 PUS0895

Traducción basada en la etiqueta homocópica tradicional, no se aplican pruebas clínicas. No evaluar por el TOL.

Especificaciones del medicamento

Ingredientes activos... Propósito

Amica 15X _____, chilito
 Clinchona 12X _____, sibilido, zumbido sordo
 Eriodictyon californicum 12X _____, ruidos en
 los oídos, mareos
 Hepar 12X _____, púlsaciones/golpeteo, chilito
 Lachesis 15X _____, palpitación, tinnitus, rugido,
 chasquido, chilito, sibilido, ruido resonante en
 los oídos
 Lycopodium 12X _____, sibilido, tinnitus, chilito,
 rugido, zumbido sordo, sibilido en los oídos
 Silicea 75X _____, tinnitus, casacaes, rugido, canto,
 ruidos en el oído
 Thapsidium 15X _____, sibilido

Aplicaciones*

De acuerdo con los principios homeopáticos, los ingredientes activos en este producto alivian temporalmente los síntomas mentales asociados con las molestias en los oídos debidas a: • sibilido • chilito • rugido • zumbido sordo • golpeteo

Advertencias

- No usar en los ojos.
- De acuerdo con los principios homeopáticos, los síntomas pueden empeorar temporalmente antes de mejorar (exacerbación inicial de los síntomas)
- Para su protección, no se use si el sello de seguridad en el cuello de la botella está rota.

Si está embarazada, está intentando quedar embarazada o está amamantando, consulte a un profesional médico, antes de utilizar el producto.

Manténgalo fuera del alcance de los niños. Si se lo ingiere, obtenga asistencia médica o póngase en contacto con un Centro de Toxicología del inmediatamente.

Especificaciones del medicamento (cont.)

Suspenda el uso y consulte a un médico si:

- los síntomas persisten por más de 48 horas
- hay secreción del oído
- hay una fiebre de 38.9 °C o mayor

Consulte a un médico antes de usar el producto si:

- drenaje o secreción del oído
- dolor, inflamación o hinchazón en el oído
- tuvo cirugía de oído
- mareos

Instrucciones

SÓLO PARA USO EN OÍDOS.

- Retire el sello de seguridad del cuello de la botella.
- Gire y retire la tapa de la botella.
- Incline la cabeza hacia un lado.
- NO apriete la botella; aprate la punta de plástico para liberar de 3 a 5 gotas en el oído (la punta del aplicador no debe entrar en el canal auditivo).
- Mantenga las gotas en el oído durante 3 a 5 minutos manteniendo la cabeza inclinada o colocando algodón en el oído. Cualquier exceso de las gotas se puede limpiar del oído externo.
- Use hasta 4 veces al día durante no más de 48 horas, o según las indicaciones de un médico.
- Para niños menores de 12 años se debe consultar a un médico.

Información adicional

Los ingredientes activos se fabrican según los principios homeopáticos.

Ingredientes inactivos

Agua purificada, Glicerina vegetal

¿Dudas?

Póngase en contacto con nuestros representantes en 1-800-240-9783 o info@similasan.com, www.similasanUSA.com

Manufacturer's Coupon Expires 12/31/2015

Similasan.

SAVE \$1

on any Similasan product with this valuable coupon!

Ahora \$1 en cualquier producto Similasan con este cupón valioso!

Consumer Limit one coupon per purchase specified. Any other use constitutes fraud. Void if copied, transferred or expired. Retailer: Your redemption signifies compliance with the Similasan Corporation Coupon Redemption Policy, available upon request. We will reimburse you the face value of this coupon plus \$1 handling provided it is redeemed by a consumer at the time of purchase. Void where prohibited, taxed, or restricted. Mail to Similasan, Inner Dept. 9446, 1 Rowlett Dr., Dallas, TX 75240. Cash Value .001.

0094841-410100



EAR RINGING REMEDY

allylthiourea, amica montana flower, calcium sulfide, eriodictyon californicum leaf, lachesis muta venom, lycopodium clavatum spore, quinine sulfate, silica dimethyl silylate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59262-275
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ) (ARNICA MONTANA FLOWER - UNII:OZ0E5Y15PZ)	ARNICA MONTANA FLOWER	15 [hp_X] in 10 mL
QUININE SULFATE (UNII: KF7Z0E0Q2B) (QUININE - UNII:A7V27PHC7A)	QUININE SULFATE	12 [hp_X] in 10 mL
ERIODICTYON CALIFORNICUM LEAF (UNII: 2Y7TIQ135H) (ERIODICTYON CALIFORNICUM LEAF - UNII:2Y7TIQ135H)	ERIODICTYON CALIFORNICUM LEAF	12 [hp_X] in 10 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 10 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 10 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 10 mL
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) (SILICA DIMETHYL SILYLATE - UNII:EU2PSP0G0W)	SILICA DIMETHYL SILYLATE	15 [hp_X] in 10 mL
ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	15 [hp_X] in 10 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59262-275-11	10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2018	

Labeler - Similasan Corporation (111566530)

Revised: 3/2021

Similasan Corporation