

**OBAGI SUN SHIELD TINT COOL SUNSCREEN BROAD SPECTRUM SPF 50-  
homosalate, octinoxate, titanium dioxide, zinc oxide lotion  
Obagi Cosmeceuticals LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**OBAGI®  
Sun Shield TINT Cool Sunscreen  
Broad Spectrum SPF 50**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Homosalate 10%	Sunscreen
Octinoxate 7.5%	Sunscreen
Titanium dioxide 3.18%	Sunscreen
Zinc oxide 5%	Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.

- wear long-sleeved shirts, pants, hats and sunglasses

### ***Other information***

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

### ***Inactive ingredients***

water, butyloctyl salicylate, caprylic/capric triglyceride, caprylyl methicone, polyglyceryl-10 pentastearate, glyceryl stearate, PEG-100 stearate, butylene glycol, pentylene glycol, behenyl alcohol, PEG-40 stearate, dimethicone, physalis angulata extract, algae extract, glycerin, iron oxides, phenoxyethanol, sodium stearyl lactylate, polyhydroxystearic acid, mannitol, mica, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, citric acid, squalane, alumina, stearic acid, xanthan gum, calcium aluminium borosilicate, diatomaceous earth, Sodium Polyacrylate, disodium EDTA, synthetic fluorphlogopite, polysorbate 60, ethylhexylglycerin, zinc sulfate, Sorbitan Oleate, silica, chlorphenesin, tetrahexyldecyl ascorbate, tin oxide, tocopherol

### ***Questions or comments?***

**1.800.636.7546**

Monday–Friday 9 a.m.–4 p.m. Pacific Time

Distributed by Obagi Cosmeceuticals LLC,  
Long Beach, CA 90806

### **PRINCIPAL DISPLAY PANEL - 85 g Tube Carton**

OBAGI™  
MEDICAL

Sun Shield

TINT

COOL

Broad  
Spectrum  
SPF 50  
Sunscreen  
Lotion

Infrared  
Defense

Non-comedogenic  
Dermatologist tested

Net wt. 3 oz. (85 g)



**Sun Shield Tint  
Broad Spectrum SPF 50**

This sunscreen combines UVB and UVA protection while helping to buffer the skin from the heat-derived oxidation process. Developed for cool skin tones, it is non-comedogenic, hypoallergenic and dermatologist tested. **Sheer and fragrance free.**

**Drug Facts**

Active ingredients	Purpose
Homosalate 10%	Sunscreen
Octinoxate 7.5%	Sunscreen
Titanium Dioxide 3.18%	Sunscreen
Zinc Oxide 5%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

**Drug Facts (continued)**

**Other information**

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

**Inactive ingredients**

Water, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Caprylyl Methicone, Polyglyceryl-10 Pentastearate, Butylene Glycol, Glyceryl Stearate, PEG-100 Stearate, Pentylene Glycol, Behenyl Alcohol, Physalis Angulata Extract, Dimethicone, PEG-40 Stearate, Lithothamnion Calcareum Powder, Glycerin, Phenoxyethanol, Sodium Stearoyl Lactylate, Polyhydroxystearic Acid, Mannitol, Mica, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Citric Acid, Squalane, Xanthan Gum, Calcium Aluminum Borosilicate, Alumina, Stearic Acid, Diatomaceous Earth, Sodium Polyacrylate, Disodium EDTA, Synthetic Fluorphlogopite, Polysorbate 60, Ethylhexylglycerin, Zinc Sulfate, Sorbitan Oleate, Silica, Chlorphenesin, Tetrahexyldecyl Ascorbate, Tocopherol, Tin Oxide, Iron Oxides

**Questions or comments?**

1.800.636.7546  
Monday–Friday 9 a.m.–4 p.m. Pacific Time



**Sun Shield**

**TINT**

Broad Spectrum  
SPF 50  
Sunscreen  
Lotion



COOL

Infrared  
Defense



Non-comedogenic  
Dermatologist tested

The Skin Cancer Foundation  
recommends this product as an effective  
broad spectrum sunscreen

Net wt. 3 oz. (85 g)



Distributed by Obagi Cosmeceuticals LLC,  
Long Beach, CA 90806

All products/brand names, whether designated by  
notice or not (®/TM), are trademarks of  
Obagi Cosmeceuticals LLC and/or its affiliates.

©2020 Obagi Cosmeceuticals LLC.  
All rights reserved. [www.obagi.com](http://www.obagi.com)

Made in USA with U.S. and Imported components  
9402503

# OBAGI SUN SHIELD TINT COOL SUNSCREEN BROAD SPECTRUM SPF 50

homosalate, octinoxate, titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62032-150
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8.5 g in 85 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.375 g in 85 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.703 g in 85 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.25 g in 85 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>12-OXOOCTADECANOIC ACID</b> (UNII: 31GL7GRO8F)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>PEG-40 STEARATE</b> (UNII: ECU18C66Q7)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PHYSALIS ANGULATA WHOLE</b> (UNII: W4TKW9D5GG)	
<b>POLYGLYCERYL-10 PENTASTEARATE</b> (UNII: PMX5872701)	
<b>FUCUS VESICULOSUS</b> (UNII: 535G2ABX9M)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHYMATOLITHON CALCAREUM</b> (UNII: 6J1M3WA0ZK)	
<b>SODIUM STEAROYL LACTYLATE</b> (UNII: IN99IT31LN)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYL DIMETHYL TARTARATE COPOLYMER (100000 MPA)</b>	

<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPAS AT 1.5%)</b> (UNII: 86FQE96TZ4)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>ZINC SULFATE MONOHYDRATE</b> (UNII: PTX099XSFI)
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)
<b>DIATOMACEOUS EARTH</b> (UNII: 2RF6EJ0M85)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ZINC SULFATE, UNSPECIFIED FORM</b> (UNII: 89DS0H96TB)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-150-10	1 in 1 CARTON	12/01/2019	
1		85 g in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/01/2019	

**Labeler** - Obagi Cosmeceuticals LLC (790553353)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	MANUFACTURE(62032-150)