

IRON CHEWS- iron pentacarbonyl tablet, chewable
H2-Pharma, LLC

Iron Chews

Directions

As an Iron Supplement, one chewable tablet daily, or as directed by a health professional.

Keep out of reach of children.

Protect from light, heat and moisture. Store at 59° - 86°F (15° - 30°C)

Supplement Facts		
Serving Size 1 Tablet	Servings per container: 60	
Amount Per Serving	% Daily Value Infants from birth to 12 months of age	% Daily Value Children under 4 years of age
Iron (as Carbonyl Iron) 15 mg	100%	150%

Other Ingredients : Sorbitol, microcrystalline cellulose, artificial grape flavor, magnesium stearate, silica, FD&C Blue #2 Lake, and FD&C Red #40 Lake.

CAUTION

Do not exceed recommended dosage. The treatment of any anemic condition should be under the advice and supervision of a health professional. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking with meals. Iron-containing medication may occasionally cause constipation or diarrhea. If you are pregnant or nursing a baby, seek the advice of a health professional prior to taking this product.

WARNING

ACCIDENTAL OVERDOSE OF IRON-CONTAINING PRODUCTS IS A LEADING CAUSE OF FATAL POISONING IN CHILDREN UNDER SIX YEARS. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. IN CASE OF OVERDOSE, CALL A DOCTOR OR POISON CONTROL CENTER IMMEDIATELY.

H² pharma
www.h2-pharma.com

Rev. 09/16

PRINCIPAL DISPLAY PANEL - 15 mg Tablet Bottle Label

Iron Chews

Pediatric
Chewables

IRON SUPPLEMENT

Each Tablet Contains:
Iron (as carbonyl iron)15 mg

H² pharma

61269-910-60

60 TABLETS



3
61269 91060
6

Iron Chews

Pediatric Chewables

IRON SUPPLEMENT

Each Tablet Contains:
Iron (as carbonyl iron)15 mg



Directions: As an Iron Supplement, one chewable tablet daily, or as directed by a health professional.
Keep out of reach of children.
Protect from light, heat and moisture. Store at 59° - 86°F (15° - 30°C)

Supplement Facts

Serving Size 1 Tablet	Servings per container: 60	
Amount Per Serving	% Daily Value Infants from birth to 12 months of age	% Daily Value Children under 4 years of age
Iron (as Carbonyl Iron) 15 mg	100%	150%

Other Ingredients : Sorbitol, microcrystalline cellulose, artificial grape flavor, magnesium stearate, silica, FD&C Blue #2 Lake, and FD&C Red #40 Lake.
CAUTION: Do not exceed recommended dosage. The treatment of any anemic condition should be under the advice and supervision of a health professional. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking with meals. Iron-containing medication may occasionally cause constipation or diarrhea. If you are pregnant or nursing a baby, seek the advice of a health professional prior to taking this product.

WARNING: ACCIDENTAL OVERDOSE OF IRON-CONTAINING PRODUCTS IS A LEADING CAUSE OF FATAL POISONING IN CHILDREN UNDER SIX YEARS. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. IN CASE OF OVERDOSE, CALL A DOCTOR OR POISON CONTROL CENTER IMMEDIATELY.

61269-910-60

60 TABLETS

Rev. 09/16

Manufactured for: H²-Pharma, LLC
2010 Berry Chase Place
Montgomery, AL 36117

H² pharma
www.h2-pharma.com
Lot: / Exp:

IRON CHEWS

iron pentacarbonyl tablet, chewable

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:61269-910
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IRON PENTACARBONYL (UNII: 6WQ62TAQ6Z) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	15 mg

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:61269-910-60	60 in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		10/31/2016	

Supplement Facts	
Serving Size :	Serving per Container :
Amount Per Serving	% Daily Value
color	
scoring	1
shape	
size (solid drugs)	10 mm
flavor	

Labeler - H2-Pharma, LLC (028473634)

Establishment			
Name	Address	ID/FEI	Business Operations
Nexgen Pharma, Inc.		048488621	MANUFACTURE

Revised: 11/2016

H2-Pharma, LLC