

JOURNEE FIRM BROAD SPECTRUM SUNSCREEN SPF 30- titanium dioxide and zinc oxide cream
Merz North America, Inc.

Journée Firm Broad Spectrum Sunscreen SPF 30

Drug Facts:

Active Ingredients

Titanium Dioxide 12.25%
Zinc Oxide 10.2%

Purpose

Sunscreen

Uses

- Helps prevent sunburn and premature skin aging.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.
- Higher SPF gives more sunburn protection.

Warnings

For external use only.

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply generously 15 minutes before sun exposure. For children under 6 months of age, ask a doctor.

Sun-Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease the risk, regularly use a sunscreen with Broad-Spectrum SPF value of 15 or higher and other sun-protection measures including:

- Limit time in the sun, especially from 10am-2pm.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

Inactive Ingredients

Water, Dimethicone, Coconut Alkanes, C12-15 Alkyl Benzoate, Isohexadecane, Ethyl Trisiloxane, Polyhydroxystearic Acid, PEG-10 Dimethicone, Isododecane, Glycerin, Butyloctyl Salicylate, Propanediol, Squalane, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, PEG-9 Polydimethylsiloxyethyl Dimethicone, Zinc Sulfate, Caprylic/Capric Triglyceride, Cutaneous Lysate, Tetrapeptide-21, Capryloyl Carnosine, Caesalpinia Spinosa Fruit Pod Extract, Palmitoyl Tripeptide-1 Acetate, Sodium Hyaluronate, Camellia Sinensis Leaf Extract, Helianthus Annuus (Sunflower) Sprout Extract, Alumina, Caprylyl Methicone, Coco-Caprylate/Caprates, Stearic Acid, Polyglyceryl-3 Oleate, Stearalkonium Hectorite, C13-15 Alkane, Diisostearyl Polyglyceryl-3 Dimer Dilinoleate, Polysilicone-11, Propylene Carbonate, Xanthan Gum, Sodium Ascorbyl Phosphate, Tocopheryl Acetate, Maltodextrin, Ethylhexylglycerin, Triethoxycaprylylsilane, PEG/PPG-18/18 Dimethicone, Melanin, Pentylene Glycol, Tocopherol, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499), Phenoxyethanol

Other Information

- Protect this product from excessive heat and direct sun.

Distributed in the USA by Merz North America, Inc.
Raleigh, NC 27615

PRINCIPAL DISPLAY PANEL - 200 mL Bottle Label

FOR PROFESSIONAL USE ONLY.
NOT FOR RESALE.

journée

F I R M

REVITALIZING &
REFINING DAY CREAM
BROAD SPECTRUM SPF 30

NEOCUTIS®

SHAKE WELL BEFORE USE

A synergistic formulation to hydrate, tighten and address visible signs of aging, provide anti-oxidant care, and defend with broad spectrum UVA/UVB protection.

POWERED BY GROWTH FACTORS AND PROPRIETARY PEPTIDES

Paraben free, non-comedogenic, dermatologist-tested, free of fragrance, not tested on animals

FOR PROFESSIONAL USE ONLY.
NOT FOR RESALE.

Drug Facts:	
Active Ingredients	Purpose
Titanium Dioxide 12.25% Zinc Oxide 10.2%	} Sunscreen
Uses	
<ul style="list-style-type: none"> • Helps prevent sunburn and premature skin aging. • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun. • Higher SPF gives more sunburn protection. 	
Warnings	
For external use only.	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor • if rash occurs.	
Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.	
Directions:	
Apply generously 15 minutes before sun exposure. For children under 6 months of age, ask a doctor.	
Sun-Protection Measures	
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with Broad-Spectrum SPF value of 15 or higher and other sun-protection measures including:	
<ul style="list-style-type: none"> • Limit time in the sun, especially from 10am-2pm. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating. 	
Inactive ingredients:	
Water, Dimethicone, Coconut Alkanes, C12-15 Alkyl Benzoate, Isohexadecane, Ethyl Trisiloxane, Polyhydroxystearic Acid, PEG-10 Dimethicone, Isododecane, Glycerin, Butyloctyl Salicylate, Propanediol, Squalane, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, PEG-9 Polydimethylsiloxyethyl Dimethicone, Zinc Sulfate, Caprylic/Capric Triglyceride, Cutaneous Lysate, Tetrapeptide-21, Capryloyl Carnosine, Caesalpinia Spinosa Fruit Pod Extract, Palmitoyl Tripeptide-1 Acetate, Sodium Hyaluronate, Camellia Sinensis Leaf Extract, Helianthus Annuus (Sunflower) Sprout Extract, Alumina, Caprylyl Methicone, Coco-Caprylate/Caprate, Stearic Acid, Polyglyceryl-3 Oleate, Stearalkonium Hectorite, C13-15 Alkane, Diisostearyl Polyglyceryl-3 Dimer Diinoleate, Polysilicone-11, Propylene Carbonate, Xanthan Gum, Sodium Ascorbyl Phosphate, Tocopheryl Acetate, Maltodextrin, Ethylhexylglycerin, Triethoxycaprylylsilane, PEG/PPG-18/18 Dimethicone, Melanin, Pentylene Glycol, Tocopherol, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499), Phenylethanol	
Other information	
• Protect this product from excessive heat and direct sun.	

journée

FIRM

REVITALIZING &
REFINING DAY CREAM
BROAD SPECTRUM SPF 30

NEOCUTIS®

Distributed in the USA by Merz North America, Inc.
Raleigh, NC 27615 | Made in USA
Patents: www.merzusa.com/patents/

NEOCUTIS.com
USA: 866.636.2884

6.76 FL. OZ. (200 mL)
AW01094-02

SHAKE WELL BEFORE USE

JOURNEE FIRM BROAD SPECTRUM SUNSCREEN SPF 30

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46783-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	12.25 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
Dimethicone (UNII: 92RU3N3Y10)	
Coconut Alkanes (UNII: 1E5KJY107T)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
Isohexadecane (UNII: 918X1OUF1E)	
Ethyl Trisiloxane (UNII: ZH1WJO5481)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
Isododecane (UNII: A8289P68Y2)	
Glycerin (UNII: PDC6A3C0OX)	
Butyloctyl Salicylate (UNII: 2EH13UN8D3)	
Propanediol (UNII: 5965N8W85T)	
Squalane (UNII: GW89575KF9)	
Polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate (UNII: 687U3PEB2Y)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ZINC SULFATE, UNSPECIFIED FORM (UNII: 89DS0H96TB)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
HUMAN SKIN PROTEINS, PARTIALLY HYDROLYZED (UNII: G9813R29TW)	
Tetrapeptide-21 (UNII: 179JUC43HU)	
CARNOSINE (UNII: 8HO6PVN24W)	
CAESALPINIA SPINOSA FRUIT POD (UNII: EXY4496LWD)	
Palmitoyl Tripeptide-1 Acetate (UNII: 99B84UAK70)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
HELIANTHUS ANNUUS SPROUT (UNII: 4P26HG1S5W)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Polyglyceryl-3 Oleate (UNII: XRQ165498B)	
Stearalkonium Hectorite (UNII: O LX698AH5P)	
C13-15 Alkane (UNII: 114P5I43UJ)	
Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate (UNII: G3232Z5S2O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
Propylene Carbonate (UNII: 8D08K3S51E)	
Xanthan Gum (UNII: TTV12P4NEE)	
Sodium Ascorbyl Phosphate (UNII: 836SJG51DR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
Maltodextrin (UNII: 7CVR7L4A2D)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
PEG/PPG-18/18 Dimethicone (UNII: 9H0AO7T794)	
MELANIN SYNTHETIC (TYROSINE, PEROXIDE) (UNII: O0CV1RMR44)	
Pentylene Glycol (UNII: 50C1307PZG)	
Tocopherol (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46783-100-06	6 mL in 1 TUBE; Type 0: Not a Combination Product	06/17/2022	
2	NDC:46783-100-15	1 in 1 CARTON	05/01/2022	
2		15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:46783-100-50	1 in 1 CARTON	05/01/2022	
3		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:46783-100-20	200 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/17/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	05/01/2022	

Labeler - Merz North America, Inc. (028147846)

Revised: 10/2023

Merz North America, Inc.