

**ACETAMINOPHEN- acetaminophen tablet**  
**Kareway Product, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

**Drug Facts**

**Active Ingredients (in each tablet)**

Acetaminophen 500mg

**Purpose**

Pain Reliever/fever reducer

**Warnings**

**Liver Warning:**

this product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

These could be sign of a serious condition

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

Enter section text here

**Overdose warning:**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

---

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 tablets every 4 to 6 hours as needed</li><li>• do not take more than 8 tablets in 24 hours</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	do not use this adult Extra Strength product in children under 6 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

---

**Other Information**

- do not use if imprinted safety seal under cap is broken or missing.
- Store at 15° - 30°C (59° - 86°F)
- see end panel for lot number and expiration date

**Inactive Ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, and sodium chloride

**Uses**

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- arthritis
- the common cold
- toothache
- menstrual cramps
- temporarily reduces fever

**Package label**

Non-Aspirin Pain Relief Extra Strength 40 caplets



Package Label  
Non-Aspirin Pain Relief Extra Strength 40 tablets



ACETAMINOPHEN				
acetaminophen tablet				
<b>Product Information</b>				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0153	
Route of Administration	ORAL			
<b>Active Ingredient/Active Moiety</b>				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg		
<b>Inactive Ingredients</b>				
Ingredient Name	Strength			
ICODEXTRIN (UNII: 2NX48Z0A9G)				
STARCH, CORN (UNII: 08232NYS5J)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
HYDROXYPROPYL CELLULOSE (UNII: 8F7W2ET671P)				
<b>Product Characteristics</b>				
Color	white	Score	no score	
Shape	ROUND	Size	13mm	
Flavor		Imprint Code	A500	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0153-6	1 in 1 BOX		
1		50 in 1 BOTTLE		
2	NDC:67510-0153-4	1 in 1 BOX		
2		40 in 1 BOTTLE		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part43	08/11/2011		

**ACETAMINOPHEN**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67510-0152
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O91TL9D) (ACETAMINOPHEN - UNII:362O91TL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
ICODextrin (UNII: 2NX482D A9G)	
STARCH, CORN (UNII: O8232NY3S1)	
LAURYL SULFATE (UNII: DQ16UC154)	
HYDROXYPROPYL CELLULOSE (UNII: RFW2ET671P)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	A500
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0152-7	1 in 1 BOX		
1		40 in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	par343	08/11/2011	

**Labeler** - Kareway Product, Inc. (121840057)

Revised: 8/2013

Kareway Product, Inc.