

**SODIUM IODIDE - sodium iodide injection, solution  
MWI (VetOne)**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Sodium Iodide 20%**

**INDICATIONS**

For use as an aid in the treatment of actinomycosis (lump jaw) or actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

**EACH 100 mL CONTAINS**

Sodium Iodide ..... 20 g

Water for Injection ..... q.s.

**STORAGE**

Store between 15 degree C and 30 degree C (59 degree F - 85 degree F).

Take time. Observe label directions

For animal use only.

Keep out reach of children

**CAUTION**

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**DOSAGE AND ADMINISTRATION**

For intravenous injection only.

**CATTLE:** 15 mL/100 lb body weight (30 mg/lb of body weight). Administer slowly, using aseptic procedures. Inject carefully to avoid deposition outside of the vein. May be repeated at weekly intervals, if necessary.

**CAUTION**

Animals vary in their susceptibility to iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur. This is a single dose vial. No preservatives have been added. Discard any unused portion.

**WARNING**

Not for use in pregnant animals, lactating dairy cows or animals exhibiting hyperthyroidism.

NDC 13985-819-25

250 mL



# Sodium Iodide 20%

Injection

**INDICATIONS:** For use as an aid in the treatment of actinomycosis (lumpy jaw) or actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

**EACH 100 mL CONTAINS:**  
Sodium Iodide ..... 20 g  
Water for Injection ..... q.s.

**STORAGE:** Store between 15°C and 30°C (59°F– 86°F).

TAKE TIME **OBSERVE LABEL DIRECTIONS**  
18-819-25  
RMS 92-1018  
Iss. 09-11

Distributed by: MWI  
Boise, ID 83705  
(888) 694-8381  
www.vetone.net

Manufactured by: Nova-Tech, Inc.  
Grand Island, NE 68801



## Sterile Solution

For animal use only.  
Keep out of reach of children.

**CAUTION:** Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**DOSAGE AND ADMINISTRATION:** For intravenous injection only.

**CATTLE:** 15 mL/100 lbs body weight (30 mg/lb of body weight). Administer slowly, using aseptic procedures. Inject carefully to avoid deposition outside of the vein. May be repeated at weekly intervals, if necessary.

**CAUTION:** Animals vary in their susceptibility to iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur. This is a single dose vial. No preservatives have been added. Discard any unused portion.

**WARNING:** Not for use in pregnant animals, lactating dairy cows or animals exhibiting hyperthyroidism.

LOT NO.:                      EXP. DATE:

V1 510222

Net Contents: 250 mL

Enter section text here

## SODIUM IODIDE

sodium iodide injection, solution

### Product Information

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:13985-819
<b>Route of Administration</b>	INTRAVENOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Sodium Iodide</b> (UNII: F5WR8N145C) (Iodide ion - UNII:09G4I6V86Q)	Sodium Iodide	20 g in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-819-25	250 mL in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/14/2011	

**Labeler** - MWI (VetOne) (019926120)

**Registrant - MWI (VetOne) (019926120)**

**Establishment**

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

Revised: 10/2011

MWI (VetOne)