RITE AID ANTI-CAVITY, ANTI-GINGIVITIS - stannous fluoride paste Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Protec-Health Anti-Cavity, Anti-Gingivitis Toothpaste

Active Ingredient

STANNOUS FLUORIDE 0.454%.....ANTICAVITY, ANTIGINGIVITIS (.016% WITH FLUORIDE ION) antisensitivity toothpaste

USE

Helps aid in the prevention of cavities.

- Helps prevent gingivitis.
- Helps control plaque bacteria that contribute to the development of gingivitis.
- Builds increasing protection against painful sensitivity of the health to cold, heat, acids, sweets or contact.

When using this product do not use for sensitivity

longer than four weeks unless recommended by dentist.

Stop use and ask a dentist if the sensitivity problem persists or

worsens. Sensitive teeth may indicate a serious problem.

Directions

Adults and children Brush teeth thoroughly, preferably after each meal, or at least twice a day, or as directed by your dentist. Do not swallow.

Children under 12 Ask a dentist or physician

OTHER INFORMATION Products containing stannous fluoride may produce surface staining of the teeth. Adequate toothbrushing may prevent these stains which are not harmful or perment.

Inactive ingredients:

Sorbitol, Water, Hydrated Silica, Sodium Hexametaphosphate, Glycerin, Sodium Lauryl Sulfate, Zinc Lactate, PEG-6, Cellulose Gum, Sodium Phosphate, Sodium Gluconate, Saccharin Sodium, Titanium Dioxide, Blue 1, Yellow 4





DISTRIBUTED BY
RITE AID CORPORATION
30 HUNTER LANE, CAMP HILL, PA 17011
PRODUCT OF INDIA, EC. No., GUJ/COS/GC-679
"This product is not manufactured or distributed
by Practer & Gamble owner of the registered
trademark Crest®. ITEM# 393415

AN ANTICAVITY FLUORIDE DENTIFRICE

Drug Facts	Drug Facts	continued)
ACTIVE INGREDIENT PURPOSES Stannous fluoride 0.454% Anticavity, antigingivitis, (0.16% w/v fluoride ion) antisensitivity toothçaste	that may need prompt care. Keep out of reach of children. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.	
USES: • Helps aid in the prevention of cavities. • Helps prevent ginghitis.	DIRECTIONS	
Helps control plaque bacteria that contribute to the development of gingivitis. Builds increasing protection against painful sensitivity of the teeth to	Adults and children 12 years and older	Brush teeth thoroughly, preferably after each meal, or at least twice a day, or as directed by your dentist. Do not swallow
cold, heat, acids, sweets or contact.	Children under 12	Ask a dentist or physician.
WARNINGS: When using this product do not use for sensitivity longer than four weeks unless recommended by a dentist. Stop use and ask a dentist if the sensitivity problem persists or worsens. Sensitive teeth may indicate a serious problem	OTHER INFORMATION Products containing stannous fluoride may produce surface staining of the teeth. Adequate toothbrushing may prevent these stains which are not harmful or permanent.	

INACTIVE INGREDIENTS: Sorbitol, Water, Hydrated Silica, Sodium Hexametaphosphale, Glycerin, Flavor, Sodium Lauryl Sulphate, Zinc Lactate, PEG-6, Cellulose Gum, Sodium Phosphate, Sodium Gluconate, Sodium Saccharin, Titanium Dioxide, Blue 1, Yellow 4.

RITE AID ANTI-CAVITY, ANTI-GINGIVITIS

stannous fluoride paste

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0001 Route of Administration DENTAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Stannous Fluoride (UNII: 3FTR44B32Q) (Fluoride Ion - UNII:Q80VPU408O) Stannous Fluoride 4.54 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
SORBITOL (UNII: 506T60A25R)		
WATER (UNII: 059QF0KO0R)		
HYDRATED SILICA (UNII: Y6O7T4G8P9)		
SODIUM POLYMETAPHO SPHATE (UNII: P1BM4ZH95L)		
GLYCERIN (UNII: PDC6A3C0OX)		

SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
ZINC LACTATE (UNII: 2GXR25858Y)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9 Y8 AQ)	
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
SODIUM PHO SPHATE (UNII: SE337SVY37)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor	MINT (Clean Mint)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0001-1	170 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part355	12/08/2010	

Labeler - Rite Aid (014578892)

Revised: 12/2010 Rite Aid