

**SODIUM BICARBONATE 10 GR (650 MG)- sodium bicarbonate tablet**  
**CitraGen Pharmaceuticals Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Sodium Bicarbonate Tablets, USP 10gr (650 mg)**

***Drug Facts***

***Active ingredient (in each tablet)***

Sodium Bicarbonate 10 gr (650 mg)

***Purpose***

Antacid

***Uses***

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

***Warnings***

**Do not take** more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor before use if you have** a sodium restricted diet.

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

***Directions***

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
- **adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

***Other information***

each tablet contains: sodium 178 mg

store at room temperature 15° - 30° C (59° - 86° F)

### Inactive ingredients

Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF

### Questions or comments?

Phone: +1-510-249-9066 (9AM-5PM PST, Mon-Fri); e-mail: info@citragenpharma.com

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

### Manufactured by:

CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.

www.citragenpharma.com

Rev. 03/18 R-00

### CitraGen Pharmaceuticals, Inc.

NDC: 70369-001-01

**Sodium Bicarbonate Tablets, USP 10 gr (650 mg)**

**ANTACID**

1000 Tablets

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN



# Sodium Bicarbonate

Tablets, USP 10 gr (650 mg)

**ANTACID**

THIS PACKAGE IS FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN

1000 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	
<b>Active Ingredient (in each tablet)</b>	<b>Purpose</b>
Sodium Bicarbonate 10 gr (650 mg)	Antacid
<b>Uses:</b> relieves: •acid indigestion •heartburn •sour stomach •upset stomach associated with these symptoms	
<b>Warnings</b>	
Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.	
Ask a doctor before use if you have a sodium restricted diet.	
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.	
Stop use and ask a doctor if symptoms last more than 2 weeks.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b>	
•do not use the maximum dosage for more than 2 weeks	
•tablets may be swallowed whole or dissolved in water prior to use	
•adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours	
•adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours	
<b>Other information</b>	
•each tablet contains: sodium 178 mg	
•store at room temperature 15° - 30°C (59° - 86°F)	
<b>Inactive ingredients:</b> Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF	
<b>Questions or comments?</b>	
Phone: +1-510-249-9066, 9AM-5PM PST, Mon-Fri; e-mail: info@citragenpharma.com	

Rev. 03/18 R-00



Manufactured by:  
CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.  
www.citragenpharma.com

Lot No. :  
Exp. Date:

### CitraGen Pharmaceuticals, Inc.

NDC: 70369-001-08

**Sodium Bicarbonate Tablets, USP 10 gr (650 mg)**

**ANTACID**

120 Tablets



NDC:70369-001-08

# Sodium Bicarbonate Tablets, USP 10 gr (650 mg) ANTACID

120 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

### Drug Facts

**Active Ingredient (in each tablet)** Purpose

Sodium Bicarbonate 10 gr (650 mg).....Antacid

**Uses:** relieves: ●acid indigestion ●heartburn ●sour stomach ●upset stomach associated with these symptoms

#### Warnings

Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

#### Directions

• do not use the maximum dosage for more than 2 weeks • tablets may be swallowed whole or dissolved in water prior to use • adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours • adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

#### Other information:

• each tablet contains: sodium 178 mg • store at room temperature 15° - 30°C (59° - 86°F)

**Inactive ingredients:** Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF

#### Questions or comments?

Phone: +1-510-249-9066, (9AM-5PM PST, M-F); e-mail: info@citragenpharma.com

R-00  
Rev. 06/20

Manufactured by:  
CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.  
www.citragenpharma.com



3 70369 00108 7  
Lot No. :  
Exp. Date:

## SODIUM BICARBONATE 10 GR (650 MG)

sodium bicarbonate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70369-001
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	650 mg

### Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED COTTONSEED OIL (UNII: Z82Y2C65EA)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	CG001
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70369-001-01	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/16/2018	
2	NDC:70369-001-08	120 in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	04/16/2018	

**Labeler** - CitraGen Pharmaceuticals Inc. (024949457)

**Registrant** - CitraGen Pharmaceuticals Inc. (024949457)

## Establishment

Name	Address	ID/FEI	Business Operations
CitraGen Pharmaceuticals Inc		024949457	manufacture(70369-001)

Revised: 6/2020

CitraGen Pharmaceuticals Inc.