

GERI-TUSSIN- guaifenesin liquid
Geri-Care Pharmaceuticals, Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

In each 5 mL teaspoonful

Guaifenesin - 100 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use

- if you ever had an allergic reaction to any of the ingredients in this product

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- do not take more than 6 doses in a 24 hour period
- do not exceed recommended dose

adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor

Inactive ingredients: artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments? 1-800-540-3765



NDC 57896-693-16

GERI-TUSSIN

(Guaifenesin Oral Solution, USP)

LOOSENS AND RELIEVES
CHEST CONGESTION

EXPECTORANT
CHERRY MENTHOL FLAVOR

SUGAR FREE
ALCOHOL FREE

Compare to the active ingredient of
Robitussin®*

16 FL OZ (473 mL)

Drug Facts

Active ingredient (in each 5mL teaspoonful) **Purpose**
Guaifenesin, USP 100mg.....Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use ■ if you ever had an allergic reaction to any of the ingredients in this product

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Do not take more than 6 doses in a 24 hour period
■ Do not exceed recommended dose

adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor

Other information ■ **TAMPER-EVIDENT:** Do not use if foil seal over bottle opening is torn, broken, or missing ■ store at room temperature 15°- 30°C (59°-86°F) ■ protect from freezing ■ protect from light

Inactive ingredients: Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments? 1-800-540-3765



FOR INSTITUTIONAL USE

Distributed by:
GERI-CARE PHARMACEUTICALS CORP.
1650 63rd Street
Brooklyn, NY 11204
Code#L-131 REV0419

*This product is not manufactured or distributed by the owner of registered trademark of Robitussin®.

Lot#

Exp. Date:

GERI-TUSSIN

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-693
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-693-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/01/2019	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 3/2021

Geri-Care Pharmaceuticals, Corp