

GERI-TUSSIN- guaifenesin liquid
Geri-Care Pharmaceuticals, Corp

693 geri-tussin

In each 5 mL teaspoonful

Guaifenesin - 100 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use

- if you ever had an allergic reaction to any of the ingredients in this product

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- do not take more than 6 doses in a 24 hour period
- do not exceed recommended dose

adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor

Inactive ingredients: artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments? 1-800-540-3765

NDC - 57896-693-04

GERI CARE®

GERI-TUSSIN

Guaifenesin Oral Solution, USP

SUGAR FREE • ALCOHOL FREE

**EXPECTORANT
CHERRY MENTHOL
FLAVOR**

Loosens And Relieves
Chest Congestion

Compare to the active ingredient
of original Robitussin®*

4 FL OZ (118 mL)

Drug Facts	Purpose Expectorant
Active ingredient (in each 5mL/teaspoonful) Guaifenesin, USP 100 mg.....	
Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive	
Warnings Do not use ■ if you ever had an allergic reaction to any of the ingredients in this product	
Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema.	
Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ Do not take more than 6 doses in a 24 hour period ■ Do not exceed recommended dose	
adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor
Other information ■ TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn, broken, or missing. ■ store at room temperature 15°- 30°C(59°-86°F) ■ protect from freezing ■ protect from light	
Inactive ingredients: Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose	
Questions or comments? 1-800-540-3765	

*This product is not manufactured or distributed by the owner of the registered trademark of Robitussin®
Dist. by: Geri-Care Pharmaceuticals Corp.
1295 Towbin Ave., Lakewood, NJ 08701
Code: L-132
Rev.: 12/23

Lot and Exp



3 57896 69304 6

GERI-TUSSIN

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-693
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-693-	473 mL in 1 BOTTLE; Type 0: Not a Combination	05/01/2010	

1	16	Product	05/01/2019	
2	NDC:57896-693-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2024	
Marketing Information				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	OTC Monograph Drug	M012	05/01/2019	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 6/2024

Geri-Care Pharmaceuticals, Corp