

**MYHEALTH MOOD CARE SPORT WOMEN- aluminum
sesquichlorohydrate aerosol, spray
Aeroflex Industria de Aerosol Ltda**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Aluminum sesquichlorohydrate 25%

Purpose

Antiperspirant

Uses

Reduces underarm wetness.

Warnings

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

Directions

For underarm use only.

Other Information

Do not expose to the sun or to temperatures above 120°F/ 50°C

Inactive Ingredients


butane, isobutane, propane, methylal, cyclopentasiloxane, isopropyl myristate, parfum, quaternium-18, hectorite, propylene carbonate, 2-methyl 5-cyclohexylpentanol, amyl

cinnamal, benzyl salicylate, butylphenyl methylpropional, limonene, linalool

Product label

MODO DE USAR: AGITE BEM ANTES DE USAR. Aplicar o produto a 15 cm de distância das axilas. Esperar secar antes de se vestir. Em caso de funcionamento anormal da válvula, agitar bem, virar o frasco de cabeça para baixo e acionar o atuador até que o produto volte a sair normalmente. | **INSTRUCCIONES DE USO: AGITAR BIEN ANTES DE USAR.** Aplicar el producto a 15 cm de las axilas. Espere a que se seque antes de vestirse. En caso de funcionamiento anormal de la válvula, agitar bien, dar la vuelta a la botella y accionar el actuador hasta que el producto vuelva a salir normalmente. | **PRECAUÇÕES INFLAMÁVEL.** Contido sob pressão. Não armazenar ou pulverizar perto do fogo ou superfície incandescente. Não fumar. Não perfumar, nem incinerar mesmo depois de vazado. Não expor ao sol nem a temperaturas superiores a 60 ° C. Armazenar em ambiente fresco e ventilado. Seguir modo de uso para sua segurança. **USO EXTERNO.** Use este produto apenas nas axilas. Usar em ambientes ventilados. Não ingerir. Evitar a inalação. Proteger os olhos durante aplicação. Não usar se a pele estiver irritada ou lesionada. Caso ocorra alergia, irritação e/ou prurido no local aplicado, suspenda o uso imediatamente. **MANTER FORA DO ALCANCE DAS CRIANÇAS E DOS ANIMAIS DOMÉSTICOS.** Lote e validade: vide embalagem. | **PRECAUCIONES: INFLAMABLE.** Contenido bajo presión. No almacenar ni rociar cerca del fuego o de una superficie incandescente. No fume. No perfumar ni incinerar aun que está vacío. No exponer a la luz del sol ni a temperaturas superiores a 60°C. Almacenar en un lugar fresco y ventilado. Siga las instrucciones de uso para su seguridad. **USO EXTERNO.** Utilice este producto sólo en las axilas. Utilizar en una zona ventilada. No ingerir. Evitar la inhalación. Proteger los ojos durante la aplicación. No utilizar si la piel está irritada o dañada. Si se produce alergia, irritación y/o picor en el lugar de aplicación, interrumpa su uso inmediatamente. **MANTENER FUERA DEL ALCANCE DE LOS NIÑOS Y LOS ANIMALES DOMÉSTICOS.** Lote y fecha de caducidad: véase el envase. **COMPOSIÇÃO (PORTUGUÊS):** BUTANO, ISOBUTANO, PROPANO, METILAL, SESQUICHLORATO DE ALUMÍNIO, DECAMETILCICLOPENTASILOXANO, MIRISTATO DE ISOPROPILA, FRAGRÂNCIA, QUATÉRNIO-15 HECTORTA, CARBONATO DE PROPILENO, 2-METIL 5-CICLOXIPENTANOL, AML CINAMAL, SALICILATO DE BENZILA, BUTILFENIL METILPROPIONAL, LIMONENO, LINALOL.

Aeroflex
 Registo sob marca: Aeroflex Laboratório de Pesquisa e Desenvolvimento de Produtos Químicos e Cosméticos Ltda. CNPJ: 30.281.007/0001-99
 AFE 4.023.032-3 | Fabrica do prec Aeroflex Indústria de Aerosol Ltda.
 Rua Paulista s/n, 1335 | CEP 09493-040 | CIC - Curitiba, PR
 Tel. +55 (41) 3265-7730 | 4042-3182 | www.aeroflex.ind.br
 contato@eroflex.ind.br | Responsável Técnica Dra. C. Cláudia Milaszi
 CNPJ: 09201713 - 2ª região | Número do processo/registo: 3000000000/2000-40 | CNP: 033 72.907/0001-02 | AFE 2.081.965-2
 INDÚSTRIA BRASILEIRA | MADE IN BRAZIL | HECHO EN BRASIL
 Nós confiamos em Deus | We trust in God




MOOD

care

SPORT

Women

48H



ANTITRANSPIRANTE
 Antiperspirant
Triclosan & Alcohol Free

150ml / 87g

NET WT: 5.07 fl.oz / 3.0 oz

Drug Facts

Active Ingredient	Purpose
Aluminum sesquichlorohydrate	antiperspirant

Uses
 Reduces underarm wetness.

Warnings



- **FLAMMABLE.** DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing it.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or flame at temperatures above 140°F/60°C or in enclosed places that could overheat.
- Do not use on broken skin, stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **KEEP OUT OF REACH OF CHILDREN.**
- Use ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.


Directions
 For underarm use only.


Other Information

- Do not expose to the sun or to temperatures above 140°F/60°C


Inactive Ingredients
 BUTANE, ISOBUTANE, PROPANE, METHYLAL, ALUMINUM SESQUICHLOROHYDRATE, CYCLOPENTASILOXANE, ISOPROPYL MYRISTATE, PARFUM, QUATERNIUM-15 HECTORTA, PROPYLENE CARBONATE, 2-METHYL 5-CYCLOXIPENTANOL, AML CINAMAL, BENZYL SALICYLATE, BUTYLPHENYL METHYLPROPIONAL, LIMONENE, LINALOOL.





@myhealthbr



KNOW MORE

MYHEALTH MOOD CARE SPORT WOMEN

aluminum sesquichlorohydrate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80661-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)		ALUMINUM SESQUICHLOROHYDRATE	25 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
BUTANE (UNII: 6LV4FOR43R)				
ISOBUTANE (UNII: BXR49TP611)				
PROPANE (UNII: T75W9911L6)				
METHYLAL (UNII: 7H1M4G2NUE)				
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
QUATERNIUM-18 (UNII: O7757NO1VL)				
HECTORITE (UNII: 08X4KI73EZ)				
PROPYLENE CARBONATE (UNII: 8D08K3S51E)				
2-METHYL 5-CYCLOHEXYLPENTANOL (UNII: 460837ILID)				
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)				
BENZYL SALICYLATE (UNII: WAO5MKN9TU)				
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)				
LIMONENE, (+)- (UNII: GFD7C86Q1W)				
LINALOOL, (+/-)- (UNII: D81QY6I88E)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80661-014-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part350	01/01/2023		

Labeler - Aeroflex Industria de Aerosol Ltda (898397347)

Establishment

Name	Address	ID/FEI	Business Operations
Aeroflex Industria de Aerosol Ltda		898397347	manufacture(80661-014)

Revised: 12/2022

Aeroflex Industria de Aerosol Ltda