

LIQUFRUTA - guaifenesin syrup
Alston Garrard & Co

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Liqufruta Herbal garlic Cough Syrup Guaifenesin Oral Solution, USP

GUAIFENESIN 50 MG/TEASPOON (5ML)

EXPECTORANT -HELPS LOOSEN PHLEGM (MUCUS) AND THIN BRONCHIAL SECRETIONS TO MAKE COUGH MORE PRODUCTIVE

Keep out reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Loosens and Relieves Chest congestion

Ask a doctor before use if you have a cough that last or it is chronic such as occurs with smoking, asthma, chronic Bronchitis or emphysema. Stop use and ask doctor if a cough lasts for more than 7 days comes back or occurs when fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

do not take more than 6 doses in a 24-hour period

AGEDOSE

Adults and Children 12 years and over2-4 teaspoonfuls(tsp) every 4 hours

Children 6 years and under 12 years..... 1-2 teaspoonfuls(tsp) every 4 hours

Children 2 years and under 6 years..... 1/2-1 teaspoonfuls(tsp) every 4 hours

Under 2 yearsask a doctor

Purified water, natural garlic oil,caramel, high fructose sucrose, menthol, ethanol, sodium citrate, citric acid, sodium benzoate, acetic acid

OTHER Information

Shake well Before Use

store at room temp (59F-86)

imported and Distributed by:

Bedessee Imports Ltd.

Brooklyn, NY USA 11208

1-888-BEDESSEE

416-292-2400

(Guafenesin, USP)
Cough Syrup
Herbal Garlic

Liquifruta™

Drug Facts	
Active ingredients (in each 5 mL teaspoonful) Guafenesin, USP 50 mg	Purpose Expectorant
Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive	
Warnings <i>Ask a doctor before use if you have</i> ■ cough that lasts or it is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema ■ cough that occurs with too much phlegm (mucus)	
Stop use and ask a doctor if ■ cough lasts for more than 7 days, comes back, or occurs with fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ do not take more than 6 doses in 24-hour period	
age	dose
Adults and children 12 years and over	2-4 teaspoonfuls (tsp) every 4 hours
Children 6 years and under 12 years	1-2 teaspoonfuls (tsp) every 4 hours
Children 2 years and under 6 years	1/2-1 teaspoonfuls (tsp) every 4 hours
Under 2 years	ask a doctor
Other information ■ shake before use ■ store at room temp (59° - 86°F)	
Inactive ingredients purified water USP, natural garlic oil, caramel, high fructose sucrose, menthol, ethanol, sodium citrate, citric acid, sodium benzoate, acetic acid	

Liquifruta™

Guafenesin Oral Solution, USP Expectorant

Loosens & Relieves Chest Congestion

International Pack



Imported / Distributed By:
BEDESSEE IMPORTS LTD.®
TORONTO, CANADA M1P 3A5
BROOKLYN, NY USA 11208
(416)-292-2400 • (888)-BEDESSEE
www.bedessee.com
Product of UK

32000906



Liquifruta™



Herbal Garlic Cough Syrup

(Guafenesin Oral Solution, USP) Expectorant



Loosens & Relieves Chest Congestion



5 FL OZ (150mL)



Liquifruta™

Packaged with Tamper-Evident Bottle cap. Do Not use if breakable ring is separated or missing.

Made with Natural Garlic Oil (Allium Sativum L.)

Manufactured by:
William Ransom & Son plc
Stepfield, Witham, Essex,
CM8 3AG, UK

For:
Alston Garrard & Co. Ltd.
Modbury,
Devon,
PL21 0TP, UK

Product of the United Kingdom.
Great Britain

LIQUFRUTA

guaifenesin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75939-9876
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	50 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	5 mg in 100 mL
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
GARLIC OIL (UNII: 4WG8U28833)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CARAMEL (UNII: T9D99G2B1R)	
MENTHOL (UNII: L7T10EP3A)	
ACETIC ACID (UNII: Q40Q9N063P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75939-9876-1	150 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2011	

Labeler - Alston Garrard & Co (735697570)

Registrant - Alston Garrard & Co (735697570)