

MY WAY- levonorgestrel tablet
NuCare Pharmaceuticals, Inc.

My Way®

(levonorgestrel) Tablet, 1.5 mg

Drug Facts

Active Ingredient

Levonorgestrel USP 1.5 mg

Purpose

Emergency contraceptive

Indications

Use for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not use birth control).

Warnings

Allergy alert: Do not use if you have ever had an allergic reaction to levonorgestrel.

Sexually transmitted diseases (STDs) alert: This product does **not** protect against HIV/AIDS or other STDs

Do not use

- if you are already pregnant (because it will not work)
- for regular birth control

Ask a doctor or pharmacist before use if you are taking efavirenz (HIV medication) or rifampin (tuberculosis treatment) or medication for seizures (epilepsy). These medications may reduce the effectiveness of levonorgestrel.

When using this product you may have

- menstrual changes
- nausea
- lower stomach (abdominal) pain
- tiredness
- headache
- dizziness
- breast pain
- vomiting

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control center right away.

Directions

- **take as soon as possible within 72 hours (3 days) after unprotected sex. The sooner you take it the better it will work.**
- **if you vomit within 2 hours after taking the medication, call a healthcare professional to find out if you should repeat the dose.**

Other Information

- **read the instructions, warnings and enclosed product leaflet before use .**
- this product works mainly by preventing ovulation (egg release). It may also prevent fertilization of a released egg (joining of sperm and egg) or attachment of a fertilized egg to the uterus (implantation).
- **Do not use if carton is open or blister seal is broken or missing .**
- store at 25°C (77°C); excursions permitted to 15 to 30°C (59 to 86°C) [see USP Controlled Room temperature].

Inactive Ingredients

colloidal silicon dioxide, corn starch, lactose monohydrate, magnesium stearate, and povidone.

Questions or comments?

For more information or to speak to a healthcare professional, call at 1-800-422-8689 M-F 8:00 am - 5:00 pm or visit our website at www.mywaypill.com.

My Way[®]

(levonorgestrel) Tablet, 1.5 mg

Emergency Contraceptive

One Tablet. One Dose.

What You Need to Know

What is My Way[®]?

My Way is emergency contraception that helps prevent pregnancy after birth control failure or unprotected sex. It is a **backup** method of preventing pregnancy and should not be used as regular birth control.

What My Way is not.

My Way will not work if you are already pregnant and will not affect an existing pregnancy. My Way will not protect you from HIV infection (the virus that causes AIDS) and other sexually transmitted diseases (STDs).

When should I use My Way?

The sooner you take emergency contraception, the better it works. You should use My Way within 72 hours (3 days) **after you have had unprotected sex.**

My Way is a backup or emergency method of birth control you can use when:

- your regular birth control was used incorrectly or failed
- you did not use any birth control method

When not to use My Way?

My Way should not be used:

- as a regular birth control method, because it's not as effective as regular birth control.
- if you are already pregnant, because it will not work.
- if you are allergic to levonorgestrel or any other ingredients in My Way.

When should I talk to a doctor or pharmacist?

Ask a doctor or pharmacist before use if you are taking efavirenz (HIV medication) or rifampin (tuberculosis treatment) or medication for seizures (epilepsy). These medications may reduce the effectiveness of My Way and increase your chance of becoming pregnant. Your doctor may prescribe another form of emergency contraception that may not be affected by these medications.

How does My Way work?

My Way is one tablet with levonorgestrel, a hormone that has been used in many birth control pills for several decades. My Way contains a higher dose of levonorgestrel than birth control pills, but works in a similar way to prevent pregnancy. It works mainly by stopping the release of an egg from the ovary. It is possible that My Way may also work by preventing fertilization of an egg (the uniting of sperm with the egg) or by preventing attachment (implantation) to the uterus (womb).

How can I get the best results from My Way?

You have 72 hours (3 days) to try to prevent pregnancy after birth control failure or unprotected sex. **The sooner you take My Way, the better it works.**

How effective is My Way?

If My Way is taken as directed, it can significantly decrease the chance that you will get pregnant. About 7 out of every 8 women who would have gotten pregnant will not become pregnant.

How will I know My Way worked?

You will know My Way has been effective when you get your next period, which should come at the expected time, or within a week of the expected time. If your period is delayed beyond 1 week, it is possible you may be pregnant. You should get a pregnancy test and follow up with your healthcare professional.

Will I experience any side effects?

- some women may have changes in their period, such as a period that is heavier or lighter or a period that is early or late. **If your period is more than a week late, you may be pregnant.**
- If you have severe abdominal pain, you may have an ectopic pregnancy, and should get immediate medical attention.
- when used as directed, My Way is safe and effective. Side effects may include changes in your period, nausea, lower stomach (abdominal) pain, tiredness, headache, dizziness, and breast tenderness.

- if you vomit within 2 hours of taking the medication, call a healthcare professional to find out if you should repeat the dose.

What if I still have questions about My Way?

If you have questions or need more information, call at 1-800-422-8689 M-F 8:00 am - 5:00 pm or visit our website at www.mywaypill.com.

Other Information

Keep this and all medication out of reach of children:

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Do not use if the seal is opened.

Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) [see USP Controlled Room Temperature].

Active Ingredient: levonorgestrel 1.5 mg

Inactive Ingredients: colloidal silicon dioxide, corn starch, lactose monohydrate, magnesium stearate, and povidone.

My Way[®] is a registered trademark of Lupin Pharmaceuticals, Inc.

Manufactured for:

Lupin Pharmaceuticals, Inc.

Baltimore, MD 21202

United States

Manufactured by:

Lupin Limited

Pithampur (M.P.) - 454 775

INDIA

Revised: October 2017

253401

ID#:

If you are sexually active, you should see a healthcare provider for routine checkups. Your healthcare provider will talk to you about and, if necessary, test you for sexually transmitted diseases, teach you about effective methods of routine birth control, and answer any other questions you may have.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NDC: 68071-4294-1

Levonorgestrel 1.5mg

#1 Tablet

See manufacturer's label for full list of ingredients.

Product #: R1710001

Levonorgestrel 1.5mg
 Lot: 000000 NDC: 68071-4294-01
 MFR NDC: 68180-852-11 Exp.: 00-00
 Serial# 00000000002

Levonorgestrel 1.5mg
 Lot: 000000 NDC: 68071-4294-01
 MFR NDC: 68180-852-11 Exp.: 00-00
 Serial# 00000000002



GTIN 00368071429411
 Serial# 00000000002
 Exp. Date 00-00
 LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Manufactured by: 3 6807142941 1
 Lupin Limited Pithampur (M.P.)-454
 775, India
 Packaged By:
 NuCare Pharmaceuticals, Inc.
 Orange, CA 92867



Rev 01/01/19

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 59-86°F.

Take _____ every _____ hours
 _____ times a day.
 88071429401+1+000000-000000

MY WAY

levonorgestrel tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68071-4294(NDC:68180-852) |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| LEVONORGESTREL (UNII: 5W7SIA7YZW) (LEVONORGESTREL - UNII:5W7SIA7YZW) | LEVONORGESTREL | 1.5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| POVIDONE K30 (UNII: U725QWY32X) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| STARCH, CORN (UNII: O8232NY3S) | |

Product Characteristics

| | | | |
|-----------------|----------------------------|---------------------|----------|
| Color | white (white to off white) | Score | no score |
| Shape | ROUND (round biconvex) | Size | 9mm |
| Flavor | | Imprint Code | LU;S25 |
| Contains | | | |

Packaging

Marketing Start Marketing End

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:68071-4294-1 | 1 in 1 BOX; Type 0: Not a Combination Product | 02/19/2018 | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA201446 | 04/25/2017 | |

Labeler - NuCare Pharmaceuticals,Inc. (010632300)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------------|---------|-----------|---------------------|
| NuCare Pharmaceuticals, Inc. | | 010632300 | relabel(68071-4294) |

Revised: 2/2021

NuCare Pharmaceuticals, Inc.