


**OXYGEN- oxygen gas**  
**Air Liquide America L.P.**

-----  
**Oxygen**

**OXYGEN COMPRESSED USP Label**



The image shows a detailed product label for Oxygen Compressed USP. The label has a green background with white and yellow text and symbols. At the top left, it says "PRODUCED BY AIR LIQUEFACTION". In the center is a yellow diamond hazard symbol with a flame and the word "OXYGEN" and the number "2". To the right of the diamond is the "Airgas Healthcare" logo, with "an Air Liquide company" below it, and "AIRGAS USA, LLC" and "Radnor, PA 19087-5283" below that. A smaller red diamond symbol with a black gas cylinder is also present. The text "OXYGEN, COMPRESSED USP UN1072" is prominently displayed. Below the diamond, it says "MEDICAL GAS". At the bottom, there are two columns of text: a "WARNING" section and a "DANGER" section. At the very bottom, it says "KEEP OUT OF REACH OF CHILDREN." and "DO NOT REMOVE THIS PRODUCT LABEL." with a form number "Form 850110 (R 06/16)".

**PRODUCED BY AIR LIQUEFACTION**

**OXYGEN, COMPRESSED USP UN1072**

**MEDICAL GAS**

**Airgas Healthcare**  
an Air Liquide company  
AIRGAS USA, LLC  
Radnor, PA 19087-5283  
Safety Data Sheets available at [www.airgas.com](http://www.airgas.com)

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. In case of fire: stop leak if safe to do so. Keep valves and fittings free from grease and oil. Do not smoke. Open valve slowly. Use and store only outdoors or in a well ventilated place. Use a back flow preventive device in the piping. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C/125 °F. Do not handle until all safety precautions have been read and understood. Keep/store away from clothing and other combustible materials. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Read and follow the Safety data Sheet (SDS) before use. CAS: 7782-44-7

**KEEP OUT OF REACH OF CHILDREN.**

**DO NOT REMOVE THIS PRODUCT LABEL.**  
Form 850110 (R 06/16)

**Oxygen**

**OXYGEN, COMPRESSED USP**

**UN1072**

**DO NOT REMOVE THIS PRODUCT LABEL**

**OXYGEN 2**

81503 (7/16)

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. In case of fire stop leak if safe to do so. Keep valves and fittings free from grease and oil. Do not smoke. Open valve slowly. Use and store only outdoors or in a well-ventilated place. Use a back-flow preventive device in the piping. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Do not handle until all safety precautions have been read and understood. Keep/store away from clothing and other combustible materials. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Read and follow the Safety Data Sheet (SDS) before use. **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this

container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Keep out of reach of children. CAS 7782-44-7

**PRODUCED BY AIR LIQUEFACTION.**

**Airgas, Healthcare**

**an Air Liquide Company**

**AIRGAS USA LLC**

**Radnor, PA 19087-5283**

**Safety Data Sheets available at [www.airgas.com](http://www.airgas.com)**



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10671-010
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10671-010-03	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
2	NDC:10671-010-04	708 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
3	NDC:10671-010-12	3540 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
4	NDC:10671-010-13	4390 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
5	NDC:10671-010-20	6514 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
6	NDC:10671-010-21	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205827	01/01/1960	

**Labeler** - Air Liquide America L.P. (003312600)

**Registrant** - Air Liquide America L.P. (003312600)

## Establishment

Name	Address	ID/FEI	Business Operations
Air Liquide America L.P.		831996405	manufacture(10671-010)

Revised: 9/2018

Air Liquide America L.P.