

**CARDINAL HEALTH LEADER SPF 50 KIDS SUNSCREEN CLEAR CONTINUOUS-avobenzene, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray
Cardinal Health, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Leader SPF 50 Kids Sunscreen Clear Continuous Spray

Active ingredients

Avobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%, Oxybenzone 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure.
- keep away from face to avoid breathing it.
- do not store at temperatures above 120° F.

Stop use and ask doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold can 4-6 inches away from skin to apply
- do not spray directly into face. Spray into hand and then apply to face.
- do not apply in windy conditions
- use in well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A), caprylic/capric triglyceride

LEADER[™]

NDC 70000-0325-1

kids'
Sunscreen
Clear Continuous Spray

50

Broad Spectrum
SPF 50

Won't Run Into Eyes
And Sting

Water Resistant
(80 Minutes)

COMPARE TO
COPPERTONE[®]
KIDS[®] SPF 50
active ingredients^{*}

100% Money
Back Guarantee

NET WT 5.5 OZ (156 g)

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0% Oxybenzone 5.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • keep away from face to avoid breathing it. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• spray liberally and spread evenly by hand 15 minutes before sun exposure • hold can 4-6 inches away from skin to apply • do not spray directly into face. Spray into hand and then apply to face. • do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat. (73.2% V/V), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringidinematinate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride	
Questions or comments? Call toll free 1-800-527-7731	

*This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademarks Coppertone[®] and Coppertone Kids[®].

Cardinal Health[™]
DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OH 43007
www.myLeader.com 1-800-200-6315
Essential to Care[™] since 1979

© 2017 Cardinal Health. All Rights Reserved.
CARDINAL HEALTH, the Cardinal Health
LOGO, LEADER, and the Leader LOGO are
trademarks or registered trademarks of
Cardinal Health. All other marks are the
property of their respective owners.



CARDINAL HEALTH LEADER SPF 50 KIDS SUNSCREEN CLEAR CONTINUOUS

avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0325
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VVK)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TOCOPHEROL (UNII: R0ZB2556P8)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0325-1	156 g in 1 CAN; Type 0: Not a Combination Product	02/20/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/20/2018	

Labeler - Cardinal Health, Inc. (063997360)

Revised: 1/2022

Cardinal Health, Inc.