

ABREVA RAPID PAIN RELIEF- glycerin, lidocaine gel
Haleon US Holdings LLC

Drug Facts

Active ingredients

Glycerin 20%

Lidocaine HCl 4%

Purposes

Lip Protectant

External Analgesic

Uses

- for the temporary relief of pain and itching associated with cold sores and fever blisters
- Relieves dryness and softens cold sores and fever blisters
- Softens crust (scabs) associated with cold sores and fever blisters

Warnings

For external use only

Do not use

in large quantities, particularly over raw surfaces, or blistered areas

When using this product

do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- push and turn cap to open, close tightly after use

- wash hands before and after applying
- **adults and children 12 years of age and older:** apply to affected area not more than 3 to 4 times daily
- **children under 12 years:** consult a doctor

Other information

- store at 20-25°C (68°-77°F)

Inactive ingredients

edetate disodium, hydroxyethyl cellulose, menthol, methylparaben, polysorbate 80, propylene glycol,

propylparaben, trisodium citrate dihydrate, water

Questions or comments?

1-877-709-3539

Additional Information

Retain outer carton for full product uses, directions and warnings.

Do not use if carton is broken or damaged.

CARTON Recycle

Trademarks are owned by or licensed to the Haleon group of companies.

Distributed by:

Haleon

Warren, NJ 07059

Made in Canada

©2023 Haleon group of companies or its licensor.

Principal Display Panel

abreva

RAPID

PAIN RELIEF

Cold Sore

MAX

STRENGTH

LIDOCAINE

For rapid numbing effect

Lidocaine HCl 4% / Glycerin 20%

External Analgesic / Lip Protectant

NET WT 3 g (0.10 oz)

PA 202119 - Front Panel



ABREVA RAPID PAIN RELIEF

glycerin, lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0135-0400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	200 mg in 1 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0135-0400-01	1 in 1 PACKAGE	06/01/2023	
1		3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/2023	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 2/2024

Haleon US Holdings LLC