

## **DRAGON PAIN NUMBING ROLL-ON- lidocaine hydrochloride liquid**

### **Genomma Lab USA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Dragon® Pain Numbing Roll-On**

### **Drug Facts**

#### **Active ingredient**

Lidocaine HCl 4%

#### **Purpose**

Topical analgesic

#### **Use**

- For the temporary relief of pain

#### **Warnings**

##### **For external use only**

##### **Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas
- on wounds or damaged skin

##### **When using this product**

- use only as directed
- avoid contact with eyes
- do not apply tight bandages
- do not apply a heating pad to treated skin
- do not use in large quantities

##### **Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children to avoid accidental ingestion.** If swallowed, get medical help or contact a Poison Control Center immediately.

#### **Directions**

- use only as directed
- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

### **Other information**

- store at room temperature.
- close cap tightly after use.

### **Inactive ingredients**

Acrylates / C10-30 Alkyl Acrylate Crosspolymer, Alcohol Denat., Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Decolorized Aloe Barbadensis Leaf Juice, Dicetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl StearateSE, Phenoxyethanol, Steareth-21, Water

### **Questions or comments?**

Call toll free **1-877-994-3666**

**Distributed by  
Genomma Lab USA, Inc.,  
Houston, TX 77027**

### **PRINCIPAL DISPLAY PANEL - 71 g Container Carton**

POMADA  
DRAGON®

Lidocaine HCl 4%

PAIN NUMBING ROLL ON

MAX STRENGTH

NUMBS PAIN  
FAST

HOURS OF  
RELIEF

ODOR  
FREE

KEEPS HANDS CLEAN!

BLOCKS PAIN  
RECEPTORS

NO MESS  
APPLICATOR!

NET WT 2.5 oz (71 g)

# POMADA **DRAGON**

Lidocaine HCl 4% /  
Lidocaína HCl 4%

# POMADA **DRAGON**

Lidocaine HCl 4% /  
Lidocaína HCl 4%

**PAIN NUMBING ROLL ON**  
ROLL ON QUE ANESTESIA EL DOLOR

**MAX STRENGTH**  
MÁXIMA POTENCIA

**NUMBS PAIN  
FAST**

Anestesia el dolor  
rápidamente

**HOURS OF  
RELIEF**

**FOLD**

## Información del Medicamento

<i>Ingrediente activo</i>	<i>Propósito</i>
Lidocaine HCl 4%	Anestésico Tópico

### Uso

- Para el alivio temporal del dolor

### Advertencias

Sólo para uso externo

#### No se utilice

- En grandes cantidades especialmente sobre pieles con ampollas
- En heridas o piel dañada

#### Cuando use este producto

- use solo como se indica
- evite el contacto con los ojos
- no aplique vendajes apretados
- no aplique almohadillas de calefacción a la piel tratada
- no utilice en grandes cantidades

#### Deje de usar y pregunte a un médico si:

- La condición empeora o los síntomas persisten más de 7 días
- Los síntomas disminuyen y vuelven a ocurrir dentro de unos días

Si está embarazada o amamantando, consulte con un profesional de la salud antes de usarlo.

Manténgase fuera del alcance de los niños. Si se ingiere, obtenga ayuda médica o comuníquese con un centro de control toxicológico inmediatamente.

### Instrucciones

- utilizar según indicaciones
- Adultos y niños mayores de 12 años: Aplicar en el área afectada no más de 3 a 4 veces por día
- Niños menores de 12 años: Consulte a su médico

**Alivia  
por horas**

**ODOR  
FREE**  
Sin aroma

**BLOCKS PAIN  
RECEPTORS /  
BLOQUEA LOS  
RECEPTORES DE DOLOR**

**NO MESS  
APPLICATOR!  
¡APLICA SIN ENSUCIAR!**

**KEEPS HANDS CLEAN!**



**¡MANTÉN TUS  
MANOS LIMPIAS!**

**NET WT 2.5 oz (71 g)**

### **Información Adicional**

- Almacenar a temperatura ambiente.
- Cerrar el tapón firmemente después de usarlo.

**Ingredientes inactivos** Acrilatos/ C10-30 Alkyl Acrilato Polímero Cruzado, Alcohol Denat., Aminometil Propanol, C30-45 Alkyl Cetearilo Dimeticona Polímero Cruzado, Caprylyl Meticona, Cetearilo Alcohol, Ceteth-20 Fosfato, Aloe Barbadensis Jugo de Hojas Decolorado, Diacetilo Fosfato, Dimeticona, Disodium EDTA, Etilhexilglycerina, Estearato de Glicerilo SE, Fenoxietanol, Steareth-2, Agua

### **¿Preguntas o comentarios?**

Lláme lada sin costo **1-877-994-3666**

**Keep carton for complete warnings  
and product information**

**Conserve la caja para ver advertencias  
completas e información del producto**

**POMADA  
DRAGON®**

**Lidocaine HCl 4% /**

### **Drug Facts**

Active ingredient	Purpose
Lidocaine HCl 4% .....	Topical analgesic

### **Use**

- For the temporary relief of pain



Lidocaína HCl 4%

**PAIN NUMBING ROLL ON**  
**ROLL ON QUE ANESTESIA EL DOLOR**

**TARGETED RELIEF**

ALIVIO DIRIGIDO



**UPPER BACK  
AND SHOULDER /  
ESPALDA ALTA Y HOMBRO**




**KNEES /  
RODILLAS**




**ELBOWS /  
CODOS**



**WRISTS /  
MUÑECAS**



**FOOT & ANKLE /  
PIES Y TOBILLOS**



**LEG /  
PIERNAS**

**FOLD**

**Warnings**

For external use only

**Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas
- on wounds or damaged skin

**When using this product**

- use only as directed
- avoid contact with eyes
- do not apply tight bandages
- do not apply a heating pad to treated skin
- do not use in large quantities

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children to avoid accidental ingestion.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**

- use only as directed
- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

**Other information**

- store at room temperature.
- close cap tightly after use.

**Inactive ingredients** Acrylates / C10-30 Alkyl

Acrylate Crosspolymer, Alcohol Denat., Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Decolorized Aloe Barbadensis Leaf Juice, Dicapryl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl StearateSE, Phenoxyethanol, Steareth-21, Water

**Questions or comments?**

Call toll free 1-877-994-3666

**Distributed by / Distribuido por:**

**Genomma Lab USA, Inc.,**  
**Houston, TX 77027**  
**www.genommalab.us**

2000010995



**Genomma Lab®**

LOT NO./LOTE NO.:

EXP.





**DRAGON PAIN NUMBING ROLL-ON**

lidocaine hydrochloride liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-411
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name		Strength
Lidocaine hydrochloride (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS 40 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	
Water (UNII: 059QF0KO0R)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ceteth-20 phosphate (UNII: 921FTA1500)	
Steareth-21 (UNII: 53J3F32P58)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-411-02	1 in 1 CARTON	07/24/2021	
1		71 g in 1 CONTAINER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/24/2021	

**Labeler -** Genomma Lab USA (832323534)

Revised: 7/2021

Genomma Lab USA