

STOPAIN CLINICAL CONTINUOUS- menthol liquid
Troy Manufacturing, Inc.

Stopain Clinical Continuous Spray

Drug Facts

Active Ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

Avoid contact with eyes. **For external use only.**

Keep away from fire or flame. **Flammable:**

do not puncture or incinerate. Do not store at temperature above 120°F. **Contents under pressure:**

When using this product:

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

ask a doctor. **Children 12 years of younger:**

- apply directly onto affected area without the need to rub, massage or bandage
- repeat if necessary, but do not apply more than 4 times daily.

Other Information

- Store at room temperature.

Inactive Ingredients

boswellia serrata extract, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerine, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, water (USP).

Package Labeling:

Stopain[®]

CLINICAL

MAXIMUM PERFORMANCE PAIN RELIEF

Immediate, Penetrating Relief from Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

CONTINUOUS SPRAY

4 FL OZ (118mL)

MAXIMUM PERFORMANCE PAIN RELIEF

FOR PROFESSIONAL RE-SALE ONLY

Drug Facts	
Active Ingredient	Purpose
Menthol 10.0%.....	Topical Analgesic
Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
Warnings For external use only. Avoid contact with eyes.	
Flammable: Keep away from fire or flame.	
Contents under pressure: do not puncture or incinerate. Do not store at temperature above 120°F.	
When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin	
Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adults and children over 12 years: ■ apply directly onto affected area without the need to rub, massage or bandage ■ repeat if necessary, but do not apply more than 4 times daily.	
Children 12 years or younger: ask a doctor.	
Other Information ■ Store at room temperature	
Inactive Ingredients boswellia serrata extract, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerine, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, water (USP).	

MADE IN USA

Manufactured for:
Troy Healthcare, LLC
130 Lions Drive
Hazleton, PA 18202
800-201-PAIN (7246)

©2021 Troy Healthcare, LLC
2-907 Rev 01 / 0321

7 24909 95024 1

M 5655
DOT-SP 20590

For more information visit www.StopainClinical.com

STOPAIN CLINICAL CONTINUOUS

menthol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63936-9504	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	100 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)				
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)				
EUCALYPTUS OIL (UNII: 2R04ONI662)				
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)				
GLYCERIN (UNII: PDC6A3C0OX)				
PEG-8 DIMETHICONE (UNII: GIA7T764OD)				
PENTYLENE GLYCOL (UNII: 50C1307PZG)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9504-4	118 mL in 1 CAN; Type 0: Not a Combination Product	01/01/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		01/01/2020	

Labeler - Troy Manufacturing, Inc. (160075248)

Registrant - Troy Manufacturing, Inc. (160075248)

Establishment

Name	Address	ID/FEI	Business Operations
Troy Manufacturing, Inc.		160075248	manufacture(63936-9504)