

CLARITIN- loratadine tablet
Bayer HealthCare LLC.

Non-Drowsy*Claritin®
loratadine tablets 10 mg/antihistamine

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
--------------------------------------	--

children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information (Blister foil units)

- safety sealed: do not use if the individual blister unit imprinted with Claritin[®] is open or torn
- store between 20° to 25°C (68° to 77°F)
- protect from excessive moisture

Other information (Bottles)

- Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate

Questions or comments?

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

PRINCIPAL DISPLAY PANEL - 10 Tablet Carton

Original Prescription

Strength

Non-Drowsy*

Claritin[®]

loratadine tablets 10 mg/antihistamine

24 Hour

Relief of:

- *Sneezing*
- *Runny Nose*
- *Itchy, Watery Eyes*
- *Itchy Throat or Nose*

Indoor & Outdoor

Allergies

***When taken as directed.**

See Drug Facts Panel.

10 Tablets



0 4 1100 08016 5

Claritin[®] 24 Hour

10 TABLETS

Bayer, the Bayer Cross, Claritin and the Claritin Vial are registered trademarks of Bayer.
© 2016 Bayer HealthCare LLC
Distrib. by: Bayer HealthCare LLC
Whisper, NJ 07981
Product of Ireland.

61819059 Bayer

Drug Facts (continued)	Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.
Directions adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours ask a doctor children under 6 years of age ask a doctor	Other information safety seal: do not use if the individual blister unit imprinted with Claritin [®] is open or torn store between 20° to 25° C (68° to 77° F) protect from excessive moisture
Active ingredient (in each tablet) Loratadine 10 mg.....Antihistamine	Questions or comments? 1-800-CLARITIN (1-800-282-7444) or www.claritin.com

Drug Facts
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
= sneezing
= runny nose
= itchy, watery eyes
= itching of the nose or throat
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.

LOT/EXP AREA
NO VARNISH
NO INK

Claritin[®] 24 Hour
10 TABLETS

Claritin[®] 24 Hour

10 TABLETS FOR 10 DAYS OF RELIEF

Original Prescription Strength

Non-Drowsy^{*}

Claritin[®]

loratadine tablets 10 mg/antihistamine

24 Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes

61319059

NO VARNISH



ASINVA/ON



05002277



PRINCIPAL DISPLAY PANEL - 45 Count Window Box

Original Prescription Strength

Non-Drowsy *

Claritin ®

loratadine tablets 10 mg/antihistamine

24 Hour

Relief of:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose


Indoor & Outdoor

Allergies

* When taken as directed.

See Drug Facts Panel.

45 TABLETS



PRINCIPAL DISPLAY PANEL - 50 Tablet Carton

Non-Drowsy*

Claritin®

loratadine tablets 10 mg/antihistamine

24 Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor

Allergies

***When taken as directed.**

See Drug Facts Panel.

50 1-Count Pouches

Total 50 Tablets



17

1

15 1/8



Claritin



Drug Facts

Active ingredient (in each tablet) **Purpose**
Loratadine 10 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information


- safety sealed: do not use if the individual blister unit imprinted with Claritin® is open or torn
- store between 20° to 25°C (68° to 77°F)
- protect from excessive moisture

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate

Questions or comments?

1-800-CLARITIN (1-800-252-7484) or www.claritin.com



Bayer, the Bayer Cross, Claritin and the Claritin Vista are registered trademarks of Bayer.

© 2015 Bayer.

Dist by: Bayer HealthCare LLC

Whippany, NJ 07981

Product of Ireland.

Bayer

61321185



CLARITIN

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-7237
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-7237-1	1 in 1 CARTON	04/12/1993	
1		45 in 1 BOTTLE; Type 0: Not a Combination		

1		Product		
2	NDC:11523-7237-3	7 in 1 CARTON	08/12/1993	
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11523-7237-5	1 in 1 BLISTER PACK	04/12/1993	
3		90 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:11523-7237-6	3 in 1 CARTON	04/12/1993	
4		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:11523-7237-7	4 in 1 CARTON	04/12/1993	
5		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:11523-7237-8	1 in 1 CARTON	04/12/1993	
6		108 in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:11523-7237-9	1 in 1 CARTON	10/05/2017	
7		90 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	04/12/1993	

CLARITIN

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-7160
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-7160-1	1 in 1 CARTON	04/12/1993	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11523-7160-2	1 in 1 CARTON	04/12/1993	
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11523-7160-3	2 in 1 CARTON	04/12/1993	
3		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:11523-7160-5	3 in 1 CARTON	04/12/1993	
4		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:11523-7160-6	1 in 1 CARTON	04/12/1993	
5		2 in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:11523-7160-7	1 in 1 POUCH	04/12/1993	
6		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
7	NDC:11523-7160-9	1 in 1 CARTON	04/12/1993	
7		60 in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:11523-7160-8	1 in 1 CARTON	09/01/2016	
8		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	04/12/1993	

CLARITIN

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-1527
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-1527-1	50 in 1 BOX	04/12/1993	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:11523-1527-2	50 in 1 BOX	04/12/1993	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	04/12/1993	

CLARITIN

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-4359
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-4359-1	1 in 1 CARTON	04/12/1993	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11523-4359-2	1 in 1 CARTON	04/12/1993	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:11523-4359-3	1 in 1 CARTON	11/01/2017	
3		90 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:11523-4359-4	1 in 1 CARTON	02/15/2019	
4		55 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:11523-4359-5	1 in 1 CARTON	02/15/2019	
5		85 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:11523-4359-6	1 in 1 CARTON	12/01/2019	
6		110 in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:11523-4359-8	2 in 1 BLISTER PACK	04/12/1993	
7		60 in 1 BOTTLE; Type 0: Not a Combination		

		Product		
8	NDC:11523-4359-9	1 in 1 CARTON	12/01/2019	
8		35 in 1 BOTTLE; Type 0: Not a Combination Product		
9	NDC:11523-4359-7	1 in 1 BLISTER PACK	04/12/1993	
9		115 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	04/12/1993	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 10/2022

Bayer HealthCare LLC.