

**OXYGEN- oxygen gas**  
**Air Liquide America L.P.**

-----  
**OXYGEN REFRIGERATED LIQUID USP Label**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**

**UN1073**

**OXYGEN 2**

**DANGER:** CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get into eyes, on skin, or on clothing. Keep valves and fittings free from grease and oil. Do not smoke. In case of fire: Stop leak if safe to do so. Avoid spills. Do not walk or roll equipment over spills. Use and store only outdoors or in a well-ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Wear cold insulating gloves/face shield/eye protection. Do not drop. Use suitable hand truck for container movement. Close valve after each use and when empty. Use a back-flow preventive device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned for oxygen service. Keep/store away from clothing and other combustible materials. Always keep container in upright position. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficient and resuscitation. For all other medical applications **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Keep out of reach of children.

Federal law required that this container be refilled with Oxygen USP only by establishments registered as a drug manufacture in accordance with the Federal Food, Drug, and Cosmetic Act.

**DO NOT REMOVE THIS PRODUCT LABEL**

CAS: 7782-44-7

**AIRGAS® Healthcare**  
**an Air Liquide Company**  
**AIRGAS USA, LLC**  
**Radnor, PA 19087-5283**

Safety Data Sheets available at [www.airgas.com](http://www.airgas.com)



# OXYGEN, REFRIGERATED LIQUID USP UN1073



**DANGER:** CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get in eyes, on skin, or on clothing. Keep valves and fittings free from grease and oil. Do not smoke. In case of fire: Stop leak if safe to do so. Avoid spills. Do not walk on or roll equipment over spills. Use and store only outdoors or in a well ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Wear cold insulating gloves/face shield/eye protection. Do not drop. Use suitable hand truck for container movement. Close valve after each use and when empty. Use a back flow preventive device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned for oxygen service. Keep/store away from clothing and other combustible materials. Always keep container in upright position. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Keep out of reach of children.  
Federal law requires that this container be refilled



with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal *Food, Drug, and Cosmetic Act*.  
Produced by Air Liquefaction.



DO NOT REMOVE THIS PRODUCT LABEL.

CAS: 7782-44-7

**Airgas Healthcare**  
an Air Liquide company

AIRGAS USA, LLC  
Radnor, PA 19087-5283  
Safety Data Sheets available at [www.airgas.com](http://www.airgas.com)

841533  
(08/16)

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10671-011
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10671-011-42	160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
2	NDC:10671-011-43	180 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
3	NDC:10671-011-44	230 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	
4	NDC:10671-011-45	40 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1960	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205827	01/01/1960	

**Labeler** - Air Liquide America L.P. (003312600)

**Registrant** - Air Liquide America L.P. (003312600)

**Establishment**

Name	Address	ID/FEI	Business Operations
Air Liquide America L.P.		831996405	manufacture(10671-011)

Revised: 9/2018

Air Liquide America L.P.