

MAJOR BACITRACIN ZINC- bacitracin zinc ointment

Major Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (In each gram)

Bacitracin 500

Purpose

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Allergy alert:

- do not use if you are allergic to any of the ingredients

Do not use

- in or near the eyes
- on large areas of the body

Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage


Other information

- Store at a controlled room temperature 20°-25°C (68° to 77°F)

Inactive ingredient

Petrolatum

Questions? 1-800-616-2471



Principal Display Panel – Carton Label

Major NDC 0904-6679-67

Bacitracin Zinc Ointment USP

Bacitracin Zinc 500 units

144 Unit dose Packets

First Aid Antibiotic Ointment

NET WT. 0.9g (0.03oz)

Net Wt 0.9 g (0.03 oz)
Packets

**First Aid Antibiotic
Ointment Protection
Against Infection**

144 Unit Dose Packets

**Bacitracin Zinc
Ointment USP**
Bacitracin USP - 500 units



NDC 0904-6679-67

DRUG FACTS

Active ingredient (in each gram): Purpose
Bacitracin USP 500 units (First Aid Antibiotic)

Uses: First aid to help prevent infection in minor:
• cuts • scrapes • burns

Warnings:

For external use only.

Adverse effects: • Do not use if you are allergic to any of the
ingredients.

Do not use: • If the area • over large areas of the body.

Consult a doctor before use if you have:
• deep or puncture wounds
• animal bites
• serious burns.

When using this product: • do not use longer than 1 week.

Stop use and consult a doctor if:
• condition persists or gets worse
• symptoms last for more than 7 days or clear up and
come back within a few days
• a rash or other allergic reaction develops.

Keep out of the reach of children. If swallowed get medical
help or contact a Poison Control Center immediately.

Directions: • Clean the affected area • apply a small amount
of this product equal to the surface area of tip of finger on the
area 1 to 3 times daily • may be covered with a sterile bandage.

Other information:

• store at a controlled room temperature 20°-25°C (68°-77°F).

Inactive ingredient: mineral oil.

Questions or comments? Call 800-645-6474.

KEEP CARTON FOR COMPLETE DRUG FACTS.

Dist. By MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152 USA

Re-Order No.: 700662 M-101 Rev 01/18



NDC 0904-6679-67

**Bacitracin Zinc
Ointment USP**
Bacitracin USP - 500 units

144 Unit Dose Packets

**First Aid Antibiotic
Ointment Protection
Against Infection**

Net Wt 0.9 g (0.03 oz)
Packets



NDC 0904-6679-67

**Bacitracin Zinc
Ointment USP**
Bacitracin USP - 500 units

144 Unit Dose Packets

**First Aid Antibiotic
Ointment Protection
Against Infection**

Net Wt 0.9 g (0.03 oz)
Packets



NDC 0904-6679-67

**Bacitracin Zinc
Ointment USP**
Bacitracin USP - 500 units

144 Unit Dose Packets

**First Aid Antibiotic
Ointment Protection
Against Infection**

Net Wt 0.9 g (0.03 oz)
Packets



3 09046 67967 7

NDC 0904-6679-67



Bacitracin Zinc Ointment USP

Bacitracin USP - 500 units

**First Aid Antibiotic
Ointment Protection
Against Infection**

Net Wt 0.9 g (0.03 oz)

Purpose

First Aid Antibiotic

Active ingredient (In each gram)

Bacitracin USP 500 units

Uses: First aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

Warnings: For external use only ■ **Allergy alert:** ■ do not use if you are allergic to any of the ingredients. Do not use ■ in the eyes ■ over large areas of the body. **Consult a doctor before use if you have** ■ deep or puncture wounds ■ animal bites ■ serious burns. **When using this product** ■ do not use longer than 1 week. **Stop use and consult a doctor if** ■ condition persists or gets worse ■ symptoms last for more than 7 days or clear up and come back within a few days ■ a rash or other allergic reaction develops. **Keep out of the reach of children.**

If swallowed get medical help or contact a Poison Control Center immediately.

Questions or comments? Call (800) 616-2471

KEEP CARTON FOR COMPLETE DRUG FACTS. Dist. By MAJOR® PHARMACEUTICALS
17177 N Laurel Park Drive, Suite 233 • Livonia, MI 48152 USA • Re-Order No. : 700862
M-101 Rev. 01/18

103105

Principal Display Panel – Packet Label

Major NDC 0904-6679-67

Bacitracin Zinc Ointment

Bacitracin Zinc 500 Units

144 Unit Dose Packets

First Aid Antibiotic Ointment

Protection against Infection

NET WT. 0.9g (0.03oz)

NDC 0904-6679-67

MAJOR

Bacitracin Zinc Ointment USP
Bacitracin USP - 500 units

First Aid Antibiotic Ointment Protection Against Infection

Net Wt 0.9 g (0.03 oz)

Purpose
First Aid Antibiotic

Active ingredient (In each gram)
Bacitracin USP 500 units

Uses: First aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

Warnings: For external use only ■ **Allergy alert:** ■ do not use if you are allergic to any of the ingredients. Do not use ■ in the eyes ■ over large areas of the body. **Consult a doctor before use if you have** ■ deep or puncture wounds ■ animal bites ■ serious burns. **When using this product** ■ do not use longer than 1 week. **Stop use and consult a doctor if** ■ condition persists or gets worse ■ symptoms last for more than 7 days or clear up and come back within a few days ■ a rash or other allergic reaction develops. **Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center immediately.

Questions or comments? Call (800) 616-2471

KEEP CARTON FOR COMPLETE DRUG FACTS. Dist. By MAJOR® PHARMACEUTICALS
17177 N Laurel Park Drive, Suite 233 • Livonia, MI 48152 USA • Re-Order No. : 700862
M-101 Rev. 01/18

103105

MAJOR BACITRACIN ZINC			
bacitracin zinc ointment			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6679
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)		Bacitracin	500 [USP ^U] in 1 g
Inactive Ingredients			
Ingredient Name			Strength

Petrolatum (UNII: 4T6H12BN9U)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6679-67	144 in 1 CARTON	09/28/2018	
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	09/28/2018		

Labeler - Major Pharmaceuticals (191427277)

Registrant - Major Pharmaceuticals (191427277)