IODIP- iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container. Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh IO Dip 10, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh IO Dip 10, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh IO Dip 10, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh IO Dip 10, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: IO Dip 10 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

FIRST AID

IN CASE OF EYE CONTACT: Rinse with plenty of water.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

A&L Laboratories

IO Dip 10™

Sanitizing Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Does not contain Nonylphenol Ethoxylate (NPE)

ACTIVE INGREDIENT:

Iodine 1.0%

SKIN CONDITIONING SYSTEM:

(contains glycerin, propylene glycol).....10.0%

INERT INGREDIENTS: 89.0%

TOTAL: 100.0%

NET CONTENTS: 56.8 L (15 US GAL)

6301430

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States

761175/5300/0315



10 Dip 10™ Sanitizing Teat Dip Desinfectante sellador de pezones

An aid in reducing the spread of organisms which may cause m Does not contain Nony(phenol Ethoxylate (NPE)	astitis
ACTIVE INGREDIENT:	
Iodine	
(contains glycerin, propylene glycol)	
INERT INGREDIENTS:	
FOR INDUSTRIAL USE ONLY	100.0%

KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

DIRECTIONS:

INPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container. Udder Pres: When using an under wash step before miking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels. **Pre-Mik Dipping:** Before each cow is miked, and using fresh 10 bip 10, dip each teat full-length into the teat dip cup. Wipe before solutions using enforcement to avoid containering the original container.

teats after dipping using single-service towels to avoid contamination of milk. Post-Milk Dipping: Using fresh IO Dip 10, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not

Post-Milk Dipping: Using fresh 10 Dip 10, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry. Directions for Teat Spraying. Pre-Milk Spraying: Before each cow is milked and using fresh 10 Dip 10, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk. Post-Milk Spraying: Before each cow is milked and using fresh 10 Dip 10, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk. Post-Milk Spraying: Using fresh 10 Dip 10, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry. Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. PRECAUTION: U0 Dip 10 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian. Consult your Ecolab representative for specific use instructions and recommended dispensing equipment. Wash bands thoroughus after handling. Get medical advice/attention it you teal unreal!

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

Wash nanos thorouginy after handling, set medical advice/attention if yo FIRST AID IN CASE OF EYE CONTACT: Rinse with plenty of water. IN CASE OF SKIN CONTACT: Rinse with water. IF SWALLOWED: Rinse mouth, eet medical attention if symptoms occur. IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1651 222 5352 (number is in the US).

Manufactured by Manuacuureu oy Ecolab Inc. - 370 Wabasha Street N - St Paul MN 55102-1390 USA - tel: 1 800 392 3392 © 2015 Ecolab USA Inc. - All rights reserved Made in United States Ait175/5300/0315

NET CONTENTS: 56.8 L (15 US GAL)

 Ayuda a evitar la proliferación de organismos que pueden causar mastitis
No contiene Etoxilatos de nonilfenol PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS NO ES PARA USA HUMANO

INSTRUCCIONES:

IMPORTANTE: No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto si usar en el contenedor original. Proparado para ubres: Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

Instrucciones para el sellado de pezones Sellado del pezón previo al ordeño: Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga IO Dip 10 fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche. Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga IO Dip 10 fresco.

Sellado del pezon posterior al ordeno: siane toda la superficie de cada pezon en un recipiente que contenga lo Upi loi tresco. No utilice pañso. Beje secar al aire. No deje las vacas en un clima helado hasta que el producto se hava secado por completo. Instrucciones para el rociado de pezones Rociado previo al ordene: Antes de ordenar cada vaca, rocíe toda la superficie de cada pezón con lo Dip 10 fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche. Rociado prevezones posterior al ordene: Inmediatamente después del ordeno, rocíe toda la superficie de cada pezón con 10 Dip 10 fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se hava secado nor ecomente:

por completo. Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por

Uso Expandido: Al ferrescar a las vacas, comience con un bano antiseptico de sus pecones dos veces por dia por aproximadamente To días antes de parir. PRECAUCIÓN: 10 Dip 10 no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro gernicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar díchas afecciones y, de ser necesario, hágalas tratar con u veterinario. Consulte cons u Representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

Lavarse las manos cuidadosamente después de la manipulación. Consultar a un médico si la persona se encuentra mal. PRIMEROS AUXILIOS EN CASO DE CONTACTO CON LOS OJOS: Enjuague con mucha agua.

EN CASO DE CONTACTO CON LOS GOOS Enjudgue con qua. EN CASO DE CONTACTO CON LA PIELE fujuague con qua. EN CASO DE INGESTIÓN: Enjudgue la boca. Consultar un médico si los síntomas aparecen. EN CASO DE INHALACIÓN: Consultar un médico si los síntomas aparecen.

LEA LA HOJA DE DATOS DE SEGURIDAD ANTES DE USAR ESTE PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

6301430



IODIP					
iodine solution					
Product Information					
Product Type	OTC ANIMAL DRUG	Ite m Cod	le (Source)	NDC	:47593-534
Route of Administration	TOPICAL				
Active Ingredient/Active Moi	ety				
Ingred	ient Name		Basis of Strength	1	Stren

trength IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) IODINE 10 mg in 1 mL

Inactive Ingredients					
Ingredient Name	Strength				
GLYCERIN (UNII: PDC6A3C0OX)					
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)					
WATER (UNII: 059QF0KO0R)					

Packaging								
#	Item Code	Package Description	Marketing Start Date M		larketing End Date			
1	NDC:47593-534-16	18900 mL in 1 PAIL						
2	NDC:47593-534-17	56800 mL in 1 DRUM						
3	NDC:47593-534-21	208000 mL in 1 DRUM						
4	NDC:47593-534-44	1150000 mL in 1 PACKAGE						
	Marketing Information							
N								
	Aarketing Category	Application Number or Monogra	ph Citation	Marketing Start Date	Marketing End Date			

Labeler - Ecolab Inc. (006154611)

Revised: 2/2020

Ecolab Inc.