# BROAD SPECTRUM SPF45- zinc oxide, octinoxate gel Neutraderm, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Broad Spectrum SPF45**

### **Drug Facts**

### Active ingredient

Zinc Oxide 12%

Octinoxate 7.5%

### Purpose

Sunscreen

*Use* Helps prevent sunburn • If used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

*Warnings* For external use only.

**When using this product** • keep out of eyes. Rinse with water to remove. Stop use and ask physician if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • Apply to face and neck, avoiding the eye area. Wait at least 30 minutes before sun exposure, or as directed by a physician.

Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying at least every 2 hours.

**Precautions** • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.—2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a physician.

Inactive Ingredients: Water, Cyclopentasiloxane, Niacinamide, Oleth-3 Phosphate, Octyldodecyl Neopentanoate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyisobutene, PEG-7 Trimethylolpropane Coconut Ether, Glycerin, Tocopheryl Acetate, Polygonum Aviculare Extract, Sodium Hyaluronate, Disodium EDTA, Sodium Hydroxide, Citric Acid, Phenoxyethanol, Ethylhexylglycerin, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Triethoxycaprylylsilane

### DRMTLGY<sup>®</sup> MEDICAL GRADE SKIN CARE

Anti-Aging

Protects Against UV Rays

**High Purity** 

Niacinamide and Hyaluronic Acid

Transparent Zinc Oxide

DRMTLGY, LLC Chatsworth, CA

www.DRMTLGY.com

Made In USA

### **Packaging**



# Broad Spectrum SPF45

### Anti-Aging

Protects Against UV Rays High Purity Niacinamide and Hyaluronic Acid Transparent Zinc Oxide

2 oz / 57 g

### **Drug Facts**

 Active ingredient
 Purpose

 Zinc Oxide 12%
 Sunscreen

 Octinoxate 7.5%
 Sunscreen

Use Helps prevent sunburn • If used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only.

When using this product • keep out of eyes. Rinse with water to remove. Stop use and ask physician if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply to face and neck, avoiding the eye area. Wait at least 30 minutes before sun exposure, or as directed by a physician. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying at least every 2 hours.

**Precautions** • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.–2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a physician.

Inactive Ingredients: Water, Cyclopentasiloxane, Niacinamide, Oleth-3 Phosphate, Octyldodecyl Neopentanoate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyisobutene, PEG-7 Trimethylolpropane Coconut Ether, Glycerin, Tocopheryl Acetate, Polygonum Aviculare Extract, Sodium Hyaluronate, Disodium EDTA, Sodium Hydroxide, Citric Acid, Phenoxyethanol, Ethylhexylglycerin, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Triethoxycaprylylsilane



DRMTLGY, LLC Chatsworth, CA www.DRMTLGY.com

#### **BROAD SPECTRUM SPF45**

zinc oxide, octinoxate gel

#### **Product Information**

| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:39765-035 |
|-------------------------|----------------|--------------------|---------------|
| Route of Administration | TOPICAL        |                    |               |

| Active Ingredient/Active Moiety                               |                   |                |  |
|---|-------------------|----------------|--|
| Ingredient Name   | Basis of Strength | Strength       |  |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION       | 12 g in 100 g  |  |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)  | OCTINOXATE        | 7.5 g in 100 g |  |

| Inactive Ingredients  |          |
|---|----------|
| Ingredient Name   | Strength |
| WATER (UNII: 059QF0KO0R)  |          |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)   |          |
| NIACINAMIDE (UNII: 25X51I8RD4)  |          |
| OLETH-3 PHO SPHATE (UNII: 8Q0Z18J1VL)   |          |
| OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)   |          |
| HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4) |          |
| POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)  |          |
| GLYCERIN (UNII: PDC6A3C0OX)   |          |
| .ALPHATO COPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)   |          |
| POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)  |          |
| HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)  |          |
| EDETATE DISO DIUM ANHYDRO US (UNII: 8 NLQ36 F6 MM)  |          |
| SO DIUM HYDRO XIDE (UNII: 55X04QC32I)   |          |
| CITRIC ACID MONO HYDRATE (UNII: 2968 PHW8 QP)   |          |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)   |          |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)   |          |
| POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)                        |          |
| TRIETHO XYCAPRYLYLSILANE (UNII: LDC331P08E)   |          |

| Packaging |     |                 |   |                             |                           |
|-----------|-----|-----------------|---|-----------------------------|---------------------------|
| l         | #   | Item Code       | Package Description                                 | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| l         | 1 N | DC:39765-035-01 | 57 g in 1 BOTTLE; Type 0: Not a Combination Product | 01/06/2020                  |                           |

| Marketing Information   |  |                      |                    |  |
|-------------------------|--|----------------------|--------------------|--|
| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |  |
| OTC monograph not final | part352                                  | 01/06/2020           |                    |  |
|                         |  |                      |                    |  |

## Labeler - Neutraderm, Inc. (146224444)

| Establishment |         |        |                            |  |
|---------------|---------|--------|----------------------------|--|
| Name          | Address | ID/FEI | <b>Business Operations</b> |  |

| Neutraderm, Inc. | 146224444 | manufacture(39765-035) |  |
|------------------|-----------|------------------------|--|

Revised: 6/2020 Neutraderm, Inc.