

**GNP LUBRICANT EYE - polyethylene glycol 400 solution/ drops**  
**Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

Active ingredients	Purpose
Polyethylene Glycol 400 (0.4%).....	Lubricant
Propylene Glycol (0.3%).....	Lubricant

Uses

- For the temporary relief of burning and irritation due to dryness of the eye.

Warnings For external use only.

Do not use

- if this product changes color or becomes cloudy.
- if you are sensitive to any ingredient in this product.

When using this product

- Do not touch tip of container to any surface to avoid contamination.
- Replace cap after each use.

Stop use and ask a doctor if

- you feel eye pain.
- changes in vision occur.
- redness or irritation of the eye(s) get worse or lasts more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Instill 1 to 2 drops in the affected eye(s) as needed
- Children under 6 years of age: Ask a doctor.

Other information

- Store at room temperature.
- Do not use if carton is open or neckband on the bottle is broken or missing.

Inactive ingredients: Boric Acid, Calcium Chloride, Chlorhexidine Gluconate, Hydrochloric Acid, Hypromellose 2910, Magnesium Chloride, Potassium Chloride, Purified Water, Sodium Chloride, Sodium Hydroxide, Zinc Chloride

Distributed By:

Amerisource Bergen Corporation

1300 Morris Drive

Chesterbrook, PA 19087

Made in Korea



## GNP LUBRICANT EYE

polyethylene glycol 400 solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46 122-0 18
<b>Route of Administration</b>	OPHTHALMIC		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ) (POLYETHYLENE GLYCOLS - UNII:3WJQ0SDW1A)	POLYETHYLENE GLYCOL 400	0.4 mg in 1 mg
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	0.3 mg in 1 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>CALCIUM CHLORIDE</b> (UNII: M4I0D6VV5M)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>ZINC CHLORIDE</b> (UNII: 86Q357L16B)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:46122-018-05	1 in 1 CARTON		
1		15 mg in 1 BOTTLE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part349	06/30/2013	

**Labeler** - Amerisource Bergen (007914906)

Revised: 6/2013

Amerisource Bergen