

## **ANTISEPTIC FIRST AID- benzalkonium chloride and benzocaine spray**

**Acme United Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredients**

Benzalkonium Chloride 0.1 %

Benzocaine 5.0%

#### **Purpose**

First aid antiseptic

Topical pain relief

#### **Uses**

First aid to help prevent infection and for temporary pain relief in minor cuts, scrapes and burns

#### **Warnings**

**For external use only. Flammable keep away from fire or flame**

#### **Do not use**

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns
- over large areas of the body
- more than one week unless directed by a doctor

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** condition persists or gets worse

#### **Directions**

- clean affected area
- spray over the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 ask a doctor

#### **Inactive ingredients**

isopropyl alcohol, purified water

#### **Questions?**

call 203-857-5361

# Principal Display Panel - Bottle Label

13-080

## ANTISEPTICS

**FIRST AID ONLY®**

### Antiseptic

### First Aid Spray

Antiseptic first aid spray  
with pain reliever for use  
on minor cuts, scrapes  
and burns

4 fl oz (118.3ml)



13-080  
ANTISEPTICS

## Antiseptic First Aid Spray

Antiseptic first aid spray  
with pain reliever for use  
on minor cuts, scrapes  
and burns

4 fl oz (118.3ml)



### Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.1% .....	First Aid antiseptic
Benzocaine 5.0% .....	Topical pain relief

**Uses** First aid to help prevent infection and for temporary pain relief in minor cuts, scrapes and burns.

### Warnings

For external use only. Flammable keep away from fire or flame.

- Do not use**
- Near eyes or mucous membranes
  - On deep or puncture wounds, animal bites or serious burns
  - Over large areas of the body
  - More than one week unless directed by a doctor

**Keep out of reach of children** If swallowed, get medical help or contact Poison Control Center right away

**Stop use and ask a doctor** if condition persists or gets worse

### Directions

- Clean affected area
- Spray over the area 1 to 3 times daily
- May be covered with a sterile bandage
- Children under 2 ask a doctor

**Inactive ingredient** isopropyl alcohol, purified water

**Questions?** 1.800.835.2263

Acme United Corporation  
55 Walls Dr, Fairfield, CT 06824  
[www.FirstAidOnly.com](http://www.FirstAidOnly.com)  
Made in the USA  
© 2015 Acme United Corporation.



T31169-080-revB

7 38743 13080 6

## ANTISEPTIC FIRST AID

benzalkonium chloride and benzocaine spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-0931
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>benzalkonium chloride</b> (UNII: F5UM2KM3W7) (benzalkonium - UNII:7N6JUD5X6Y)	benzalkonium chloride	1 mg in 1 g
<b>benzocaine</b> (UNII: U3RSY48JW5) (benzo caine - UNII:U3RSY48JW5)	benzocaine	50 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>isopropyl alcohol</b> (UNII: ND2M416302)	
<b>water</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0931-01	107 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	10/06/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/06/2014	

**Labeler** - Acme United Corp (001180207)**Registrant** - Safetec of America, Inc (874965262)**Establishment**

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc		874965262	MANUFACTURE(0924-0931)

Revised: 10/2014

Acme United Corp