

MURAD - RESURGENCE - AGE-BALANCING MOISTURE SPF 30- avobenzone, homosalate, octisalate, octocrylene cream
Murad, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MURAD - RESURGENCE - AGE-BALANCING MOISTURE, BROAD SPECTRUM SPF 30

ACTIVE INGREDIENTS

Avobenzone 2.0%
Homosalate 6.5%
Octisalate 4.0%
Oxycrylene 2.0%

PURPOSE

SUNSCREEN

USES

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if skin rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. pending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad

Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: ask a doctor

INACTIVE INGREDIENTS

Water

(Aqua), C12-15 Alkyl Benzoate, Glycerin, Hydrogenated Vegetable Glycerides Citrate, Tapioca Starch, Butyrospermum Parkii (Shea) Butter, Caprylyl Methicone, Cetearyl Alcohol, Dicaprylyl Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Diethylhexyl 2,6-Naphthalate, Ethoxydiglycol, Phenyl Trimethicone, Sodium Polyacrylate, Butylene Glycol, Vitis Vinifera (Grape) Seed Oil, Jojoba Alcohol, Potassium Jojobate, Panthenol, Arginine, Allantoin, Bisabolol, Dioscorea Villosa (Wild Yam) Root Extract, Disodium EDTA, Octadecyl Di-t-butyl-4- hydroxyhydrocinnamate, Persea Gratissima (Avocado) Oil, Tocopheryl Acetate, Benzoic Acid, Dehydroacetic Acid, Disodium Adenosine Triphosphate, Dipotassium Glycyrrhizate, Polymethylsilsesquioxane, Selaginella Lepidophylla Extract, Trifolium Pratense (Clover) Flower Extract, Propylene Glycol, Betaine, Inositol, Taurine, Trehalose, Urea, Yeast Amino Acids, Proline, Glycine, Sorbitol, Carica Papaya Fruit Extract, Algin, Sodium Hyaluronate, Hydrolyzed Soy Protein, Copper Tripeptide-1, Iris Florentina Root Extract, Phenoxyethanol, Fragrance (Parfum), Limonene, Linalool

OTHER INFORMATION

- protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

1.800.33.MURAD or Murad.com



Rich, yet fast absorbing, SPF moisturizer deeply nourishes and protects dull, dry skin to renew a youthful glow. Shea Butter, Sunflower Oil and an Amino-Acid Complex help improve elasticity and replenish skin with long-lasting hydration.

To Use: Apply liberally to face, neck and chest.

Dermatologist developed.

At Murad, we believe there is a powerful connection between the mind, body and skin, which we call Connected Beauty. It inspires you to take care of your skin not only with our efficacious products, but also with proper nutrition, physical activity and stress management.

A connected life is a beautiful life.

3 Hydrate | Protect

Murad®

Resurgence®

Age-Balancing
Moisture
Broad Spectrum
SPF 30 | PA+++

Deeply nourishes,
improves elasticity
and protects skin



e 50 mL NET VOL 1.7 FL OZ

Drug Facts

Active ingredients	Purpose
Avobenzone 2.0%	Sunscreen
Homosalate 4.0%	Sunscreen
Octisalate 4.0%	Sunscreen
Octocrylene 2.0%	Sunscreen

Use • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor • If skin rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours and after towel drying, swimming, or sweating to avoid lowering protection • **Sun Protection Measures** UV exposure from the sun increases the risk of skin cancer, premature skin aging and other skin damage. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including limiting time in the sun from 10 a.m.-2 p.m., and wearing protective clothing

• children under 6 months: Ask a doctor

Inactive ingredients Water (Aqua), C12-15 Alkyl Benzoate, Glycerin, Hydrogenated Vegetable Glycerides Citrate, Tapioca Starch, Butyrospermum Parkii (Shea) Butter, Caprylyl Methicone, Cetearyl Alcohol, Dicaprylyl Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Diethylhexyl 2,6-Naphthalate, Ethoxydiglycol, Phenyl Trimethylcone, Sodium Polyacrylate, Butylene Glycol, Vitis Vinifera (Grape) Seed Oil, Jojoba Alcohol, Potassium Jojobate, Parthenol, Arginine, Alanine, Bisabolol, Dioscorea Villosa (Wild Yam) Root Extract, Disodium EDTA, Octadecyl DI-4-butyl-4-hydroxyhydrocinnamate, Persea Gratissima (Avocado) Oil, Tocopheryl Acetate, Benzoic Acid, Dihydroacetic Acid, Disodium Adenosine Triphosphate, Dipotassium Glycyrrhizate, Polymethylsilsesquioxane, Setaglinella Lepidophylla Extract, Trifolium Pratense (Clover) Flower Extract, Propylene Glycol, Betaine, Inositol, Taurine, Trehalose, Urea, Yeast Amino Acids, Proline, Glycine, Sorbitol, Carica Papaya Fruit Extract, Algin, Sodium Hyaluronate, Hydrolyzed Soy Protein, Copper Tripeptide-1, Iris Florentina Root Extract, Phenoxyethanol, Fragrance (Parfum), Limonene, Linalool

Other information • protect this product from excessive heat and direct sun

Questions or comments?
1.800.33.MURAD or Murad.com



MURAD - RESURGENCE - AGE-BALANCING MOISTURE SPF 30

avobenzone, homosalate, octisalate, octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70381-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
STARCH, TAPIOCA (UNII: 24SC3U704I)	
SHEA BUTTER (UNII: K49155WL9Y)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGYM)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
POTASSIUM HYDROLYZED JOJOBA ESTERS (UNII: CH428W5O62)	
PANTHENOL (UNII: WW9CM0O67Z)	
ARGININE (UNII: 94ZLA3W45F)	
ALLANTOIN (UNII: 344S277G0Z)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
DIOSCOREA VILLOSA TUBER (UNII: IWY3IWX2G8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
OCTADECYL DI-TERT-BUTYL-4-HYDROXYHYDROCINNAMATE (UNII: V88J661G2P)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
SELAGINELLA LEPIDOPHYLLA WHOLE (UNII: 02JQ564P1G)	
TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BETAINE (UNII: 3SCV180C9W)	
INOSITOL (UNII: 4L6452S749)	
TAURINE (UNII: 1EQV5MLY3D)	
TREHALOSE (UNII: B8WCK70T7I)	
UREA (UNII: 8W8T17847W)	
AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0O72R8RF8A)	

PROLINE (UNII: 9DLQ4CIU6V)
GLYCINE (UNII: TE7660XO1C)
SORBITOL (UNII: 506T60A25R)
PAPAYA (UNII: KU94FIY6JB)
SODIUM ALGINATE (UNII: C269C4G2ZQ)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)
PREZATIDE COPPER (UNII: 6BJQ43T1I9)
IRIS X GERMANICA NOTHOVAR. FLORENTINA ROOT (UNII: M30XO5X4XD)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+)- (UNII: F4VNO44C09)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-106-50	1 in 1 BOX	12/27/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/27/2020	

Labeler - Murad, LLC (781254792)

Establishment

Name	Address	ID/FEI	Business Operations
Cosway Company, Inc.		052400223	MANUFACTURE(70381-106)

Revised: 12/2020

Murad, LLC