

**TUKOL DAY TIME COLD AND FLU RELIEF SOFTGELS- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled**  
**Genomma Lab USA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Tukol® Day Time Cold and Flu Relief Softgels**

**Drug Facts**

<b>Active ingredients (in each softgel)</b>	<b>Purpose</b>
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

**Uses**

temporarily relieves common cold and flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash If skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other products containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drugs. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

### **When using this product**

- do not exceed recommended dosage

### **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.
- a skin reaction occurs. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed (see Warnings)
  - do not exceed 4 doses per 24 hours
- Adults and children 12 years and over:** take 2 softgels with water every 4 hours  
**Children 4 to under 12 years:** Ask a doctor

**Children under 4 years:** Do not use

- When using Day Time or Night Time products, carefully read each label to ensure correct dosing

**Other information**

- store at room temperature 20-25°C (68-77°F)

**Inactive Ingredients**

FD&C Red #40, FD&C Yellow #6, Gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified Water, Sorbitol sorbitan solution, Titanium dioxide.

**Questions or comments?**

Call toll free **1-877-994-3666**

Weekdays from 8 am to 6 pm

Distributed by:

**Genomma Lab USA, Inc.**

Houston, TX 77098

**PRINCIPAL DISPLAY PANEL - 24 Softgel Blister Pack Carton**

NEW

Non Drowsy

Tukol®

DAY TIME

COLD AND FLU RELIEF

Acetaminophen / Dextromethorphan HBr /

Phenylephrine HCl

- COUGH
- FEVER
- SORE THROAT
- ACHES
- NASAL CONGESTION

24 Softgels

ALMO DEL RESFRIADO Y GRIPE PARA EL DIA  
DAY TIME  
COLD AND FLU RELIEF  
Tukol®

*Non Drowsy /  
No da Sueño*

NEW / NUEVO

*Non Drowsy / No da Sueño*

Tukol®

Tukol®

DAY TIME  
COLD AND FLU RELIEF

DAY TIME  
COLD AND FLU RELIEF

ALIVIO DEL RESFRIADO Y  
GRIPE PARA EL DIA

ALIVIO DEL RESFRIADO Y GRIPE PARA EL DIA



Acetaminophen / Dextromethorphan HBr /  
Phenylephrine HCl  
Acetaminofén / Dextrometorfano HBr /  
Fenilefrina HCl



Tamper Evident: Do not use  
if blisters are torn or open

Evidencia de Manipulación:  
No usar si los blisters están  
rotos o abiertos

- **COUGH** / TOS
- **FEVER** / FIEBRE
- **SORE THROAT** / DOLOR DE GARGANTA
- **ACHES** / DOLORES
- **NASAL CONGESTION** /  
CONGESTION NASAL

**24** Softgels  
Cápsulas  
blandas



**Non Drowsy /  
No da Sueño**

**Tukol**<sup>®</sup>

**DAY TIME  
COLD AND FLU RELIEF**

**ALIVIO DEL RESFRIADO Y  
GRIPE PARA EL DIA**

Distributed by /  
Distribuido por:  
**Genomma Lab USA, Inc.**  
Houston, TX 77098

BX- 148

2000012101

### Drug Facts

Active ingredients (in each softgel)	Purpose
---	---------

Acetaminophen 325 mg.....Pain reliever/fever reducer	
Dextromethorphan HBr 10 mg.....Cough suppressant	
Phenylephrine HCl 5 mg.....Nasal decongestant	

#### Uses

temporarily relieves common cold and flu symptoms:  
■ nasal congestion ■ cough due to minor throat and bronchial irritation ■ sore throat ■ headache ■ minor aches and pains ■ fever

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4 doses in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product **Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash If skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** ■ with any other products containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drugs. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are** ■ taking the blood thinning drug warfarin

### Drug Facts (continued)

**When using this product** ■ do not exceed recommended dosage

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless ■ symptoms get worse or last more than 5 days (children) or 7 days (adults) ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with rash or headache that lasts. ■ a skin reaction occurs. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.

#### Directions

■ take only as directed (see Warnings)  
■ do not exceed 4 doses per 24 hours

**Adults and children 12 years and over:**

take 2 softgels with water every 4 hours

**Children 4 to under 12 years:** Ask a doctor

**Children under 4 years:** Do not use

■ When using Day Time or Night Time products, carefully read each label to ensure correct dosing

#### Other information

■ store at room temperature 20-25°C (68-77°F)

#### Inactive Ingredients

FD&C Red #40, FD&C Yellow #6, Gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified Water, Sorbitol sorbitan solution, Titanium dioxide.

#### Questions or comments?

Call toll free 1-877-994-3666

Weekdays from 8 am to 6 pm

**TUKOL DAY TIME COLD AND FLU RELIEF SOFTGELS**

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50066-312
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KOOR)	

## Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	604
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-312-24	2 in 1 CARTON	01/10/2023	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/10/2023	

