

**GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled**  
**Rite Aid Corporation**

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Simethicone 125 mg

**Purpose**

Antigas

**Uses**

for the relief of pressure, bloating, and fullness commonly referred to as gas.

**Warnings**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

**Other information**

- store between 20-25°C (68-77°F)
- do not refrigerate
- protect from light, heat, and moisture

**Inactive ingredients**

D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, mannitol, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

Compare to the active ingredient in Gas-X® Extra Strength\*

### **EXTRA STRENGTH**

### **GAS RELIEF**

SIMETHICONE125 mg

ANTIGAS

For Relief of:

pressure • bloating • discomfort

small, easy to swallow

SOFTGELS

\*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X Extra Strength.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY: RITE AID,  
200 NEWBERRY COMMONS  
ETTERS, PA 17319

## **Product Label**

**Drug Facts**

|                                                                       |                           |
|-----------------------------------------------------------------------|---------------------------|
| <b>Active ingredient (in each softgel)</b><br>Simethicone 125 mg..... | <b>Purpose</b><br>Antigas |
|-----------------------------------------------------------------------|---------------------------|

**Uses** For the relief of pressure, bloating, and fullness commonly referred to as gas.

**Warnings**  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

**Directions**  
■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime  
■ do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

**Other information**  
■ store between 20-25°C (68-77°F)  
■ do not refrigerate  
■ protect from light, heat, and moisture

**Inactive ingredients** D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, mannitol, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide


**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

**DISTRIBUTED BY: RITE AID,**  
200 NEWBERRY COMMONS  
ETTERS, PA 17319  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION GUARANTEE**  
If you're not satisfied, we'll happily refund your money.

PLD-D597A FC005667



0 11822 43008 1

**EXTRA STRENGTH GAS RELIEF**  
SIMETHICONE 125 mg

SMALL, EASY TO SWALLOW • ANTIGAS

30 SOFTGELS

NDC 11822-4300-8


Compare to the active ingredient in Gas-X® Extra Strength\*

**EXTRA STRENGTH GAS RELIEF**

**SIMETHICONE 125 mg**

**ANTIGAS**

fast relief of:  
pressure • bloating • discomfort  
small, easy to swallow



ACTUAL SIZE

**30 SOFTGELS**

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Lot No.:  
Exp. Date:

**RITE AID Extra Strength Gas Relief**

**GAS RELIEF EXTRA STRENGTH**

simethicone capsule, liquid filled

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:11822-4300 |
| <b>Route of Administration</b> | ORAL           |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name                                                       | Basis of Strength | Strength |
|-----------------------------------------------------------------------|-------------------|----------|
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10) | DIMETHICONE       | 125 mg   |

**Inactive Ingredients**

| Ingredient Name                                 | Strength |
|-------------------------------------------------|----------|
| <b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G) |          |

|                                               |
|-----------------------------------------------|
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD) |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA) |
| <b>GELATIN</b> (UNII: 2G86QN327L)             |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)            |
| <b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)      |
| <b>WATER</b> (UNII: 059QF0KO0R)               |
| <b>SORBITAN</b> (UNII: 6O92ICV9RU)            |
| <b>SORBITOL</b> (UNII: 506T60A25R)            |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)    |
| <b>MANNITOL</b> (UNII: 3OWL53L36A)            |

**Product Characteristics**

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | green | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL  | <b>Size</b>         | 9mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | PO       |
| <b>Contains</b> |       |                     |          |

**Packaging**

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:11822-4300-8 | 30 in 1 CARTON                                         | 01/31/2020           |                    |
| 1 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 01/31/2020           |                    |

**Labeler** - Rite Aid Corporation (014578892)