

**NITROUS OXIDE- nitrous oxide gas**  
**AMERICAN WELDING & GAS, INC.**

-----  
**Nitrous Oxide**

NITROUS OXIDE UN1070 NON-FLAMMABLE GAS 2 OXIDIZER 5.1 USP MEDICAL GAS  
Size G M 20 LB. E Weight 55 LB. 25 LB. 20 LB. 6 LB. LITERS 13,539 6,769 4,835 1,451  
Rx only. WARNING: Administration of Nitrous Oxide may be hazardous or  
contraindicated. For use only by or under the supervision of a licensed practitioner who  
is experienced in the use and administration of Nitrous Oxide and is familiar with the  
indications, effects, dosages, methods, and frequency and duration of administration,  
and with the hazards, contraindications and side effects, and the precautions to be  
taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER CONTAINS GAS UNDER  
PESSURE; MAY EXPLODE IF HEATED. MAY CUASE DROWSINESS OR DIZZINESS. MAY  
DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not  
handle until all safety precautions have been read and understood. Keep and store away  
from clothing and other combustible materials. Keep valves and fittings free from grease  
and oil. Avoide breathing gas. Do not put in eyes on skin or on clothing. Use and store  
only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use  
a back flow preventive device in the piping. Use only with equipment of compatible  
materials of construction and rated for cylinder pressure. Use only with equipment  
cleaned for oxygen service. Open valve slowly. Close valve after each use and when  
empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125  
degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF  
INHALED: Remove person to fresh air and keep comfortable for breathing. Call a  
POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts  
with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.  
WARNING: This product contains a chemical known to the state of California to cause  
birth defects or other reproductive harm.  
CAS: 10024-97-2 DO NOT REMOVE THIS PRODUCT LABEL  
SCOTT-GROSS COMPANY, INC. 664 MAGNOLIA AVENUE . LEXINGTON, KY 40505 1-800-  
967-6874 . WWW.SCOTTGROSS.COM

# NITROUS OXIDE

## UN1070



	Size	Weight	LITERS
<input type="checkbox"/>	G	55 LB.	13.529
<input type="checkbox"/>	M	28 LB.	6.769
<input type="checkbox"/>	20 LB.	20 LB.	4.835
<input type="checkbox"/>	E	6 LB.	1.451
<input type="checkbox"/>			

**For use only. WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**WARNING:** This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

CAS: 10024-97-2

**DO NOT REMOVE THIS PRODUCT LABEL.**



**SCOTT-GROSS COMPANY, INC.**  
664 MAGNOLIA AVENUE • LEXINGTON, KY 40505  
1-800-967-6874 • WWW.SCOTTGROSS.COM

SG-221 V004 (03/15)

## NITROUS OXIDE

nitrous oxide gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:52346-012
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NITROUS OXIDE</b> (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	990 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52346-012-05	13539 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1974	
2	NDC:52346-012-06	6769 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1974	
3	NDC:52346-012-07	4835 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1974	
4	NDC:52346-012-08	1451 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1974	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206009	12/01/1974	

**Labeler** - AMERICAN WELDING & GAS, INC. (868040283)

### Establishment

Name	Address	ID/FEI	Business Operations
AMERICAN WELDING & GAS, INC.		116724243	manufacture(52346-012)

Revised: 10/2021

AMERICAN WELDING & GAS, INC.