

## **FIRST AID ANTISEPTIC- benzalkonium chloride, benzocaine spray**

### **First Aid Only**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active Ingredients**

Benzalkonium Chloride 0.1%

Benzocaine 5.0%

#### **Purpose**

First Aid Antiseptic

Topical Pain Relief

#### **Uses**

First aid to help prevent infection and for temporary pain relief in minor cuts, scrapes and burns

#### **Warnings**

**For external use only. Flammable keep away from fire or flame.**

#### **Do not use**

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns
- over large areas of the body
- more than one week unless directed by a doctor

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Stop use and ask doctor if** condition persists or gets worse

#### **Directions**

- clean affected and spray
- spray over the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 ask a doctor.

#### **Inactive ingredients**

isopropyl alcohol, purified water

#### **First Aid Antiseptic**

Temporary pain relief. Helps prevent infection in minor cuts, scrapes and abrasions.

M5081

3 fl. oz (88.7 ml.)

**FIRST AID ONLY**

Distributed by First Aid Only, Inc

Vancouver, WA 96882 USA

NDC 62985-5081-1

# First Aid Antiseptic

Temporary pain relief. Helps prevent infection in minor cuts, scrapes and abrasions.

**M5081**  
3 fl. oz. (88.7 ml.)



Distributed by First Aid Only, Inc.  
Vancouver, WA 96882 USA

### Drug Facts

Active ingredients	Purpose
Benzalkonium Chloride 0.1%.....	First aid antiseptic
Benzocaine 5.0% .....	Topical pain relief

**Uses** First aid to help prevent infection and for temporary pain relief in minor cuts, scrapes and burns

### Warnings

For external use only. Flammable keep away from fire or flame

- Do not use**
- near eyes or mucous membranes
  - on deep or puncture wounds, animal bites, or serious burns
  - over large areas of the body
  - more than one week unless directed by a doctor

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** condition persists or gets worse

### Directions

- clean affected area
- spray over the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 ask a doctor

### Inactive ingredients

isopropyl alcohol, purified water



## FIRST AID ANTISEPTIC

benzalkonium chloride, benzocaine spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62985-5081
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>benzalkonium chloride</b> (UNII: F5UM2KM3W7) (benzalkonium - UNII:7N6JUD5X6Y)	benzalkonium chloride	0.96 g in 1 L
<b>benzocaine</b> (UNII: U3RSY48JW5) (benzocaine - UNII:U3RSY48JW5)	benzocaine	58.5 g in 1 L

**Inactive Ingredients**

Ingredient Name	Strength
isopropyl alcohol (UNII: ND2M416302)	
water (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62985-5081-1	0.0887 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/13/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/13/2014	

**Labeler** - First Aid Only (196551634)**Registrant** - Safetec of America, Inc. (874965262)**Establishment**

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	MANUFACTURE(62985-5081)

Revised: 8/2014

First Aid Only