

TOPCARE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin, polymyxin b ointment

Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Triple Antibiotic Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc equivalent to 400 units bacitracin

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 5,000 units as polymyxin B sulfate

Purpose

First aid antibiotic

Use

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week

- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO NEOSPORIN® ACTIVE INGREDIENTS

First Aid Antibiotic Ointment

Helps Prevent Infection in Minor Cuts, Scrapes & Burns

Original Strength

ORIGINAL STRENGTH

OUR PHARMACISTS RECOMMEND

Triple Antibiotic Ointment

BACITRACIN ZINC, NEOMYCIN SULFATE & POLYMYXIN B SULFATE

First Aid Antibiotic Ointment

NET WT 0.5 OZ (14.2 g)

COMPARE TO NEOSPORIN®
ACTIVE INGREDIENTS*

First Aid Antibiotic Ointment

Helps Prevent Infection
in Minor Cuts, Scrapes & Burns
Original Strength

NDC 36800-416-58

+TopCare
health™

ORIGINAL STRENGTH

Triple Antibiotic Ointment

BACITRACIN ZINC, NEOMYCIN SULFATE & POLYMYXIN B SULFATE

First Aid Antibiotic Ointment

NET WT 0.5 OZ (14.2 g)



DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
©TOPCO PERA1019 QUESTIONS? 1-888-423-0139
topcare@topco.com



This TopCare® product is laboratory
tested to guarantee its highest quality.
Your total satisfaction is guaranteed.

*This product is not affiliated with,
manufactured by, or produced by
the makers of Neosporin®



0 36800 33415 1

06758 88 C1



Code Area




2446



Scan here for more information



Drug Facts		Drug Facts (continued)	
Active ingredients (in each gram)	Purpose	Stop use and ask a doctor if	
Bacitracin zinc equivalent to 400 units bacitracin.....	First aid antibiotic	<ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops 	
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
Polymyxin B 5,000 units as polymyxin B sulfate.....	First aid antibiotic	Directions	
Use first aid to help prevent infection in minor:		<ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage 	
<ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns 		Other information	
Warnings		<ul style="list-style-type: none"> ■ store at 20-25°C (68-77°F) 	
For external use only.		Inactive ingredients cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum	
Do not use		Questions or comments? 1-888-423-0139	
<ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body 			
Ask a doctor before use if you have			
<ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns 			



TOPCARE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin, polymyxin b ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-416
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
COCOA BUTTER (UNII: 512OYT1CRR)	
COTTONSEED OIL (UNII: H3E878020N)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics

Color	WHITE (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-416-58	1 in 1 CARTON	02/26/2020	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:36800-416-64	1 in 1 CARTON	02/26/2020	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:36800-416-26	2 in 1 CARTON	02/26/2020	
3		56 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/26/2020	

Labeler - Topco Associates LLC (006935977)

Revised: 4/2021

Topco Associates LLC