

**STRONG VAPORIZING- chest rub, cold rub, nasal decongestant, cough suppressant, ointment
AFN BROKER LLC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

	<table border="1"> <tr> <td>Drug Facts</td> <td>Purpose</td> </tr> <tr> <td>Active Ingredients</td> <td>Cough suppressant & topical analgesic</td> </tr> <tr> <td>Camphor 5.25%.....</td> <td>Cough suppressant</td> </tr> <tr> <td>Eucalyptus oil 1.6%.....</td> <td>Cough suppressant</td> </tr> <tr> <td>Menthol, natural 3.15%.....</td> <td>Cough suppressant & topical analgesic</td> </tr> <tr> <td>Uses</td> <td></td> </tr> <tr> <td>*on chest & throat, temporarily relieves cough due to common cold</td> <td></td> </tr> <tr> <td>*on muscles & joints, temporarily relieves minor aches and pains</td> <td></td> </tr> <tr> <td>Warnings</td> <td></td> </tr> <tr> <td colspan="2">FOR EXTERNAL USE ONLY; AVOID CONTACT WITH EYES</td> </tr> <tr> <td>Do not use</td> <td></td> </tr> <tr> <td>*by mouth *with tight bandages *in nostrils *on wounds or damaged skin</td> <td></td> </tr> <tr> <td>Ask a doctor before use if you have</td> <td></td> </tr> <tr> <td>*cough that occurs with too much phlegm (mucus)* persistent or chronic cough such as occurs with smoking, asthma, emphysema</td> <td></td> </tr> <tr> <td>When using this product, do not</td> <td></td> </tr> <tr> <td>*heat or microwave</td> <td></td> </tr> <tr> <td>*add to hot water or any container where heating water.</td> <td></td> </tr> <tr> <td>May cause splattering and results in burns.</td> <td></td> </tr> <tr> <td>Stop use and ask a doctor if:</td> <td></td> </tr> <tr> <td>*muscle aches and pains persist more than 7 days or come back</td> <td></td> </tr> <tr> <td>*cough lasts more than 7 days, come back, or occurs with fever</td> <td></td> </tr> <tr> <td>rash or persistent headache. These could be signs of a serious condition.</td> <td></td> </tr> <tr> <td>If pregnant or breast-feeding, ask a health professional before use</td> <td></td> </tr> <tr> <td>Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.</td> <td></td> </tr> <tr> <td>Directions</td> <td></td> </tr> <tr> <td>see important warning under "When using this product"</td> <td></td> </tr> <tr> <td>*adults and children 2 years and over</td> <td></td> </tr> <tr> <td>*rub a thick layer on chest & throat or rub on sore aching muscles</td> <td></td> </tr> <tr> <td>*cover with a warm dry cloth if desired. *keep clothing loose</td> <td></td> </tr> <tr> <td>about three times to help vapors reach nose/mouth. *repeat up to three times per 24 hours or as directed by a doctor</td> <td></td> </tr> <tr> <td>*children under 2 years of age, ask a doctor</td> <td></td> </tr> <tr> <td>Storage: store at room temperature</td> <td></td> </tr> <tr> <td>Inactive ingredients: nutmeg oil, turpentine oil, thymol, paraffin wax, microcrystalline wax</td> <td></td> </tr> </table>	Drug Facts	Purpose	Active Ingredients	Cough suppressant & topical analgesic	Camphor 5.25%.....	Cough suppressant	Eucalyptus oil 1.6%.....	Cough suppressant	Menthol, natural 3.15%.....	Cough suppressant & topical analgesic	Uses		*on chest & throat, temporarily relieves cough due to common cold		*on muscles & joints, temporarily relieves minor aches and pains		Warnings		FOR EXTERNAL USE ONLY; AVOID CONTACT WITH EYES		Do not use		*by mouth *with tight bandages *in nostrils *on wounds or damaged skin		Ask a doctor before use if you have		*cough that occurs with too much phlegm (mucus)* persistent or chronic cough such as occurs with smoking, asthma, emphysema		When using this product, do not		*heat or microwave		*add to hot water or any container where heating water.		May cause splattering and results in burns.		Stop use and ask a doctor if:		*muscle aches and pains persist more than 7 days or come back		*cough lasts more than 7 days, come back, or occurs with fever		rash or persistent headache. These could be signs of a serious condition.		If pregnant or breast-feeding, ask a health professional before use		Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.		Directions		see important warning under "When using this product"		*adults and children 2 years and over		*rub a thick layer on chest & throat or rub on sore aching muscles		*cover with a warm dry cloth if desired. *keep clothing loose		about three times to help vapors reach nose/mouth. *repeat up to three times per 24 hours or as directed by a doctor		*children under 2 years of age, ask a doctor		Storage: store at room temperature		Inactive ingredients: nutmeg oil, turpentine oil, thymol, paraffin wax, microcrystalline wax		<p>DISTRIBUTED BY AFN BROKER LLC, RAHWAY, NJ 07065 AFN BROKER IS THE AUTHORIZED USER OF DR. ROBERT TRADE MARK. FORMULATED IN USA. PACKED IN INDIA</p>
Drug Facts	Purpose																																																																			
Active Ingredients	Cough suppressant & topical analgesic																																																																			
Camphor 5.25%.....	Cough suppressant																																																																			
Eucalyptus oil 1.6%.....	Cough suppressant																																																																			
Menthol, natural 3.15%.....	Cough suppressant & topical analgesic																																																																			
Uses																																																																				
*on chest & throat, temporarily relieves cough due to common cold																																																																				
*on muscles & joints, temporarily relieves minor aches and pains																																																																				
Warnings																																																																				
FOR EXTERNAL USE ONLY; AVOID CONTACT WITH EYES																																																																				
Do not use																																																																				
*by mouth *with tight bandages *in nostrils *on wounds or damaged skin																																																																				
Ask a doctor before use if you have																																																																				
cough that occurs with too much phlegm (mucus) persistent or chronic cough such as occurs with smoking, asthma, emphysema																																																																				
When using this product, do not																																																																				
*heat or microwave																																																																				
*add to hot water or any container where heating water.																																																																				
May cause splattering and results in burns.																																																																				
Stop use and ask a doctor if:																																																																				
*muscle aches and pains persist more than 7 days or come back																																																																				
*cough lasts more than 7 days, come back, or occurs with fever																																																																				
rash or persistent headache. These could be signs of a serious condition.																																																																				
If pregnant or breast-feeding, ask a health professional before use																																																																				
Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.																																																																				
Directions																																																																				
see important warning under "When using this product"																																																																				
*adults and children 2 years and over																																																																				
*rub a thick layer on chest & throat or rub on sore aching muscles																																																																				
*cover with a warm dry cloth if desired. *keep clothing loose																																																																				
about three times to help vapors reach nose/mouth. *repeat up to three times per 24 hours or as directed by a doctor																																																																				
*children under 2 years of age, ask a doctor																																																																				
Storage: store at room temperature																																																																				
Inactive ingredients: nutmeg oil, turpentine oil, thymol, paraffin wax, microcrystalline wax																																																																				

ACTIVE INGREDIENTS

CAMPHOR 5.25%.....COUGH SUPPRESSANT & TOPICAL ANALGESIC

EUCALYPTUS OIL 1.6%.....COUGH SUPPRESSANT

MENTHOL, NATURAL 3.15%.....COUGH SUPPRESSANT & TOPICAL ANALGESIC

Active Ingredients	Purpose
Camphor 5.25%.....	Cough suppressant & topical analgesic
Eucalyptus oil 1.6%.....	Cough suppressant
Menthol, natural 3.15%	Cough suppressant & topical analgesic

DO NOT USE

Do not use
*by mouth *with tight bandages *in nostrils *on wounds or damaged skin

*BY MOUTH

*WITH TIGHT BANDAGES

*IN NOSTRILS

*ON WOUNDS OR DAMAGED SKIN

ASK A DOCTOR BEFORE USE IF YOU HAVE

Ask a doctor before use if you have

***cough that occurs with too much phlegm (mucus)* persistent or chronic cough such as occurs with smoking, asthma, emphysema**

COUGH THAT OCCURS WITH TOO MUCH PHLEGM (MUCUS) PERSISTENT OR CHRONIC COUGH SUCH AS OCCURS WITH SMOKING, ASTHMA, EMPHYSEMA

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center right away

IN

CASE OF ACCIDENTAL INGESTION, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY

WARNINGS

Warnings

FOR EXTERNAL USE ONLY; AVOID CONTACT WITH EYES

FOR EXTERNAL USE ONLY; AVOID CONTACT WITH EYES

IF PREGNANT OR BREAST-FEEDING

If pregnant or breast-feeding: ask a health professional before use

ASK A HEALTH PROFESSIONAL BEFORE USE

USE

Uses

***on chest & throat, temporarily relieves cough due to common cold**

***on muscles & joints, temporarily relieves minor aches and pains**

*ON CHEST & THROAT, TEMPORARILY RELIEVES COUGH DUE TO COMMON COLD

*ON MUSCLES & JOINTS, TEMPORARILY RELIEVES MINOR ACHES AND PAIN

WHEN USING THIS PRODUCT, DO NOT

When using this product, do not

***heat or microwave**

***add to hot water or any container where heating water.**

May cause splattering and results in burns.

*HEAT OR MICROWAVE

*ADD TO HOT WATER OR ANY CONTAINER WHERE HEATING WATER
MAY CAUSE SPLATTERING AND RESULTS IN BURNS

STOP USE AND ASK A DOCTOR IF

Stop use and ask a doctor if:

*muscle aches and pains persist more than 7 days or come back
*cough lasts more than 7 days, come back, or occurs with fever
rash or persistent headache. These could be signs of a serious
condition.

*MUSCLE ACHES AND PAINS PERSIST MORE THAN 7 DAYS OR COME BACK

*COUGH LASTS MORE THAN 7 DAYS, COME BACK, OR OCCURS WITH FEVER RASH OR
PERSISTENT HEADACHE.

THESE COULD BE SIGNS OF A SERIOUS CONDITION

STORAGE

Storage: store at room temperature

STORE AT ROOM TEMPERATURE

DIRECTIONS

Directions

see important warning under "When using this product"

*adults and children 2 years and over

*rub a thick layer on chest & throat or rub on sore aching muscles

*cover with a warm dry cloth if desired * keep clothing loose
about throat/chest to help vapors reach nose/mouth * repeat up
to three times per 24 hours or as directed by a doctor

*children under 2 years of age: ask a doctor

SEE IMPORTANT WARNING UNDER "WHEN USING THIS PRODUCT"

*ADULTS AND CHILDREN 2 YEARS AND OVER

*RUB A THICK LAYER ON CHEST & THROAT OR RUB ON SORE ACHING MUSCLES

*COVER WITH A WARM DRY CLOTH IF DESIRED

*KEEP CLOTHING LOOSE ABOUT THROAT/CHEST TO HELP VAPORS REACH
NOSE/MOUTH

*REPEAT UP TO THREE TIMES PER 24 HOURS OR AS DIRECTED BY A DOCTOR

*CHILDREN UNDER 2 YEARS OF AGE: ASK A DOCTOR

INACTIVE INGREDIENTS

Inactive ingredients: nutmeg oil, turpentine oil, thymol, paraffin wax, microcrystalline wax

NUTMEG OIL, TURPENTINE OIL, THYMOL, PARRAFIN WAX, MICROCRYSTALLINE WAX

PURPOSE

COUGH SUPPRESSANT & TOPICAL ANALGESIC

Active Ingredients	Purpose
Camphor 5.25%.....	Cough suppressant & topical analgesic
Eucalyptus oil 1.6%.....	Cough suppressant
Menthol, natural 3.15%	Cough suppressant & topical analgesic

Directions

see important warning under “When using this product”

*adults and children 2 years and over

*rub a thick layer on chest & throat or rub on sore aching muscles

*cover with a warm dry cloth if desired * keep clothing loose

about throat/chest to help vapors reach nose/mouth * repeat up

to three times per 24 hours or as directed by a doctor

*children under 2 years of age: ask a doctor

Uses

*on chest & throat, temporarily relieves cough due to common cold

*on muscles & joints, temporarily relieves minor aches and pains

STRONG VAPORIZING

chest rub, cold rub, nasal decongestant, cough suppressant, ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72004-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662) (EUCALYPTUS OIL - UNII:2R04ONI662)	EUCALYPTUS OIL	1.6 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3.15 g in 100 g
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	5.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
NUTMEG OIL (UNII: Z1CLM48948)	0.006 g in 100 g
TURPENTINE OIL (UNII: C5H0QJ6V7F)	
THYMOL (UNII: 3J50XA376E)	0.001 g in 100 g
PARAFFIN (UNII: I9O0E3H2ZE)	0.14 g in 100 g
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	0.05 g in 100 g

Product Characteristics

Color		Score	
Shape		Size	150mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72004-001-04	113 g in 1 JAR; Type 0: Not a Combination Product	07/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/01/2018	

Labeler - AFN BROKER LLC. (030117252)

Revised: 1/2019

AFN BROKER LLC.