

**SODIUM SULFACETAMIDE 9.8 % AND SULFUR 4.8 % CLEANSER- sodium sulfacetamide and sulfur lotion**  
**SOHM, Inc**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser**


**For Topical use only**

**Not for Ophthalmic use**

**Rx Only**

**DESCRIPTION:**

Sulfacetamide Sodium is a sulfonamide with antibacterial activity while Sulfur acts as a keratolytic agent. Chemically Sulfacetamide Sodium is N-[(4-aminophenyl) sulfonyl]-acetamide, monosodium salt, monohydrate. The structural formula is:



Each gram of Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser contains 98 mg of Sodium Sulfacetamide and 48 mg of sulfur in a formulation containing: Aloe Vera Leaf, Butylated Hydroxytoluene, Camellia Oleifera Leaf, Cetyl Alcohol, Disodium Oleamido Monoethanolamine Sulfosuccinate, Edetate Disodium, Glycerin, Glyceryl Monostearate, Magnesium Aluminum Silicate, Methylparaben, Peg-100 Stearate, Propylparaben, Sodium Cocoyl Isethionate, Sodium Methyl Cocoyl Taurate, Sodium Thiosulfate, Stearyl Alcohol, Water, Xanthan Gum.

**CLINICAL PHARMACOLOGY:**

The most widely accepted mechanism of action of sulfonamides is the Woods-Fildes theory, which is based on the fact that sulfonamides act as competitive antagonists to para-aminobenzoic acid (PABA), an essential component for bacterial growth. While absorption through intact skin has not been determined, sulfacetamide sodium is readily absorbed from the gastrointestinal tract when taken orally and excreted in the urine, largely unchanged. The biological half-life has variously been reported as 7 to 12.8 hours. The exact mode of action of sulfur in the treatment of acne is not known, but it has been reported that it inhibits the growth of Propionibacterium acnes and the formation of free fatty acids.

**INDICATIONS:** Sulfacetamide Sodium and Sulfur Cleanser is indicated in the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

**CONTRAINDICATIONS:** Sulfacetamide Sodium and Sulfur Cleanser is contraindicated for use by patients having known hypersensitivity to sulfonamides, sulfur or any other

component of this preparation. Sulfacetamide Sodium and Sulfur Cleanser is not to be used by patients with kidney disease.

### **WARNINGS:**

**Although rare, sensitivity to Sulfacetamide Sodium may occur. Therefore, caution and careful supervision should be observed when prescribing this drug for patients who may be prone to hypersensitivity to topical sulfonamides. Systemic toxic reactions such as agranulocytosis, acute hemolytic anemia, purpura hemorrhagica, drug fever, jaundice and contact dermatitis indicate hypersensitivity to sulfonamides. Particular caution should be employed if areas of denuded or abraded skin are involved.**

**FOR EXTERNAL USE ONLY. Keep away from eyes. Keep out of reach of children. Keep container tightly closed.**

### **PRECAUTIONS:**

**General** -If irritation develops, use of the product should be discontinued and appropriate therapy instituted. Patients should be carefully observed for possible local irritation or sensitization during long-term therapy. The object of this therapy is to achieve desquamation without irritation, but Sulfacetamide Sodium and Sulfur can cause reddening and scaling of the epidermis. These side effects are not unusual in the treatment of acne vulgaris, but patients should be cautioned about the possibility.

**Information for patients** - Avoid contact with eyes, eyelids, lips and mucous membranes. If accidental contact occurs, rinse with water. If excessive irritation develops, discontinue use and consult your physician.

**Carcinogenesis, Mutagenesis and Impairment of Fertility** - Long-term studies in animals have not been performed to evaluate carcinogenic potential.

**Pregnancy: Category C** - Animal reproduction studies have not been conducted with Sulfacetamide Sodium and Sulfur lotion. It is also not known whether Sulfacetamide Sodium and Sulfur cleanser can cause fetal harm when administered to a pregnant woman or can affect reproduction capacity. Sulfacetamide Sodium and Sulfur cleanser should be given to a pregnant woman only if clearly needed.

**Nursing Mothers** - It is not known whether sulfacetamide sodium is excreted in the human milk following topical use of Sulfacetamide Sodium and Sulfur lotion. However, small amounts of orally administered sulfonamides have been reported to be eliminated in human milk. In view of this and because many drugs are excreted in human milk, caution should be exercised when Sulfacetamide Sodium and Sulfur cleanser is administered to a nursing woman.

**Pediatric Use** - Safety and effectiveness in children under the age of 12 have not been established.

**ADVERSE REACTIONS:** Although rare, Sulfacetamide Sodium may cause local irritation.

**DOSAGE AND ADMINISTRATION:** Use once daily or as directed by your physician. Wet skin. Apply in a film to entire face, avoiding contact with eyes or mucous membranes. Wait 10 minutes or until dry. Rinse thoroughly with water and pat dry.

**HOW SUPPLIED:**

Sulfacetamide Sodium 9.8% and Sulfur 4.8% cleanser is supplied in  
10 oz (285 g) bottle NDC #50405-852-01

Store at 20°-25°C (68°-77°F), excursions permitted between 15°-30°C (59°-86°F). Brief exposure to temperatures up to 40° (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C(77°F); however such exposure should be minimized. Protect from freezing.

**Call your doctor about side effects. You may report side effects to FDA at 1-800-FDA-1088.**

**KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN**

**Rx Only**

**Manufactured for: SOHM, Inc. 2501 Commercial St., San Diego, CA 92113  
USA**

**For any product questions or concerns please call: 800-284-1524  
Rev. 04-2023**

**PRINCIPAL DISPLAY PANEL - 285 g Bottle Label**

NDC 50405-852-01

**Sodium Sulfacetamide 9.8% and Sulfur 4.8% *Cleanser***

**Rx Only**

10 oz (285 g)

PEEL OPEN HERE →

**SOHM**  
ADDS LIFE TO LIVES

**SODIUM  
SULFACETAMIDE 9.8%  
AND SULFUR 4.8%**

**Cleanser**

For Topical use only  
Not for Ophthalmic use

**Rx Only**

(sodium sulfacetamide 9.8%,  
sulfur 4.8%)

**Net Wt. 10 oz. (285g)**

**NDC # 50405-852-01**

**INDICATIONS:** Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser is indicated for the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

**DIRECTIONS:** Shake well before use. Apply Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser once or twice daily to affected areas or as directed by your physician. Wet skin and liberally apply to areas to be cleaned. Massage gently into skin for 10-20 seconds, working into a lather. Rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing off Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser sooner or using less often.

**FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.  
KEEP THIS AND ALL MEDICATIONS OUT OF REACH OF CHILDREN.  
KEEP BOTTLE TIGHTLY CLOSED.**

**CONTRAINDICATIONS:** Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser is contraindicated for use by patients having known hypersensitivity to sulfonamides sulfur or any other component of this preparation. Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser is not to be used by patients with kidney disease.

**INGREDIENTS:** Each gram of Sodium Sulfacetamide 9.8% and Sulfur 4.8% Cleanser contains 98 mg of Sodium Sulfacetamide and 48 mg of sulfur in a formulation containing: Aloe Vera Leaf, Butylated Hydroxytoluene, Camellia Oleifera Leaf, Cetyl Alcohol, Disodium Oleamide Monoethanolamine Sulfosuccinate, Edetate Disodium, Glycerin, Glyceryl Monostearate, Magnesium Aluminum Silicate, Methylparaben, Peg-100 Stearate, Propylparaben, Sodium Cocoyl Isethionate, Sodium Methyl Cocoyl Taurate, Sodium Thiosulfate, Stearyl Alcohol, Water, Xanthan Gum.

Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C to 30°C (between 59°F to 86°F). Protect from freezing.



SERIAL  
CODE

GTIN:

LOT:

EXP:

SN:

Manufactured for:  
**SOHM, Inc.**  
2501 Commercial St.  
San Diego, CA 92113  
USA  
800-284-1524 3



UPC CODE

1

## SODIUM SULFACETAMIDE 9.8 % AND SULFUR 4.8 % CLEANSER

sodium sulfacetamide and sulfur lotion

### Product Information

|                                |                         |                           |               |
|--------------------------------|-------------------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN PRESCRIPTION DRUG | <b>Item Code (Source)</b> | NDC:50405-852 |
| <b>Route of Administration</b> | TOPICAL                 |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength    | Strength     |
|--|----------------------|--------------|
| <b>SULFACETAMIDE SODIUM</b> (UNII: 4NRT660KJQ) (SULFACETAMIDE - UNII:4965G3J0F5) | SULFACETAMIDE SODIUM | 98 mg in 1 g |
| <b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)                      | SULFUR               | 48 mg in 1 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                       |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)             |          |
| <b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)               |          |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)                        |          |
| <b>DISODIUM OLEAMIDO MEA-SULFOSUCCINATE</b> (UNII: 5M1101WGSY) |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)                     |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                             |          |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)                |          |
| <b>MAGNESIUM ALUMINUM SILICATE</b> (UNII: 6M3P64V0NC)          |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                        |          |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)                     |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                        |          |
| <b>SODIUM COCOYL ISETHIONATE</b> (UNII: 518XTE8493)            |          |
| <b>SODIUM METHYL COCOYL TAURATE</b> (UNII: JVL98CG53G)         |          |
| <b>SODIUM THIOSULFATE</b> (UNII: HX1032V43M)                   |          |
| <b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)                      |          |
| <b>WATER</b> (UNII: 059QF0K00R)                                |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                          |          |

## Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:50405-852-01 | 285 g in 1 BOTTLE; Type 0: Not a Combination Product | 05/03/2023           |                    |

## Marketing Information

| Marketing Category       | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug<br>other |  | 05/03/2023           |                    |

**Labeler** - SOHM, Inc (009303848)

**Registrant** - SOHM, Inc (009303848)