

**STOOL SOFTENER- docusate sodium capsule, liquid filled  
TOP CARE (Topco Associates LLC)**

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Docusate sodium 100 mg

**Purpose**

Stool softener laxative

**Uses**

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

**Do not use**

if you are presently taking mineral oil, unless directed by a doctor.

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with a glass of water

---

adults and | take 1 to 3 softgels daily. This

children 12 years and over	dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### Other information

- **each softgel contains:** sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

### Questions or comments?

Call toll free **1-888-423-0139**

### Principal Display Panel

COMPARE TO DULCLOLAX® STOOL SOFTENER ACTIVE INGREDIENT\*\*

#### Stool Softener

DOCUSATE SODIUM 100 mg • STOOL SOFTENER LAXATIVE

Fast, dependable relief of occasional constipation

SOFTGELS

\*\*This product is not manufactured or distributed by Chattem, Inc., distributor of Dulcolax® Stool Softener

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY TOPCO ASSOCIATED LLC

ELK GROVE VILLAGE, IL 60007

topcare@topco.com

www.topcarebrand.com

### Product Labeling

PLD-66718  
FC006744  
Exp. Date:      Lot No.:

QUALITY GUARANTEED

0 36800 16032 3

NDC-36800-862-25

**TopCare.**  
health

**COMPARE TO DULCOLAX®  
STOOL SOFTENER  
ACTIVE INGREDIENT\*\***

# Stool Softener

DOCUSATE SODIUM 100 mg • STOOL SOFTENER LAXATIVE

**Fast, Dependable Relief  
of Occasional Constipation**

**25 SOFTGELS** actual size 

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO PLVA0521  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more  
information or  
call 1-888-423-0139

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

\*\*This product is not manufactured or distributed by Chatham, Inc., distributor of Dulcolax® Stool Softener.

**Drug Facts (continued)**

**Other Information**

- each softgel contains: sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

**Questions or comments?** Call toll free 1-888-423-0139

**Drug Facts**

**Active ingredient (in each softgel)** Docusate sodium 100 mg.....Stool softener laxative

**Uses**

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

Do not use if you are presently taking mineral oil, unless directed by a doctor.

**Ask a doctor before use if you have**

- stomach pain    ■ nausea    ■ vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take with a glass of water

adults and children	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

## TOPCARE Stool Softener

<b>STOOL SOFTENER</b>			
docusate sodium capsule, liquid filled			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-862

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

### Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P51
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-862-25	1 in 1 BOX	02/28/2020	12/30/2024
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/28/2020	12/30/2024

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 6/2024

TOP CARE (Topco Associates LLC)